







Canada, National Health and Welfare Dept.  
Hospital morbidity statistics  
1964



Digitized by the Internet Archive  
in 2022 with funding from  
University of Toronto











HOSPITAL MORBIDITY STATISTICS

Based on the Experience of  
Provincial Hospital Insurance Plans in Canada  
January 1 - December 31, 1964

23

Research and Statistics Directorate

The Honourable Allan J. MacEachen  
Minister of National Health and Welfare

John N. Crawford, M.D.,  
Deputy Minister of National Health

Joseph W. Willard,  
Deputy Minister of National Welfare







## FOREWORD


This report, based on hospital morbidity experience for the year 1964, is the fourth of its type to be published by the Department of National Health and Welfare.

The national tables have been compiled and consolidated from data prepared by Provincial and Territorial Insurance Plans. In some instances, the provincial data have already been published, in full or in part, by the provinces in their individual Annual Reports; in others, the data have been submitted directly to this Department in unpublished form, or have been made available by the Dominion Bureau of Statistics through arrangements with the provinces concerned.

Hospital admission-separation forms provide the source material from which each province prepares its tables. The content and the format of these tables follow the uniform outline for hospital morbidity statistics recommended by the Working Party on Admission Separation Forms and Related Matters, and approved in 1961 by the Advisory Committee on Hospital Insurance and Diagnostic Services. Some provinces were unable to provide the information for certain tables, as indicated by the various footnotes.

Separation rates and patient-day rates are based on population estimates produced by the Dominion Bureau of Statistics for the year 1964, except where noted.

This report was prepared in our Research and Statistics Directorate by Mr. A.C. McKenzie under the supervision of Mr. C.B. Walker, Principal Research Officer (Biostatistics), under the general direction of Mr. W. A. Mennie, Acting Director, Research and Statistics. Mr. J. Petit-Clerc and Mr. R. Belanger were responsible for the tabulations and calculations of rates.

  
Allan J. MacEachen  
Minister  
National Health and Welfare





## INTRODUCTION

The information in this report is contained in tables covering the following aspects of hospitalization in Canada:

1. Summary of separations and the patient-days of these separations by the agency responsible for payment of hospitalization, by province.
2. Separations and patient-days by sex and age groups, separation rates and patient-day rates per 1,000 population, average length of stay and the percentage distributions of separations and patient-days, by province.
3. Separations and patient-days of these separations by age group and length of stay in hospital, by province.
4. Separations, patient-days of these separations, separation rates and patient-day rates per 100,000 population, and average length of stay, by sex and age group, by the Canadian List of 98 diagnoses, Canada.
5. Separations, patient-days, average length of stay, separation rates and patient-day rates per 1,000 population, by age group for the ten most common diagnoses, by province.
6. Separations, and separation rates per 100,000 population, and the rate per 1,000 separations for the twenty-five most common operations, by province.
7. Separations and patient-days for the 75 categories in the "Temporary List of Operations and Treatments", by province.
8. Separations and patient-days for the categories in a special list of infant diagnoses, for newborn infants and for infants under one year of age, by province.

When using the information in this bulletin, certain reservations should be kept in mind. The data are not meant to represent a true measure of the actual amount of illness in each province or in Canada. They reflect only the morbidity experience of persons admitted to hospitals. Data concerning sick persons who are treated at home, in a physician's office, or in out-patient clinics are not included.

It must also be recognized that the counts of cases and patient-days apply to "separations". A separation is defined as a "discharge or death" occurring during the year. No account has been taken of multiple separations of an individual for the same illness, or multiple separations of an individual for different illnesses during the year.

The number of "separations" is, therefore, somewhat greater than the number of individuals involved. Although these distinctions are perhaps of slight interest from the point of view of those treating the sick person, they have definite interest for those concerned with hospital administration and planning of community services.

Hospital caseloads will tend to reflect those disease conditions which receive some benefit from hospital facilities and services, with particular emphasis on surgery and intensive medical treatment. Examples of such conditions are acute appendicitis and coronary attacks. Alternatively, illnesses which can often be treated at home, or in the physician's office, are less likely to appear in hospital morbidity statistics. Examples of such conditions are upper respiratory illnesses and rheumatism. Hospitalization data, therefore, may be a fair indicator of morbidity for some conditions but a poor indicator for others.

The data represent hospital utilization, or the amount of care provided. The provinces differ somewhat in their arrangements to provide this care, such as in the number of hospital beds available in relation to provincial population, the number of chronic facilities available, and the extent to which they are included in the hospital insurance program. Alternative forms of care, such as the care provided by nursing homes will vary from province to province. Comparisons of the effect of these factors on hospital utilization are beyond the scope of this publication.



LIST OF TABLES

1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Newfoundland, 1964.	1
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Prince Edward Island, 1964.	2
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Nova Scotia, 1964.	3
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Quebec, 1964.	4
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Ontario, 1964.	5
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Manitoba, 1964.	6
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Saskatchewan, 1964.	7
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Alberta, 1964.	8
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, British Columbia, 1964.	9
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Yukon, 1964.	10
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Northwest Territories, 1964.	11
2a(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Number of Separations, Male.	12

<u>Table Number</u>		<u>Page</u>
2a(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Number of Separations, Female.	13
2a(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Number of Separations, Both Sexes.	14
2b(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Patient-Days since Admission, Male.	15
2b(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Patient-Days since Admission, Female.	16
2b(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Patient-Days since Admission, Both Sexes.	17
2c(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Average Length of Stay, Male.	18
2c(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Average Length of Stay, Female.	19
2c(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Average Length of Stay, Both Sexes.	20
2d(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Separation Rate per 1,000 Population, Male.	21
2d(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Separation Rate per 1,000 Population, Female.	22



<u>Table Number</u>		<u>Page</u>
2d(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Separation Rate per 1,000 Population, Both Sexes.	23
2e(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Patient-Day Rate per 1,000 Population, Male.	24
2e(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Patient-Day Rate per 1,000 Population, Female.	25
2e(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Patient-Day Rate per 1,000 Population, Both Sexes.	26
2f(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Percentage Distribution of Separations, Male.	27
2f(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Percentage Distribution of Separations, Female.	28
2f(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Percentage Distribution of Separations, Both Sexes.	29
2g(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Percentage Distribution of Patient-Days, Male.	30
2g(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Percentage Distribution of Patient-Days, Female.	31

<u>Table Number</u>		<u>Page</u>
2g(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1964. Percentage Distribution of Patient-Days, Both Sexes.	32
5a(i)	SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1964.	34
5a(ii)	PERCENTAGE DISTRIBUTION OF SEPARATIONS, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1964.	35
5a(iii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1964. Number of Separations, Male.	36
5a(iv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1964. Number of Separations, Female.	37
5a(v)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1964. Number of Separations, Male.	38
5a(vi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1964. Number of Separations, Female.	39
5a(vii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1964. Number of Separations, Male.	40
5a(viii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1964. Number of Separations, Female.	41
5a(ix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1964. Number of Separations, Male.	42
5a(x)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1964. Number of Separations, Female.	43
5a(xi)	SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1964.	44



<u>Table Number</u>		<u>Page</u>
5a(xii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1964. Number of Separations, Male.	45
5a(xiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1964. Number of Separations, Female.	46
5a(xiv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1964. Number of Separations, Male.	47
5a(xv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1964. Number of Separations, Female.	48
5a(xvi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1964. Number of Separations, Male.	49
5a(xvii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1964. Number of Separations, Female.	50
5a(xviii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1964. Number of Separations, Male.	51
5a(xix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1964. Number of Separations, Female.	52
5a(xx)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1964. Number of Separations, Male.	53
5a(xxi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1964. Number of Separations, Female.	54
5a(xxii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1964. Number of Separations, Male.	55
5a(xxiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1964. Number of Separations, Female.	56

<u>Table Number</u>		<u>Page</u>
5b(i)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1964.	57
5b(ii)	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1964.	58
5b(iii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1964. Patient-Days of Separations, Male.	59
5b(iv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1964. Patient-Days of Separations, Female.	60
5b(v)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1964. Patient-Days of Separations, Male.	61
5b(vi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1964. Patient-Days of Separations, Female.	62
5b(vii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1964. Patient-Days of Separations, Male.	63
5b(viii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1964. Patient-Days of Separations, Female.	64
5b(ix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1964. Patient-Days of Separations, Male.	65
5b(x)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1964. Patient-Days of Separations, Female.	66
5b(xi)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN, ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1964.	67
5b(xii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1964. Patient-Days of Separations, Male.	68

<u>Table Number</u>		<u>Page</u>
5b(xiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1964. Patient-Days of Separations, Female.	69
5b(xiv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1964. Patient-Days of Separations, Male.	70
5b(xv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1964. Patient-Days of Separations, Female.	71
5b(xvi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1964. Patient-Days of Separations, Male.	72
5b(xvii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1964. Patient-Days of Separations, Female.	73
5b(xviii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1964. Patient-Days of Separations, Male.	74
5b(xix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1964. Patient-Days of Separations, Female.	75
5b(xx)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1964. Patient-Days of Separations, Male.	76
5b(xxi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1964. Patient-Days of Separations, Female.	77
5b(xxii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1964. Patient-Days of Separations, Male.	78
5b(xxiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1964. Patient-Days of Separations, Female.	79
6(a)	SEPARATIONS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN- PATIENTS, INCLUDING OUT-OF-PROVINCE HOS- PITALIZATION, Canada, 1964.	80



<u>Table Number</u>		<u>Page</u>
6(b)	PATIENT-DAYS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1964.	100
6(c)	AVERAGE STAY OF ALL SEPARATIONS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1964.	120
6(d)	SEPARATION RATES PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1964.	140
6(e)	PATIENT-DAY RATES PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1964.	160
7(a)	NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1964.	182
7(b)	RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1964.	183
7(c)	PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES, 1964.	184
7(d)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Newfoundland, 1964.	185
7(e)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Prince Edward Island, 1964.	187
7(f)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, Nova Scotia, 1964.	189
7(g)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, New Brunswick, 1964.	190
7(h)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Quebec, 1964.	192

<u>Table Number</u>		<u>Page</u>
7(i)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) IN- CLUDING OUT-OF-PROVINCE HOSPITALIZATION, Ontario, 1964.	194
7(j)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Manitoba, 1964.	196
7(k)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Saskatchewan, 1964.	198
7(l)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Alberta, 1964.	200
7(m)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION), British Columbia, 1964.	202
7(n)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND INCLUDING OUT-OF-PROVINCE HOSPITALIZATION), Yukon, 1964.	204
7(o)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Northwest Territories, 1964.	206
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Newfoundland 1964.	208
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1964.	209
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Nova Scotia, 1964.	210
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), New Brunswick, 1964.	211

<u>Table Number</u>		<u>Page</u>
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1964.	212
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Ontario, 1964.	213
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Manitoba, 1964.	214
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1964.	215
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Alberta, 1964.	216
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), British Columbia, 1964.	217
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1964.	218
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1964.	219
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1964.	220
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1964.	225
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), Ontario, 1964.	230
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS (EXCLUDING NEWBORNS), Manitoba, 1964.	235



<u>Table Number</u>		<u>Page</u>
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), Saskatchewan, 1964.	240
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), Alberta, 1964.	245
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), British Columbia, 1964.	250
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1964.	255
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1964.	260
10	SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE WHO ARE PROVINCIAL PLAN IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR SEVEN PROVINCES AND TWO TERRITORIES, 1964.	265
APPENDIX 1	THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955).	276
APPENDIX 2	ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1964. SOURCE: DOMINION BUREAU OF STATISTICS.	278



TABLE 1

SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, NEWFOUNDLAND, 1964

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and convalescent hospitals	Not available			647,859	72,321	720,180
2. Hospitalized in other provinces				17,051	-	17,051
3. Hospitalized in other countries				17,385	-	17,385
Sum of A				876	-	876
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)				683,171	72,321	755,492
1. Department of Veterans Affairs						
i in D.V.A. hospitals						
ii in other hospitals						
2. Women's Compensation Boards				11,861	-	11,861
3. Uninsured residents				-	-	-
4. Non-residents				2,892	-	2,892
5. Insured residents not the responsibility of Provincial Plan				22,475	-	22,475
6. Other agencies - Federal Government				11,125	-	11,125
Sum of B				48,353	-	48,353
Sum of A and B				731,524	72,321	803,845



TABLE 1

SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, PRINCE EDWARD ISLAND, 1964

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i. Active treatment hospitals	16,216	2,705	18,921	160,968	18,317	179,285
ii. Chronic and convalescent hospitals						
a) Chronic units in general hospitals	99	-	99	3,205	-	3,205
2. Hospitalized in other provinces	573	38	611	7,686	282	7,968
3. Hospitalized in other countries	30	-	30	455	-	455
Sum of A	16,918	2,743	19,661	172,314	18,599	190,913
B. <u>Not Responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i in D.V.A. hospitals	166	-	166	2,747	-	2,747
ii in other hospitals	163	-	163	1,727	-	1,727
2. Workmen's Compensation Board						
3. Uninsured residents	-	-	-	-	-	-
4. Non-residents	409	56	465	3,012	406	3,418
5. Insured residents not the responsibility of Provincial Plan	115	7	122	645	38	683
6. Other agencies	-	-	-	-	-	-
Sum of B	853	63	916	8,131	444	8,575
Sum of A and B	17,771	2,806	20,577	180,445	19,043	199,488
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, NOVA SCOTIA, 1964

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	107,937	18,085	126,022	1,150,460	120,318	1,270,778
ii	Chronic and convalescent hospitals	541	-	541	22,241	-	22,241
2.	Hospitalized in other provinces	1,237	194	1,431	13,911	1,217	15,128
3.	Hospitalized in other countries	160	1	161	2,065	11	2,076
	Sum of A	109,875	18,280	128,155	1,188,677	121,546	1,310,223
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculous institutions)						
1.	Department of Veterans Affairs						
i	in D.V.A. hospitals	1,482	-	1,482	77,794	-	77,794
ii	in other hospitals	289	-	289	3,528	-	3,528
3.	Workmen's Compensation Board	1,526	-	1,526	18,407	-	18,407
4.	Uninsured residents and non-residents	2,350	246	2,596	25,752	1,737	27,489
5.	Insured residents not the responsibility of N.S.H.I.C.	59	-	59	255	-	255
6.	Other agencies	163	10	173	851	69	920
	U.S.A.F.	17	6	23	90	32	122
	Sum of B	5,886	262	6,148	126,677	1,838	128,515
C.	Sum of A and B	115,761	18,542	134,303	1,315,354	123,384	1,438,738

SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, QUEBEC, 1964

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	752,745	128,815	881,560	7,790,647	813,010	8,603,657
ii	Chronic and convalescent hospitals (subdivided where applicable)	166	-	166	24,755	-	24,755
a)	Chronic units attached to general hospitals	5,128	-	5,128	889,744	-	889,744
b)	Public chronic hospitals	3,776	-	3,776	448,292	-	448,292
c)	Private hospitals giving chronic care	1,509	-	1,509	249,790	-	249,790
d)	Other chronic facilities	-	-	-	-	-	-
e)	Public convalescent units and hospitals	534	-	534	30,812	-	30,812
	Institut de Rehabilitation - Montreal	14,198	1,783	15,981	158,329	12,400	170,729
2.	Hospitalized in other provinces	1,417	166	1,583	13,719	989	14,708
3.	Hospitalized in other countries						
	Sum of A	779,473	130,764	910,237	9,606,088	826,399	10,432,487
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	in D.V.A. hospitals )	53	-	53	559	-	559
ii	in other hospitals )	433	-	433	4,466	-	4,466
	Federal Government	12,129	-	12,129	133,686	-	133,686
2.	Workmen's Compensation Boards						
3.	Uninsured residents (including 5 and 6 below)	409	68	477	3,047	403	3,450
4.	Non-residents	7,562	456	8,018	101,649	3,341	104,990
5.	Insured residents not the responsibility of the Provincial Plan	-	-	-	-	-	-
6.	Other agencies	-	-	-	-	-	-
	Sum of B	20,586	524	21,110	243,407	3,744	247,151
C.	Sum of A and B	800,059	131,288	931,347	9,849,495	830,143	10,679,638



SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, ONTARIO, 1964

TABLE 1

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and Convalescent hospitals						
2. Hospitalized in other provinces	NOT AVAILABLE	AVAILABLE		NOT AVAILABLE	AVAILABLE	
3. Hospitalized in other countries						
Sum of A						
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i in D.V.A. hospitals (not included)						
ii in other hospitals						
2. Workmen's Compensation Boards						
3. Uninsured residents						
4. Non-residents						
5. Insured residents not the responsibility of Provincial Plan						
6. Other agencies						
Sum of B						
C. Sum of A and B	1,044,520	156,229	1,200,749	13,544,372	1,076,827	14,621,199

TABLE 1  
SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, MANITOBA, 1964

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals	160,133	21,074	181,207	1,521,571	135,340	1,656,911
ii Extended treatment hospitals	2,655	1	2,656	257,321	11	257,332
2. Hospitalized in other provinces	2,262	292	2,554	18,791	1,836	20,627
3. Hospitalized in other countries	717	62	779	6,463	331	6,794
Sum of A	165,767	21,429	187,196	1,804,146	137,518	1,941,664
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Department of Veterans Affairs						
i in D.V.A. hospitals	568	-	568	16,401	-	16,401
ii in other hospitals	79	1	80	808	18	826
2. Workmen's Compensation Boards	1,800	-	1,800	21,121	-	21,121
3. Uninsured residents	143	28	171	886	193	1,079
4. Non-residents	7,444	718	8,162	82,332	5,918	88,250
5. Insured residents not the responsibility of the Provincial Plan	370	13	383	1,091	44	1,135
6. Other agencies	-	-	-	-	-	-
Sum of B	10,404	760	11,164	122,639	6,173	128,812
Sum of A and B	176,171	22,189	198,360	1,926,785	143,691	2,070,476
C.						

SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, SASKATCHEWAN, 1964

Items		Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	202,168	22,137	224,305	1,932,117	144,215	2,076,332
ii	Chronic and convalescent hospitals (subdivided where applicable)						
a)	Chronic units attached to general hospitals	-	-	-	-	-	-
b)	Public chronic hospitals	-	-	-	-	-	-
c)	Private hospitals giving chronic care	-	-	-	-	-	-
d)	Other chronic facilities (1)	579	-	579	200,227	-	200,227
e)	Public convalescent units and hospitals	-	-	-	-	-	-
2.	Hospitalized in other provinces	4,841	627	5,468	50,791	4,501	55,292
3	Hospitalized in other countries	418	31	449	3,772	152	3,924
	Sum of A	208,006	22,795	230,801	2,186,907	148,868	2,335,775
B.	<u>Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)</u>						
1.	Department of Veterans Affairs						
i	in D.V.A. hospitals	-	-	-	-	-	-
ii	in other hospitals	664	-	664	7,530	-	7,530
2.	Workmen's Compensation Boards	1,832	-	1,832	16,934	-	16,934
3.	Uninsured residents	1,778	215	1,993	10,114	1,548	11,662
4.	Non-residents	4,275	431	4,706	34,751	2,877	37,628
5.	Insured residents not the responsibility of the Provincial Plan	5	-	5	11	-	11
6.	Other agencies	367	5	372	3,052	53	3,105
	Sum of B	8,921	651	9,572	72,392	4,478	76,870
C.	Sum of A and B	216,927	23,446	240,373	2,259,299	153,346	2,412,645

(1) Geriatric Hospitals at Regina, Saskatoon, Melfort and Swift Current.



SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, ALBERTA, 1964

TABLE 1

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Provincial Plan</u>						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and convalescent hospitals						
a) Auxiliary hospitals	2,213	35,519	306,092	2,406,495	252,308	2,658,803
b) Nursing homes	865	-	2,213	552,045	-	552,045
2. Hospitalized in other provinces	3,472	482	865	896,765	-	896,765
3. Hospitalized in other countries	363	17	3,954	28,385	3,250	31,635
Sum of A	277,486	36,018	380	4,544	138	4,682
B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Federal						
i in federal hospitals	2,764	19	2,783	131,578	473	132,051
ii in other hospitals	1,269	1	1,270	23,108	8	23,116
2. Workmen's Compensation Boards	5,310	-	5,310	53,406	-	53,406
3. Uninsured residents	-	-	-	-	-	-
4. Non-residents	5,511	569	6,080	54,746	4,709	59,455
5. Insured residents not the responsibility of the Provincial Plan	14	4	18	103	119	222
6. Other agencies	-	-	-	-	-	-
Sum of B	14,868	593	15,461	262,941	5,309	268,250
Sum of A and B	292,354	36,611	328,965	4,151,175	261,005	4,412,180
C.						

SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, BRITISH COLUMBIA, 1964

TABLE 1

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
<b>A. Responsibility of Provincial Plan</b>						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Rehabilitative hospitals and units						
a) Rehabilitative units attached to general hospitals	284,890	34,983	319,873	2,746,690	246,203	2,992,893
b) "Chronic" hospitals	390	-	390	10,694	-	10,694
2. Hospitalized in other provinces	3,325	-	3,325	97,808	-	97,808
3. Hospitalized in other countries	3,018	295	3,313	31,576	2,043	33,619
	498	14	510	4,627	93	4,720
Sum of A	292,121	35,290	327,411	2,891,395	248,339	3,139,734
<b>B. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)</b>						
1. Federal Government (D.V.A. and Indian) documented cases only (1)	615	23	638	4,994	184	5,178
2. Workmen's Compensation Boards	7,922	-	7,922	75,642	-	75,642
3. Uninsured residents						
4. Non-residents						
5. Insured residents not the responsibility of the Provincial Plan	5,959	820	6,779	55,166	15,364	70,530
6. Other agencies						
Sum of B	14,496	843	15,339	135,802	15,548	151,350
Sum of A and B	306,617	36,133	342,750	3,027,197	263,887	3,291,084

(1) Undocumented cases comprise 411,812 patient-days for chronic patients in D.V.A. and Indian Federal Hospitals, and to 37,321 days in two public long-term care hospitals.

SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, YUKON, 1964

TABLE 1

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Yukon Plan</u>						
1. Hospitalized in Yukon	2,497	501	2,998	18,902	3,239	22,141
2. Hospitalized in other provinces	266	26	292	3,347	258	3,605
3. Hospitalized in other countries	14	1	15	231	7	238
Sum of A	2,777	528	3,305	22,480	3,504	25,984
B. <u>Not responsibility of Yukon Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Workmen's Compensation Boards	100	-	100	955	-	955
2. Department of Veterans Affairs	10	-	10	73	-	73
3. Department of National Defence	29	-	29	313	-	313
4. Royal Canadian Mounted Police	6	-	6	23	-	23
5. Self	54	-	54	295	-	295
6. Other Provincial Plans	199	25	224	1,779	150	1,929
7. Indians and Northern Health Services	19	-	19	112	-	112
8. Other agencies	43	2	45	337	20	357
Sum of B	460	27	487	3,887	170	4,057
Sum of A and B	3,237	555	3,792	26,367	3,674	30,041
C.						



SUMMARY OF HOSPITALIZATION  
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION  
OF THESE SEPARATIONS, NORTHWEST TERRITORIES, 1964

TABLE 1

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A	<u>Responsibility of Territorial Plan</u>						
1.	Hospitalized in Territories	5,332	786	6,118	39,576	5,035	44,611
2.	Hospitalized in other provinces	913	127	1,040	15,884	878	16,762
3.	Hospitalized in other countries	6	3	9	42	10	52
	Sum of A	6,251	916	7,167	55,502	5,923	61,425
B.	<u>Not responsibility of Territorial Plan</u> <u>(excluding patients of mental and tuberculous institutions)</u>						
1.	Workmen's Compensation Boards	82	-	82	713	-	713
2.	Department of Veterans Affairs	-	-	-	-	-	-
3.	Department of National Defence	5	-	5	11	-	11
4.	Royal Canadian Mounted Police	6	-	6	28	-	28
5.	Self	55	3	58	317	21	338
6.	Other Provincial Plans	198	17	215	1,292	175	1,467
7.	Indian and Northern Health Services	245	5	250	2,904	46	2,950
8.	Other agencies	63	1	64	463	19	482
	Sum of B	654	26	680	5,728	261	5,989
C.	Sum of A and B	6,905	942	7,847	61,230	6,184	67,414

TABLE 2a (i) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	--	1,464	9,232	7,680	67,552	79,542	11,048	11,622	19,835	17,920	261	464	226,620
Under 1	3,274)	1,302	2,930	2,851	17,665	19,567	4,597	6,467	6,942	6,257	92	514)	212,466
1 - 4	2,742)		4,647	4,417	30,584	50,301	7,561	10,549	13,977	14,494	205	531)	
5 - 9	2,044	510	3,829	3,698	29,025	40,594	5,910	8,194	11,657	12,233	101	295	118,080
10 - 14	1,597	394	2,529	2,631	17,800	20,962	3,882	5,380	7,175	6,366	51	130	68,897
15 - 19	1,365	424	2,064	2,357	17,375	18,318	3,321	4,526	6,420	5,346	31	100	61,647
20 - 24	1,216	277	1,549	1,613	19,560	16,674	2,762	2,858	5,488	4,255	48	107	56,407
25 - 29	855	233	1,198	1,285	14,529	15,366	2,245	2,344	4,785	3,716	48	111	46,715
30 - 34	884	254	1,288	1,445	15,984	17,476	2,410	2,642	5,171	4,352	64	103	52,073
35 - 39	929	232	1,326	1,515	17,527	19,702	2,542	2,925	5,421	4,875	64	108	57,166
40 - 44	973	283	1,893	1,837	18,575	21,326	2,933	3,361	5,565	5,443	62	87	62,338
45 - 49	981	382	2,121	1,826	18,011	20,926	3,235	3,635	5,607	5,465	68	68	62,325
50 - 54	1,152	413	2,531	2,170	19,148	23,747	3,727	4,144	5,942	6,446	60	74	69,554
55 - 59	881	365	2,531	2,009	17,872	23,164	3,724	4,311	6,133	6,690	55	53	67,857
60 - 64	794	394	2,600	1,816	16,115	24,093	4,027	4,507	6,346	6,635	54	37	67,081
65 - 69	714	430	2,263	1,856	13,367	21,362	3,925	4,571	5,840	6,143	28	38	60,735
70 - 74	642	466	2,461	1,690	11,045	18,981	4,183	5,250	6,280	6,747	26	37	57,712
75 - 79	541	375	2,365	1,512	8,108	14,986	4,046	5,106	5,878	6,746	20	44	49,382
80 - 84	274	261	2,020	1,031	4,385	9,480	2,681	3,678	3,847	4,572	26	18	31,580
85+	147	168	1,327	660	2,180	5,717	1,652	2,168	2,268	2,557	20	14	18,501
Unknown	8	--	--	--	--	--	--	--	--	--	5	3	16
All Ages	22,013	8,627	51,123	45,899	376,407	482,284	80,411	98,228	140,577	137,258	1,389	2,936	1,447,152

TABLE 2a (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

NUMBER OF SEPARATIONS													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.E.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	--	1,345	8,853	7,277	63,736	75,126	10,423	11,173	16,229	17,063	254	452	211,931
Under 1	2,415)	1,024	2,102	1,960	12,795	13,488	3,526	4,744	4,993	4,674	80	425)	158,286
1 - 4	2,025)	434	3,354	3,352	23,524	36,932	5,893	8,128	11,041	11,224	141	446)	101,240
5 - 9	1,525	347	3,205	3,278	25,022	34,678	4,930	7,399	10,205	10,230	79	255	61,207
10 - 14	1,434	757	2,086	2,455	14,976	18,665	3,577	5,153	6,988	5,344	50	132	128,181
15 - 19	4,013	1,387	5,500	5,308	30,890	41,068	6,966	8,960	12,876	11,449	107	287	253,702
20 - 24	6,518	1,225	9,520	8,235	74,026	83,830	12,286	13,676	22,443	20,983	260	538	222,661
25 - 29	5,300	1,891	7,599	6,636	66,358	76,503	10,470	11,610	18,469	17,794	233	464	182,345
30 - 34	3,920	792	6,047	5,700	56,253	61,593	8,369	9,422	15,045	14,538	197	365	145,966
35 - 39	3,100	617	4,639	4,700	43,728	49,627	6,938	8,018	11,761	12,215	148	300	111,969
40 - 44	2,032	389	3,776	3,400	31,034	37,706	5,637	6,739	9,859	10,854	136	179	84,152
45 - 49	1,197	393	3,093	2,678	22,070	27,796	4,464	5,762	7,746	8,812	56	89	76,151
50 - 54	1,025	335	2,648	2,323	19,845	25,442	4,371	5,264	6,968	7,746	55	71	63,528
55 - 59	853	393	2,180	1,995	16,757	21,442	3,704	4,390	5,910	5,879	30	53	59,325
60 - 64	790	427	2,191	1,949	14,973	20,519	3,519	4,164	5,256	5,499	16	56	56,301
65 - 69	774	404	2,199	1,946	13,012	19,570	3,588	4,387	5,039	5,306	11	42	53,797
70 - 74	598	420	2,305	1,905	11,056	19,328	3,629	4,257	4,807	5,479	7	22	45,599
75 - 79	429	356	1,893	1,572	8,163	15,813	3,509	4,044	4,433	5,357	15	15	30,677
80 - 84	193	227	1,336	1,118	4,507	11,178	2,398	2,922	3,160	3,610	7	21	19,239
85+	87	207	.914	654	2,210	7,530	1,590	1,782	1,972	2,274	9	10	33
Unknown	16	--	--	--	--	--	--	--	--	--	10	7	
All ages	38,244	11,950	75,440	68,441	554,940	697,834	109,787	131,994	185,200	186,330	1,901	4,229	2,066,290





TABLE 2b(1) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	--	9,516	61,133	50,663	426,807	550,070	70,700	76,248	141,434	127,408	1,710	2,915	1,518,604
Under 1	43,304	11,127	30,325	29,989	254,136	137,052	33,350	57,322	60,524	63,448	1,775	6,214	1,753,161
1-4	32,221	7,247	24,434	20,954	187,058	143,190	27,505	49,111	37,382	36,666	1,493	4,229	1,433,361
5-9	26,353	2,934	13,234	10,507	137,058	143,190	22,633	31,145	33,253	31,333	511	2,133	1,333,361
10-14	17,331	1,310	13,133	13,725	137,058	143,190	22,633	29,326	33,273	39,522	233	337	1,333,361
15-19	15,433	2,339	14,465	14,101	137,058	143,000	24,432	19,733	32,835	32,935	233	320	1,333,361
20-24	11,749	2,339	14,465	14,101	137,058	143,000	21,614	17,733	42,143	27,065	516	1,093	1,333,361
25-29	9,887	2,789	14,046	11,777	138,668	190,926	16,958	17,114	45,969	36,161	721	877	524,729
30-34	10,868	2,345	14,046	13,459	167,418	238,855	25,360	20,894	55,883	44,159	541	883	635,934
35-39	13,851	2,421	14,767	15,021	200,143	285,236	33,731	31,365	73,913	55,391	664	984	772,295
40-44	15,159	3,280	24,384	19,352	228,836	303,247	32,309	36,329	63,327	60,683	669	979	821,529
45-49	18,062	4,157	29,225	23,330	245,512	374,235	49,323	46,559	73,091	77,560	650	1,022	1,007,970
50-54	18,921	5,356	37,455	28,861	321,390	481,656	54,274	53,226	95,414	90,627	657	559	1,126,953
55-59	18,109	5,132	41,284	28,906	321,390	481,656	62,610	61,811	110,605	95,799	534	773	1,232,079
60-64	14,910	6,399	36,466	28,906	331,610	507,203	70,451	72,004	108,557	102,514	710	541	1,258,997
65-69	15,062	6,893	45,927	31,760	297,375	486,881	83,670	87,437	165,933	120,442	373	587	1,354,872
70-74	12,883	6,647	41,799	31,386	316,834	457,050	89,819	88,857	229,564	124,949	416	626	1,351,863
75-79	11,404	6,514	37,631	30,983	254,050	332,309	66,557	70,602	122,446	87,606	283	235	1,351,863
80-84	5,902	3,915	23,682	24,129	178,927	249,997	47,058	50,542	231,883	50,628	463	189	775,559
85+	3,157	2,891	18,699	14,767	105,285	249,997	47,058	50,542	--	--	93	28	--
Unknown	135	--	--	--	--	--	--	--	--	--	--	--	--
All Ages	312,376	93,268	578,870	500,906	4,655,033	6,143,020	903,257	990,341	1,956,304	1,441,541	12,677	28,124	17,626,717

TABLE 2b(ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	--	9,527	59,185	46,145	403,336	515,721	67,073	72,620	115,720	118,795	1,702	3,008	1,412,832
Under 1	35,086)	8,550	21,814	20,667	189,293	137,564	33,394	42,757	44,600	47,455	1,720	4,311)	1,326,414
1 - 4	22,521)		25,120	29,885	203,926	214,137	37,626	55,678	69,678	76,051	1,197	4,384)	535,156
5 - 9	19,373	3,463	18,153	22,526	153,595	158,976	22,199	34,984	49,673	50,233	374	1,607	413,837
10 - 14	16,697	2,982	14,764	17,518	115,014	120,586	19,441	28,946	45,272	31,472	278	867	849,589
15 - 19	29,554	4,991	35,109	32,882	228,182	273,017	39,129	53,070	79,079	71,592	611	2,373	1,578,747
20 - 24	38,449	8,162	56,831	47,803	482,290	526,448	69,942	79,106	134,987	130,070	1,471	3,188	1,474,774
25 - 29	31,912	7,190	48,335	41,374	461,751	520,817	61,139	68,855	115,163	113,862	1,515	2,861	1,354,190
30 - 34	25,958	5,289	42,377	39,294	450,571	463,255	53,651	61,317	109,492	99,521	1,088	2,377	1,259,614
35 - 39	24,252	5,386	38,190	36,969	406,870	444,149	54,142	59,034	93,296	94,255	961	2,110	1,168,949
40 - 44	20,378	5,345	38,106	32,185	366,371	403,255	48,977	57,778	95,429	98,485	839	1,801	1,059,864
45 - 49	17,327	4,361	38,669	30,667	317,865	373,927	46,228	55,321	86,530	87,554	538	877	1,089,941
50 - 54	16,722	4,671	37,066	29,655	312,997	405,371	51,966	56,574	85,614	88,016	536	753	1,107,659
55 - 59	15,939	4,059	34,204	30,645	312,904	415,872	54,178	51,260	109,903	77,535	270	890	1,126,598
60 - 64	14,861	5,905	35,335	30,573	309,999	439,526	54,284	55,765	98,394	80,912	349	695	1,256,547
65 - 69	15,508	6,320	40,469	34,768	306,627	498,448	69,125	66,300	134,004	84,331	192	455	1,427,395
70 - 74	12,570	6,124	43,310	35,143	322,140	613,118	79,369	71,259	150,864	93,133	107	258	1,489,651
75 - 79	10,355	6,327	37,908	32,672	295,231	619,069	88,612	71,521	228,320	99,415	94	127	1,308,591
80 - 84	6,319	3,623	28,233	26,784	229,836	595,199	69,737	60,186	219,122	69,262	80	210	1,133,153
85+	2,664	3,945	20,971	20,487	155,807	519,640	58,757	42,876	259,816	47,905	205	80	1,133,153
Unknown	118	--	--	--	--	--	--	--	--	--	75	54	247
All Ages	376,563	106,220	714,149	638,642	6,024,605	8,258,095	1,078,969	1,145,207	2,324,956	1,659,854	13,202	33,286	22,373,748



TABLE 2b(111) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA
BOTH SEXES													
Newborn	--	19,043	120,318	96,808	830,143	1,065,791	137,773	148,868	257,154	246,203	3,412	5,923	2,931,436
Under 1	78,990)	19,677	52,169	50,656	443,729	332,616	72,744	100,679	105,124	110,903	1,495	10,525)	3,069,551
1 - 4	55,042)		59,500	66,592	459,523	498,317	80,786	129,089	156,770	172,717	2,695	9,213)	1,194,593
5 - 9	46,326	7,710	42,587	49,480	338,253	351,436	49,704	76,204	111,699	116,566	918	3,710	1,894,742
10 - 14	34,578	5,966	33,048	37,775	252,411	261,521	42,072	60,432	91,117	73,324	601	1,897	1,355,767
15 - 19	44,992	9,307	53,292	52,597	380,423	431,136	63,561	82,896	122,349	111,154	850	3,210	2,050,233
20 - 24	50,198	10,501	71,296	61,964	645,947	678,520	91,556	98,844	172,872	162,758	1,769	4,008	2,050,233
25 - 29	41,799	9,979	60,606	53,151	600,419	663,817	78,097	85,969	157,306	140,927	2,031	3,954	1,898,055
30 - 34	36,826	7,634	56,423	52,753	617,989	654,181	74,696	82,211	155,461	135,682	1,809	3,254	1,878,919
35 - 39	38,103	7,807	52,957	51,990	607,013	682,004	79,502	83,084	149,179	138,414	1,502	2,993	1,895,548
40 - 44	35,537	8,625	62,490	51,537	595,207	688,491	82,708	89,143	169,342	153,876	1,503	2,785	1,941,244
45 - 49	33,389	8,518	67,894	53,997	563,377	677,174	84,537	91,350	149,857	148,237	1,207	1,856	1,881,393
50 - 54	35,643	10,027	74,521	58,516	607,183	780,357	101,289	103,133	158,705	165,576	1,186	1,775	2,097,911
55 - 59	32,108	9,191	75,488	59,374	634,300	834,658	109,152	104,486	205,317	168,162	927	1,449	2,234,612
60 - 64	29,771	12,304	71,801	59,479	641,609	921,182	116,894	117,576	208,999	176,711	883	1,468	2,358,677
65 - 69	30,570	13,213	86,396	66,528	604,002	1,005,651	139,576	138,304	242,561	186,845	902	996	2,515,544
70 - 74	25,453	12,771	85,129	68,529	638,974	1,029,999	163,039	158,696	316,797	223,575	480	845	2,762,867
75 - 79	21,759	12,841	75,539	63,655	549,281	1,076,119	178,431	160,378	457,884	224,364	510	753	2,821,514
80 - 84	12,281	7,538	51,915	50,913	408,763	927,508	130,294	130,788	401,568	156,868	363	445	2,279,244
85 +	5,821	6,836	39,670	35,254	261,092	769,637	105,815	93,418	491,699	98,533	668	269	1,908,712
Unknown	253	--	--	--	--	--	--	--	--	--	168	82	503
All Ages	689,439	199,488	1,293,019	1,139,548	10,679,638	14,401,115	1,982,226	2,135,548	4,281,760	3,101,395	25,879	61,410	39,990,465

TABLE 2c(i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	--	6.5	6.6	6.6	6.3	6.9	6.4	6.6	7.1	7.1	6.6	6.3	6.7
Under 1	13.4)	8.5	10.4	10.5	14.4	10.0	8.6	9.0	8.7	10.1	8.4	12.1)	8.2
1 - 4	11.9)		7.4	8.3	8.4	5.6	5.7	7.0	6.2	6.7	7.3	9.1)	
5 - 9	13.2	8.3	6.4	7.3	6.4	4.7	4.7	5.0	5.3	5.4	5.4	7.1	5.6
10 - 14	11.2	7.6	7.2	7.7	7.7	6.7	5.3	5.9	6.4	6.6	6.3	7.9	7.0
15 - 19	11.3	10.2	8.8	8.4	8.8	8.6	7.4	6.6	6.7	7.4	7.7	8.4	8.2
20 - 24	9.7	8.4	9.3	8.8	8.4	9.1	7.8	6.9	6.9	7.7	6.2	7.7	8.4
25 - 29	11.6	12.0	10.2	9.2	9.5	9.3	7.6	7.3	8.8	7.3	10.8	9.8	9.1
30 - 34	12.3	9.2	10.9	9.3	10.5	10.9	8.7	7.9	8.9	8.3	11.3	8.5	10.1
35 - 39	14.9	10.4	11.1	9.9	11.4	12.1	10.0	8.2	10.3	9.1	11.3	8.2	11.1
40 - 44	15.6	11.6	12.9	10.5	12.3	13.4	11.5	9.3	13.3	10.2	10.7	11.3	12.4
45 - 49	16.4	10.9	13.8	12.8	13.6	14.5	11.8	9.9	11.3	11.1	9.8	14.4	13.2
50 - 54	16.4	13.0	14.8	13.3	15.4	15.8	13.2	11.2	12.3	12.0	10.8	13.8	14.5
55 - 59	18.4	14.1	15.9	14.3	18.0	18.1	14.8	12.3	15.6	13.5	11.9	10.5	16.6
60 - 64	18.8	16.2	16.1	15.9	20.6	20.0	15.5	13.7	17.4	14.4	9.9	20.9	18.4
65 - 69	21.1	16.0	18.7	17.1	22.2	23.7	17.9	15.8	18.6	16.7	25.4	14.2	20.7
70 - 74	20.1	14.3	17.7	18.6	28.7	25.6	20.0	16.7	26.4	17.9	14.3	15.9	23.5
75 - 79	21.1	17.4	18.6	20.5	31.3	30.5	22.2	17.4	39.1	18.5	20.8	14.2	27.0
80 - 84	21.8	15.0	17.8	23.4	40.8	35.1	22.6	19.2	47.4	19.2	10.9	13.1	30.7
85+	21.5	17.2	19.7	22.4	48.3	43.7	28.5	23.3	102.2	19.8	23.2	13.5	41.9
Unknown	16.9	--	--	--	--	--	--	--	--	--	18.6	9.3	16.0
All Ages	14.2	10.8	11.3	10.9	12.4	12.7	11.2	10.1	13.9	10.5	9.1	9.6	12.2

TABLE 2c(11) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	Nfld.	P.E.I	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	14.5)	7.1	6.7	6.3	6.3	6.9	6.4	6.5	7.1	7.0	6.7	6.7	6.7
Under 1	11.1)	6.3	10.4	10.5	14.3	10.2	9.5	9.0	8.9	10.8	9.0	10.1)	8.4
1 - 4	12.7	8.0	7.5	6.9	8.7	5.8	6.4	6.3	3.3	9.9	8.5	9.8)	5.8
5 - 9	11.0	8.6	5.7	6.9	6.1	4.6	4.5	4.7	4.9	4.9	4.7	3.3	6.0
10 - 14	11.4	8.6	7.1	7.1	7.7	6.6	5.4	5.0	5.5	5.3	5.6	6.3	6.0
15 - 19	7.4	9.9	6.4	5.8	7.4	6.3	5.7	5.3	6.1	6.2	5.7	5.9	6.2
20 - 24	5.0	5.5	6.0	6.2	6.6	6.8	5.3	5.3	6.0	4.3	5.5	5.2	7.4
25 - 29	9.0	5.9	7.0	6.3	7.0	7.5	6.4	6.5	6.2	6.3	6.5	6.2	8.6
30 - 34	6.5	5.8	7.0	6.9	8.0	8.9	7.8	7.4	7.3	7.7	6.5	7.0	10.4
35 - 39	7.3	5.8	8.2	7.5	9.3	10.7	8.7	8.0	7.9	7.7	6.5	8.1	12.6
40 - 44	10.0	8.7	10.1	9.5	11.4	13.5	10.4	9.6	11.2	9.1	6.2	10.1	14.3
45 - 49	14.5	11.2	12.5	11.8	14.4	15.9	11.9	10.7	12.3	9.9	6.7	9.7	17.0
50 - 54	19.3	11.9	14.0	12.3	15.5	17.4	11.9	11.7	13.6	11.2	9.0	10.6	14.3
55 - 59	18.7	12.1	15.7	15.4	18.7	21.4	14.0	13.4	16.7	13.2	9.8	10.8	17.0
60 - 64	20.0	14.8	16.1	17.9	20.7	25.5	15.3	15.1	20.6	14.7	17.5	12.4	19.0
65 - 69	21.0	15.2	18.8	18.4	23.0	31.7	21.3	16.7	26.6	15.9	15.3	13.7	22.3
70 - 74	21.1	17.8	20.0	20.3	26.2	39.1	25.3	17.7	31.4	17.0	16.3	13.5	26.5
75 - 79	32.1	19.0	21.1	24.0	51.2	63.2	29.3	20.6	59.5	18.6	11.4	13.5	32.7
80 - 84	30.3	19.1	22.9	31.3	70.5	69.0	37.0	24.1	13.8	21.1	22.8	10.0	42.7
85+	7.4	-	-	-	-	-	-	-	-	-	7.5	7.7	58.9
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	7.5
All Ages	9.8	8.9	9.5	9.3	10.9	11.8	9.8	8.7	12.6	8.9	6.9	7.9	10.8



TABLE 2c(111) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
BOTH SEXES													
Newborn	--	6.8	6.7	6.5	6.3	6.9	6.4	6.5	7.1	7.0	6.6	6.5	6.7
Under 1	13.9)	8.5	10.4	10.5	14.6	10.1	9.0	9.0	8.3	10.1	8.7	11.2)	8.3
1 - 4	11.5)		7.4	8.6	18.5	5.7	6.0	6.9	6.3	6.7	7.8	9.4)	
5 - 9	13.0	8.2	6.1	7.1	6.3	4.7	4.6	4.9	5.1	5.2	5.1	6.7	5.4
10 - 14	11.4	8.1	7.2	7.4	7.7	6.6	5.6	5.7	6.4	6.3	6.0	7.2	6.9
15 - 19	8	7.9	7.0	6.9	7.9	7.3	6.2	6.1	6.3	6.6	5.7	8.3	7.1
20 - 24	6.5	6.3	6.4	6.7	6.9	6.8	6.1	6.0	6.2	6.4	6.2	6.2	6.6
25 - 29	6.8	6.7	6.9	7.4	7.4	7.2	6.1	6.2	6.8	6.6	7.2	6.9	7.0
30 - 34	7.7	6.6	7.7	8.3	8.6	8.3	8.4	8.8	7.7	7.2	6.9	7.0	8.0
35 - 39	9.5	7.6	8.9	8.4	9.9	9.9	9.6	7.6	8.7	8.1	7.1	7.3	9.3
40 - 44	11.8	9.6	11.0	9.8	12.0	11.7	9.6	8.8	11.0	9.4	7.6	10.5	11.1
45 - 49	15.3	11.0	13.0	12.0	14.1	13.9	11.0	9.7	12.3	10.4	9.7	11.8	12.8
50 - 54	16.4	12.4	14.4	13.0	15.0	15.9	12.5	11.0	12.3	11.7	10.3	12.2	14.4
55 - 59	18.5	13.1	15.8	14.8	18.3	18.7	14.7	12.0	17.0	13.7	10.9	13.7	17.0
60 - 64	18.8	15.6	16.1	15.8	20.6	20.6	15.5	13.6	18.0	14.6	12.6	15.8	18.7
65 - 69	20.5	15.4	18.5	17.5	22.9	24.6	18.6	15.4	22.3	16.3	23.1	12.4	21.5
70 - 74	20.5	14.7	18.2	18.5	28.9	28.7	20.9	17.5	28.6	17.5	14.5	14.3	25.0
75 - 79	22.4	17.6	19.3	20.6	33.8	34.9	23.6	16.7	44.4	18.5	14.6	12.8	29.7
80 - 84	26.3	15.4	19.5	23.7	46.0	44.9	25.7	17.8	57.3	19.2	11.0	11.4	36.6
85+	24.9	18.2	21.3	26.8	59.5	58.1	32.6	23.6	116.0	20.4	23.0	11.2	50.6
Unknown	10.5	--	--	--	--	--	--	--	--	--	11.2	8.2	10.3
All Ages	11.4	9.7	10.2	10.0	11.5	12.2	10.4	9.3	13.1	9.6	7.9	8.6	11.4

TABLE 23(1) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

SEPARATION RATE PER 1,000 POPULATION											
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON
N.W.T.											
CANADA											
MALES											
Newborn	425.2	188.7	311.7	365.5	268.1	253.1	417.9	562.3	361.6	336.4	460.0
Under 1	93.3	82.3	124.6	138.5	112.6	160.9	167.3	228.3	181.5	186.5	186.4
1 - 4	61.9	63.5	85.3	94.8	86.8	111.4	111.7	146.7	131.9	130.6	91.8
5 - 9	50.2	77.1	60.1	69.6	57.6	63.0	78.0	105.1	93.8	74.1	63.8
10 - 14	50.2	72.9	55.0	71.4	64.3	67.0	78.9	107.3	107.0	75.0	62.0
15 - 19	65.7	80.3	54.0	72.0	92.6	80.9	85.2	92.8	116.8	77.6	96.0
20 - 24	60.6	94.1	53.0	78.4	81.9	77.0	78.8	90.9	102.7	72.3	80.0
25 - 29	65.5	89.2	61.3	90.9	87.1	77.8	82.3	96.1	100.8	76.1	80.0
30 - 34	72.0	101.1	63.4	91.8	95.5	83.2	84.7	101.2	109.3	82.2	80.0
35 - 39	76.0	136.4	87.2	107.4	111.8	97.3	99.1	118.8	125.9	97.9	103.3
40 - 44	80.4	153.0	100.0	114.1	125.8	110.8	116.4	134.1	143.8	105.7	136.0
45 - 49	110.8	158.7	129.1	150.7	150.3	139.7	146.7	167.1	177.4	135.1	150.0
50 - 54	107.4	158.7	162.5	170.3	171.4	164.2	176.5	203.3	216.0	170.2	183.3
55 - 59	132.3	207.4	188.6	199.6	202.2	212.1	235.5	262.0	270.0	212.0	270.0
60 - 64	142.8	238.9	238.9	241.0	222.0	237.9	282.4	321.9	328.1	248.7	140.0
65 - 69	168.9	310.7	278.2	264.1	252.7	282.5	351.5	400.8	439.2	306.7	260.0
70 - 74	193.2	340.9	325.8	328.7	287.5	323.0	435.1	486.3	515.6	349.5	200.0
75 - 79	161.2	435.0	358.6	396.5	298.3	373.2	515.6	593.2	630.7	384.2	(2)
80 - 84	183.8	420.0	395.8	440.0	283.1	417.3	635.4	677.5	731.6	433.4	(2)
85+	--	--	--	--	--	--	--	--	--	--	--
Unknown	--	--	--	--	--	--	--	--	--	--	--
All Ages	87.4	157.7	132.4	147.2	135.3	146.0	165.8	202.2	190.8	156.1	157.8
											214.3
											149.2

(2) Rate not calculated. Population less than 50.







TABLE 2e(1) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	--	--	--	--	--	--	--	--	--	--	--	--	--
Under 1	5,702)	1,613	3,229	3,845	3,861	2,523	3,577	5,037	3,152	3,411	3,875	12,428)	1,493
1 - 4	1,106)	685	922	1,151	941	909	955	1,589	1,131	1,244	1,362	2,542)	591
5 - 9	817	481	544	691	552	528	520	739	702	708	495	1,237	469
10 - 14	562	785	434	536	445	423	454	615	599	487	404	736	586
15 - 19	568	785	485	597	563	578	580	707	721	555	478	837	718
20 - 24	635	616	504	632	775	738	667	641	806	596	596	820	721
25 - 29	701	962	543	718	782	716	595	663	904	527	860	841	835
30 - 34	805	869	669	846	912	850	718	760	896	632	901	797	989
35 - 39	1,074	931	707	910	1,091	1,008	845	832	1,127	745	676	883	1,290
40 - 44	1,184	1,171	1,124	1,132	1,378	1,301	1,140	1,108	1,672	996	1,107	1,406	1,547
45 - 49	1,317	1,485	1,379	1,458	1,714	1,605	1,378	1,329	1,624	1,174	1,338	1,958	2,114
50 - 54	1,819	1,984	1,911	2,004	2,309	2,206	1,942	1,877	2,182	1,626	1,625	2,044	2,857
55 - 59	1,972	2,231	2,580	2,435	3,081	2,968	2,605	2,511	3,360	2,306	2,190	1,398	3,950
60 - 64	2,485	3,368	3,039	3,176	4,161	4,240	3,661	3,594	4,707	3,061	2,670	2,577	5,122
65 - 69	3,012	3,829	4,459	4,125	4,940	5,648	5,068	5,071	6,099	4,150	3,550	2,705	7,035
70 - 74	3,390	4,431	4,918	4,904	7,250	7,245	7,031	6,675	11,604	5,475	3,730	5,870	9,513
75 - 79	4,073	5,922	6,070	6,735	9,009	9,850	9,658	8,463	20,137	6,474	4,160	6,260	12,428
80 - 84	3,507	6,525	6,401	9,280	12,172	13,083	11,646	11,387	29,909	7,362	{2}	{2}	18,779
85+	3,946	7,228	7,791	9,845	13,673	18,248	18,099	15,794	74,801	8,581	{2}	{2}	--
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--
All Ages	1,243	1,705	1,500	1,606	1,674	1,860	1,862	2,039	2,655	1,639	1,441	2,053	1,816

(2) Rate not calculated. Population less than 50.

TABLE 2e(11) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	--	--	--	--	--	--	--	--	--	--	--	--	--
Under 1	4,873)	1,315	2,479	2,793	3,024	1,867	3,121	3,887	2,464	2,636	3,600	8,622)	1,189
1 - 4	799)	568	700	977	791	717	873	1,248	939	1,011	1,197	2,436)	502
5 - 9	602	497	427	609	478	458	440	659	596	564	374	945	423
10 - 14	539	497	367	477	389	381	408	587	623	386	348	667	1,025
15 - 19	1,115	942	986	1,037	873	1,050	971	1,301	1,375	1,053	1,222	2,373	2,415
20 - 24	2,078	2,332	2,153	2,266	2,252	2,547	2,242	2,672	2,878	2,400	2,942	3,935	2,510
25 - 29	2,399	2,765	2,302	2,586	2,529	2,572	2,231	2,822	2,509	2,259	3,030	3,179	2,234
30 - 34	2,145	2,204	2,077	2,487	2,445	2,136	1,937	2,414	2,335	1,881	1,813	2,971	1,973
35 - 39	2,038	2,072	1,785	2,162	2,172	1,896	1,775	2,162	2,006	1,620	1,602	3,517	1,918
40 - 44	1,788	1,909	1,724	1,860	2,148	1,808	1,590	2,078	2,189	1,666	2,098	3,602	2,010
45 - 49	1,604	1,558	1,841	1,966	2,177	2,020	1,675	2,103	2,320	1,621	1,793	2,192	2,352
50 - 54	1,818	1,946	2,059	2,197	2,443	2,446	2,087	2,460	2,744	1,881	1,787	1,882	2,909
55 - 59	2,277	2,030	2,375	2,786	2,933	2,981	2,669	2,741	4,432	2,154	1,350	4,450	3,624
60 - 64	2,607	3,281	2,945	3,323	3,682	3,750	3,270	3,669	4,995	2,790	3,490	3,475	4,838
65 - 69	3,165	3,718	3,747	4,240	4,667	5,020	4,868	5,061	8,535	3,256	1,920	4,550	6,705
70 - 74	3,142	4,083	4,657	5,168	6,482	7,514	6,506	6,251	11,879	3,963	1,070	2,580	9,500
75 - 79	3,698	5,752	5,494	6,406	8,709	10,233	9,528	8,414	23,783	5,205	(2)	(2)	14,837
80 - 84	3,949	5,176	6,566	8,640	12,840	17,714	13,411	12,283	39,840	6,076	(2)	(2)	21,584
85+	2,960	7,890	6,990	10,783	15,426	24,627	20,261	14,785	89,592	7,604	--	--	--
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--
All Ages	1,574	2,031	1,909	2,093	2,167	2,515	2,282	2,504	3,345	1,933	1,834	2,946	2,346

(2) Rate not calculated. Population less than 50.



TABLE 2e(iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA
BOTH SEXES													
Newborn	--	--	--	--	--	--	--	--	--	--	--	--	--
Under 1	5,301}	1,468	2,866	3,333	3,453	2,203	3,352	4,475	2,818	3,030	3,738	10,525}	1,344
1 - 4	956}	627	813	1,065	868	815	915	1,422	1,037	1,130	1,283	2,490}	548
5 - 9	711	489	487	651	516	494	481	700	650	638	437	1,091	446
10 - 14	551	862	402	507	418	403	432	601	611	438	376	703	801
15 - 19	838	862	729	813	715	808	771	999	1,041	798	850	1,605	1,564
20 - 24	1,357	1,438	1,294	1,424	1,518	1,644	1,440	1,636	1,841	1,493	1,769	2,227	1,616
25 - 29	1,526	1,814	1,390	1,640	1,668	1,651	1,397	1,713	1,701	1,384	1,846	1,797	1,522
30 - 34	1,439	1,497	1,363	1,664	1,680	1,482	1,310	1,554	1,583	1,232	1,292	1,713	1,480
35 - 39	1,536	1,501	1,252	1,547	1,637	1,449	1,314	1,478	1,552	1,178	1,073	1,871	1,607
40 - 44	1,468	1,540	1,427	1,498	1,768	1,557	1,369	1,589	1,929	1,342	1,503	2,321	1,778
45 - 49	1,452	1,521	1,609	1,709	1,948	1,811	1,526	1,711	1,964	1,402	1,509	2,062	2,231
50 - 54	1,819	1,966	1,982	2,097	2,271	2,325	2,014	2,158	2,453	1,752	1,694	1,972	2,883
55 - 59	2,112	2,137	2,483	2,604	3,006	2,975	2,637	2,619	3,859	2,233	1,854	2,415	3,787
60 - 64	2,545	3,325	2,992	3,250	3,915	3,991	3,469	3,629	4,838	2,931	2,943	2,936	4,976
65 - 69	3,088	3,775	4,095	4,184	4,797	5,318	4,967	5,066	7,241	3,693	3,007	3,320	6,861
70 - 74	3,263	4,257	4,781	5,040	6,841	7,392	6,765	6,477	11,733	4,694	2,400	4,225	9,506
75 - 79	3,886	5,837	5,766	6,562	8,845	10,067	9,593	8,441	21,804	5,843	5,100	7,530	13,706
80 - 84	3,722	5,798	6,489	8,932	12,539	15,720	12,528	11,783	34,618	6,733	(2)	(2)	20,349
85+	3,424	7,596	7,346	10,369	14,668	22,116	19,239	15,314	81,950	8,076	(2)	(2)	--
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--
All Ages	1,404	1,864	1,701	1,847	1,920	2,187	2,069	2,265	2,990	1,784	1,617	2,456	2,079

(2) Rate not calculated. Population less than 50.

TABLE 2f (1) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	--	17.0	18.1	16.7	17.9	16.5	13.7	11.8	14.1	13.1	18.8	15.8	15.7
Under 1	14.9}	15.1	5.7	6.2	4.7	4.1	5.7	6.6	4.9	4.6	6.6	17.5}	14.7
1 - 4	12.5}		9.1	9.6	8.1	10.4	9.4	10.7	9.9	10.6	14.8	18.1}	
5 - 9	7.3	5.9	7.5	8.1	7.7	8.4	7.3	8.3	8.3	8.9	7.3	10.0	8.2
10 - 14	6.2	4.9	4.0	5.7	4.6	4.3	4.1	5.5	5.1	4.6	3.7	4.4	4.4
15 - 19	5.5	3.2	3.0	3.5	5.2	3.8	3.4	2.9	3.9	3.1	2.2	3.6	4.3
20 - 24	3.9	2.7	2.3	2.8	3.9	3.5	3.0	2.7	3.7	2.7	3.5	3.8	3.9
25 - 29	4.0	2.9	2.5	3.1	4.2	3.6	3.2	3.0	3.9	3.2	4.6	3.5	3.6
30 - 34	4.2	2.7	2.6	3.3	4.7	4.1	3.3	3.4	4.0	3.6	4.6	3.7	4.0
35 - 39	4.4	3.3	3.7	4.0	4.9	4.4	3.6	3.7	4.0	4.0	4.5	3.0	4.3
40 - 44	4.5	4.4	4.1	4.7	4.8	4.3	4.0	4.2	4.0	4.0	4.9	2.3	4.0
45 - 49	5.2	4.8	5.0	4.4	5.1	4.9	4.6	4.6	4.2	4.7	4.3	2.5	4.3
50 - 54	4.0	4.2	4.4	4.7	4.7	4.8	4.6	4.4	4.5	4.9	4.0	1.8	4.7
55 - 59	3.6	4.6	5.1	4.0	4.3	5.0	5.0	4.6	4.5	4.8	3.9	1.3	4.6
60 - 64	3.2	5.0	4.8	4.0	3.6	4.4	4.9	4.7	4.5	4.5	2.0	1.3	4.2
65 - 69	2.9	5.4	4.6	3.7	2.9	3.9	5.2	5.3	4.5	4.9	1.9	1.3	4.0
70 - 74	2.5	4.3	4.0	3.3	2.2	3.1	5.0	5.2	4.5	4.9	1.4	1.5	3.4
75 - 79	1.2	3.0	2.6	2.2	1.2	2.0	3.3	3.7	2.7	3.3	1.9	0.6	2.2
80 - 84	0.7	1.9	1.9	1.4	0.6	1.2	2.1	2.2	1.6	1.9	1.4	0.5	1.3
85+	0.0	--	--	--	--	--	--	--	--	--	0.4	0.1	0.0
Unknown													
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1 27 1

TABLE 2f (11) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	--	11.3	11.7	10.6	11.5	10.8	9.5	8.5	8.8	9.2	13.4	10.7	10.3
Under 1	6.3	8.6	2.8	2.9	2.3	1.9	3.2	3.6	2.7	2.5	4.2	10.0	7.7
1 - 4	5.3		4.4	4.9	4.2	5.3	5.4	5.2	6.0	6.0	7.4	10.5	4.9
5 - 9	4.0	3.6	4.2	3.6	4.5	5.0	4.5	5.6	5.8	5.5	4.2	6.0	3.0
10 - 14	3.7	2.9	2.8	3.6	2.7	2.7	3.3	3.9	7.0	2.9	2.6	3.1	6.2
15 - 19	10.5	6.3	7.3	12.0	5.6	5.9	6.3	6.8	12.1	6.1	5.6	6.8	12.3
20 - 24	17.0	11.6	12.6	9.7	13.3	12.0	11.2	10.4	10.0	11.3	13.7	12.7	10.8
25 - 29	13.9	10.3	10.1	8.3	12.0	11.0	9.5	8.8	8.1	9.5	12.3	11.0	12.3
30 - 34	10.2	7.5	6.1	6.9	10.1	8.8	7.6	7.1	6.4	7.6	10.4	8.6	10.8
35 - 39	8.1	6.6	5.0	5.0	7.9	7.1	6.3	6.1	5.4	6.8	7.2	7.1	7.1
40 - 44	5.3	5.2	4.1	3.9	5.6	5.4	5.1	5.1	5.3	5.7	2.9	4.2	5.4
45 - 49	3.1	3.3	4.1	3.4	4.0	4.0	4.1	4.4	4.2	4.7	2.9	2.1	4.1
50 - 54	2.7	3.8	3.5	3.4	3.6	3.6	4.0	4.0	3.8	4.2	2.9	1.7	3.7
55 - 59	2.2	2.8	2.9	2.8	2.7	3.1	3.3	3.3	2.8	3.2	1.6	1.3	3.1
60 - 64	2.1	3.3	2.9	2.8	2.3	2.8	3.3	3.2	2.7	3.0	0.6	1.0	2.9
65 - 69	2.0	3.6	2.9	2.8	2.0	2.8	3.3	3.2	2.6	2.9	0.4	0.5	2.6
70 - 74	1.6	3.4	3.1	2.3	2.0	2.3	3.3	3.2	2.4	2.9	0.4	0.4	2.2
75 - 79	1.1	3.0	2.5	2.3	1.8	2.3	3.2	2.1	1.7	1.9	0.4	0.5	1.5
80 - 84	0.5	1.9	1.8	1.6	0.8	1.6	2.2	2.2	1.1	1.2	0.5	0.2	0.9
85+	0.2	1.7	1.2	1.0	0.4	1.1	1.4	1.4	1.1	1.2	0.5	0.2	0.0
Unknown	0.0	--	--	--	--	--	--	--	--	--	0.5	0.2	0.0
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0



TABLE 2f(111) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA
BOTH SEXES													
Newborn	--	13.7	14.3	13.1	14.1	13.1	11.3	9.9	11.1	10.8	15.7	12.8	12.5
Under 1	9.4)	11.3	4.0	4.2	3.3	2.8	4.3	4.9	3.7	3.4	5.2	13.1)	10.6
1 - 4	7.9)		6.3	6.8	5.8	7.4	7.1	8.1	7.7	7.9	10.5	13.6)	6.2
5 - 9	5.9	4.6	5.0	6.1	5.3	6.4	5.7	6.8	6.7	6.9	5.5	7.7	3.7
10 - 14	5.0	3.6	3.0	4.7	3.5	3.4	3.9	4.6	4.3	3.6	3.1	3.7	3.4
15 - 19	8.9	5.7	6.0	6.6	5.2	5.0	5.4	5.9	5.9	5.2	4.2	5.4	5.8
20 - 24	12.8	8.1	8.7	8.6	10.0	8.5	7.9	7.2	8.6	7.8	9.4	9.0	7.7
25 - 29	10.2	7.1	7.0	6.9	8.7	7.8	6.7	6.1	7.1	6.9	8.5	8.0	8.8
30 - 34	8.0	5.6	5.8	6.2	7.6	6.7	5.7	5.2	6.2	5.8	7.9	6.5	6.7
35 - 39	6.7	5.0	4.7	5.4	6.6	5.9	5.0	4.8	5.3	5.3	6.4	5.7	5.8
40 - 44	5.0	4.4	4.5	4.6	5.3	5.0	4.5	4.4	4.7	5.0	6.0	5.7	5.0
45 - 49	3.6	3.7	4.1	3.9	4.2	4.1	4.0	4.1	4.1	4.4	3.8	3.2	4.2
50 - 54	3.9	3.9	4.1	3.9	4.3	4.1	4.3	4.1	4.0	4.4	3.5	2.0	4.1
55 - 59	2.9	3.4	3.8	3.5	3.7	3.8	3.9	3.8	3.7	3.9	2.6	1.5	3.7
60 - 64	2.6	3.3	3.5	3.3	3.3	3.3	4.0	3.3	3.6	3.7	2.1	1.3	3.6
65 - 69	2.5	3.8	3.7	3.3	2.8	3.5	4.0	3.9	3.4	3.5	1.2	1.1	3.3
70 - 74	2.2	4.2	3.7	3.3	2.4	2.6	4.1	4.1	3.3	3.8	1.0	0.8	3.2
75 - 79	1.6	3.6	3.1	2.7	1.7	1.8	4.0	4.0	3.2	3.7	1.1	0.5	2.7
80 - 84	0.8	2.4	2.1	1.9	1.0	1.1	2.7	2.9	2.2	2.5	1.0	0.5	1.8
85+	0.4	1.8	1.5	1.1	0.5	1.1	1.7	1.7	1.3	1.5	0.9	0.3	1.1
Unknown	0.0	--	--	--	--	--	--	--	--	--	0.5	0.1	0.0
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 2g (1) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	--	10.2	10.6	10.1	9.2	9.0	7.8	7.7	7.2	8.8	13.5	10.4	8.6
Under 1	14.0)	11.9	5.2	6.0	5.5	3.2	4.8	5.8	3.1	4.4	6.1	22.1)	9.9
1 - 4	10.4)	4.6	5.9	7.3	5.0	4.6	4.8	7.4	4.5	6.7	11.8	17.2)	3.7
5 - 9	8.6	3.2	4.2	5.4	4.0	3.1	3.0	4.2	3.3	4.9	4.3	7.5	2.7
10 - 14	5.7	4.6	3.1	3.9	3.0	2.6	2.5	3.0	2.2	2.7	2.5	3.7	2.9
15 - 19	4.9	2.5	2.5	2.4	3.3	2.5	2.4	2.0	1.9	2.3	1.9	3.0	2.7
20 - 24	3.8	3.0	2.1	2.8	3.0	2.3	1.9	1.7	2.2	1.9	2.4	2.9	2.4
25 - 29	3.3	2.5	2.4	2.7	3.6	3.1	2.3	2.4	2.2	2.5	5.7	3.3	3.0
30 - 34	3.5	2.6	2.6	3.0	4.3	3.4	2.3	2.4	2.3	3.1	4.3	3.1	3.6
35 - 39	4.4	3.5	4.2	3.9	4.9	4.6	3.7	3.2	3.8	3.4	5.2	3.5	4.4
40 - 44	5.1	4.5	5.0	4.7	5.3	4.9	5.2	4.6	3.7	4.2	5.3	3.5	5.7
45 - 49	6.0	5.7	6.5	5.8	6.3	6.1	5.5	5.4	4.4	5.6	5.1	3.6	4.7
50 - 54	5.2	5.9	7.1	5.7	6.9	6.8	6.1	6.2	5.7	6.3	4.2	2.0	6.4
55 - 59	4.8	6.9	6.3	5.6	7.1	7.8	6.9	7.4	4.9	6.6	5.2	2.7	7.0
60 - 64	4.1	7.4	7.9	6.3	6.8	8.3	7.8	8.2	5.7	7.1	4.6	1.9	7.1
65 - 69	4.1	7.1	7.2	6.3	6.8	7.9	9.3	8.8	5.5	8.4	5.9	2.2	7.6
70 - 74	3.6	7.0	6.5	6.2	5.5	7.4	9.9	9.0	11.7	8.7	3.3	2.8	5.4
75 - 79	1.9	4.2	4.1	4.8	3.8	5.4	6.7	7.1	9.3	6.1	2.2	0.8	4.4
80 - 84	1.0	3.1	3.2	2.9	2.3	4.1	5.2	5.1	11.9	3.5	0.7	0.7	0.0
85+	0.0	--	--	--	--	--	--	--	--	--	0.7	0.1	0.0
Unknown													
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TABLE 2g(11) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P. E. I	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA
FEMALES													
Newborn	--	9.0	8.3	7.2	6.7	6.2	6.2	6.3	5.0	7.2	12.9	3.0	6.3
Under 1	9.3	8.0	3.1	3.7	3.4	1.7	3.1	3.7	1.9	2.9	5.5	13.0	5.9
1 - 4	6.0		3.5	3.5	2.5	2.6	3.5	4.9	3.0	4.6	9.1	13.2	2.4
5 - 9	5.1	3.3	2.5	3.5	3.2	1.9	2.1	3.1	2.1	3.0	2.8	4.8	1.8
10 - 14	4.4	2.8	2.1	2.7	1.9	1.5	1.8	2.5	1.9	1.9	2.1	2.0	3.8
15 - 19	7.8	4.7	4.9	5.1	3.0	3.4	3.6	4.0	3.4	4.3	4.6	7.6	7.1
20 - 24	10.2	7.7	8.0	7.5	7.7	6.3	6.5	6.9	5.8	7.8	11.1	9.6	6.6
25 - 29	8.5	6.8	6.3	6.2	7.5	5.6	5.7	6.0	5.0	6.9	11.5	8.6	6.1
30 - 34	6.9	5.0	5.9	5.8	6.8	5.4	5.0	5.4	4.7	6.0	7.2	7.1	5.6
35 - 39	6.4	5.1	5.3	5.0	6.1	4.9	4.5	5.2	4.0	5.7	7.3	6.3	5.2
40 - 44	5.4	4.1	5.5	4.8	5.3	4.5	4.3	4.8	3.7	5.3	6.4	5.4	5.2
45 - 49	4.6	4.4	5.4	4.6	5.2	4.9	4.8	4.9	3.7	5.3	4.1	5.0	4.7
50 - 54	4.4	4.4	5.2	4.8	5.2	5.0	5.0	4.5	4.7	5.3	2.0	2.7	5.0
55 - 59	3.9	3.6	4.9	4.8	5.1	5.3	5.0	4.9	4.2	4.9	2.6	2.1	5.0
60 - 64	4.1	5.6	4.8	4.8	5.1	6.0	6.4	5.8	5.8	5.1	1.5	1.4	5.6
65 - 69	3.3	5.8	5.7	5.5	5.3	7.4	7.4	6.2	6.5	6.0	0.8	0.3	6.4
70 - 74	2.7	6.0	6.1	5.1	4.9	7.5	8.2	5.3	9.4	5.6	0.7	0.4	6.7
75 - 79	1.7	3.4	5.4	4.2	3.8	7.2	6.5	6.3	4.4	4.2	0.5	0.6	5.8
80 - 84	0.7	3.7	2.9	3.2	2.6	6.3	5.4	5.3	11.2	2.9	1.6	0.2	5.1
85+	0.0	--	--	--	--	--	--	--	--	--	0.6	0.2	0.0
Unknown	0.0	--	--	--	--	--	--	--	--	--	0.6	0.2	0.0
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0



TABLE 2g(111) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) See notes on page 33 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
BOTH SEXES													
Newborn	11.5)	9.5	9.3	8.5	7.8	7.4	7.0	7.0	6.0	7.9	13.2	9.6	7.3
Under 1	18.0)	9.9	4.0	4.8	4.2	3.5	3.7	4.7	2.5	3.6	5.8	17.1)	7.7
1 - 4	6.7	3.9	3.3	4.3	4.3	2.4	4.1	6.0	3.7	5.6	10.4	15.0)	3.0
5 - 9	5.0	3.0	2.6	3.3	3.2	1.8	2.5	3.8	2.1	3.4	3.5	6.0	3.2
10 - 14	6.5	4.7	4.1	3.6	4.6	3.0	3.1	2.8	2.9	3.2	2.3	3.1	3.4
15 - 19	7.3	5.3	5.5	4.4	5.0	4.7	4.6	4.6	4.0	5.2	3.8	5.2	5.1
20 - 24	6.1	3.8	4.4	4.7	5.8	4.6	3.9	4.0	3.7	4.5	7.0	6.4	4.7
25 - 29	5.3	3.9	4.1	4.6	5.7	4.5	3.8	3.8	3.6	4.4	5.8	5.3	4.7
30 - 34	5.5	4.3	4.8	4.6	5.6	4.8	4.0	3.2	3.5	5.0	5.7	4.5	4.9
35 - 39	4.8	4.3	5.3	4.7	5.3	4.7	4.3	4.3	3.5	4.8	4.7	3.0	4.7
40 - 44	5.2	5.0	5.8	5.1	5.7	5.4	5.1	4.9	3.8	5.3	4.6	2.9	5.2
45 - 49	4.7	4.6	5.6	5.2	6.0	6.4	5.9	5.5	4.9	5.7	3.4	2.4	5.6
50 - 54	4.4	6.2	6.7	5.8	5.7	7.0	7.0	6.4	5.7	6.0	3.5	1.6	5.9
55 - 59	3.7	6.4	6.6	5.6	6.0	7.6	8.2	7.4	5.7	6.9	3.9	1.4	7.0
60 - 64	3.2	6.4	5.8	5.1	5.3	6.5	9.0	7.5	10.7	7.2	2.0	1.2	7.1
65 - 69	1.8	3.8	4.0	4.5	3.8	6.4	6.6	6.1	9.4	5.1	1.4	0.7	5.7
70 - 74	0.8	3.4	3.1	3.1	2.4	5.3	5.3	4.4	11.5	3.2	2.6	0.4	4.8
75 - 79	0.0	--	--	--	--	--	--	--	--	--	0.6	0.1	0.0
80 - 84													
85+													
Unknown													
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

NOTES

BASICALLY, TABLE 2 PRESENTS DATA ON PROVINCIAL PLAN IN-PATIENTS,  
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, WITH THE FOLLOWING EXCEPTIONS:-

- a) Newfoundland: - Includes separations and patient-days not the responsibility of the Provincial Plan.
- b) Prince Edward Island: - Includes separations and patient-days not the responsibility of the Provincial Plan.
- c) Nova Scotia: - Excludes out-of-province hospitalization.
- d) New Brunswick: - Includes separations and patient-days not the responsibility of the Provincial Plan. Excludes non-residents.
- e) Quebec: - Includes separations and patient-days not the responsibility of the Provincial Plan. Includes non-residents.
- f) Ontario: Includes separations and patient-days not the responsibility of the Provincial Plan. Excludes non-residents.
- g) Manitoba: - Includes separations and patient-days not the responsibility of the Provincial Plan. Excludes non-residents.
- h) Saskatchewan: - Excludes Provincial Plan separations and patient-days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.
- i) Alberta: - Includes 12,273 separations and 137,830 patient-days of Alberta residents not the responsibility of the Provincial Plan. Excludes non-residents.
- j) British Columbia: - Excludes out-of-province separations and patient-days which were the responsibility of the Provincial Plan.

TABLE 5a (i) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, - PROVINCIAL PLAN IN-PATIENTS (2) BY PROVINCE, 1964

LENGTH OF STAY IN DAYS	(4) NUMBER OF SEPARATIONS, BOTH SEXES											
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	3,593	1,196	6,674	68,494	97,036	12,426	16,792	24,658	18,061	233	512	249,675
2	5,057	1,440	8,353	54,278	106,047	23,180	27,249	37,697	41,763	351	547	305,962
3	6,531	1,479	8,251	49,463	76,299	14,143	18,762	26,798	25,108	252	575	227,661
4 - 6	16,179	5,146	27,969	213,061	266,446	45,873	54,640	73,115	70,174	863	1,740	775,206
7 - 10	10,062	3,826	20,978	155,586	196,490	29,972	38,560	55,832	57,907	512	1,446	571,171
11 - 14	5,495	1,712	10,387	89,093	97,270	14,488	18,400	23,633	26,352	241	610	287,681
15 - 29	7,890	2,045	12,410	121,432	128,808	18,471	22,683	27,172	32,954	219	574	374,653
30 - 59	3,064	709	4,146	36,445	54,161	7,215	7,792	9,546	12,470	64	130	135,792
60+	1,134	215	1,308	12,207	21,963	2,959	2,549	5,314	3,816	25	55	52,545
TOTAL	59,005	17,768	100,476	800,059	1,044,520	168,727	207,427	283,765	288,605	2,760	6,239	2,979,351

(1) Excludes newborns, but includes "age unspecified".

(2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients. British Columbia excludes out-of-province separations which were the responsibility of the Provincial Plan.

(3) Excludes Nova Scotia.

(4) In this table, length-of-stay data have been consolidated into nine categories to facilitate comparison between provinces. For data by province, age-group, and sex, see Tables 5a (iii).

TABLE 5a (ii) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS (2) BY PROVINCE, 1964

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF SEPARATIONS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	6.1	6.7	6.6	8.6	9.3	7.4	8.1	8.7	6.3	8.4	3.2	3.4
2	8.6	8.1	8.3	6.8	10.2	13.7	13.1	13.3	14.5	12.7	3.8	10.3
3	11.1	8.3	8.2	6.2	7.3	8.4	9.0	9.4	8.7	9.1	9.2	7.6
4 - 6	27.4	29.0	27.8	26.6	25.5	27.2	26.3	25.8	24.3	31.3	27.9	26.0
7 - 10	17.1	21.5	20.9	19.4	18.8	17.8	18.6	19.7	20.1	18.6	23.2	19.2
11 - 14	9.3	9.6	10.3	11.1	9.3	8.6	8.9	8.3	9.1	8.7	9.8	9.7
15 - 29	13.4	11.5	12.4	15.2	12.3	10.9	10.9	9.6	11.4	7.9	9.2	12.6
30 - 59	5.2	4.0	4.1	4.6	5.2	4.3	3.8	3.4	4.3	2.3	2.9	4.6
60+	1.9	1.2	1.3	1.5	2.1	1.8	1.2	1.9	1.3	0.9	0.9	1.7
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1) Excludes newborns, but includes age unspecified.

(2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients. British Columbia excludes out-of-province separations which were the responsibility of the Provincial Plan.

(3) Excludes Nova Scotia.



TABLE 5a (iii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE										AGE UNKNOWN
	NEWBORN (2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
1	(NOT AVAILABLE)	1,479	133	195	300	256	283	200	58	54	-
2		1,716	187	306	451	224	292	172	43	40	1
3		1,699	176	290	436	242	287	184	46	38	-
4		1,394	175	202	263	217	261	190	45	40	1
5		1,271	195	199	201	199	203	182	58	34	-
6		1,111	157	157	193	147	181	182	52	41	1
7		1,218	178	193	233	173	188	166	50	37	-
8		1,147	160	159	199	151	202	174	60	41	1
9		957	143	109	160	125	160	161	52	47	-
10		826	123	85	130	107	134	155	50	41	1
11 - 14		2,514	372	303	303	265	483	490	173	125	-
15 - 19		1,883	211	193	229	170	312	465	192	111	-
20 - 29		1,915	178	157	215	151	339	526	220	128	1
30 - 59		1,620	159	129	218	117	228	440	200	127	2
60 - 89		335	36	32	65	16	49	78	30	29	-
90 +		265	28	33	45	21	39	43	27	29	-
TOTAL		21,350	2,611	2,742	3,641	2,581	3,641	3,808	1,356	962	8

(1) Includes out-of-province hospitalization. Also includes an unspecified number of separations for whom the Provincial Plan was not financially responsible.

(2) Newfoundland reported a total of 663 "sick newborn" only. Data on the other newborns are not available.

TABLE 5a (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE										AGE UNKNOWN
	NEWBORN (2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
1	(NOT AVAILABLE)	2,114	87	168	200	615	803	166	44	28	3
2		3,341	103	202	460	976	1,320	206	45	29	-
3		4,832	108	187	387	1,714	2,166	190	51	29	-
4		5,012	121	166	243	1,925	2,285	211	44	15	2
5		4,592	132	154	175	1,690	2,186	183	49	20	3
6		2,799	137	129	181	967	1,151	160	53	20	1
7		2,080	114	146	175	615	755	162	81	30	2
8		1,490	105	112	128	398	524	147	46	30	-
9		1,253	106	89	128	281	425	131	56	37	-
10		1,091	96	73	91	210	395	145	55	25	1
11 - 14		2,981	274	214	225	474	951	555	199	86	3
15 - 19		2,084	143	121	158	255	586	554	181	86	-
20 - 29		2,008	135	128	167	242	485	546	206	98	1
30 - 59		1,444	115	92	144	130	265	380	196	122	-
60 - 89		307	30	26	45	20	35	83	42	26	-
90+		227	20	18	52	19	20	46	24	28	-
TOTAL		37,655	1,826	2,025	2,959	10,531	14,352	3,865	1,372	709	16

(1) Includes out-of-province hospitalization. Also includes an unspecified number of separations for whom the Provincial Plan was not financially responsible.

(2) Newfoundland reported a total of 589 "sick newborn" only. Data on other newborns are not available.

TABLE 5a (v) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) PRINCE EDWARD ISLAND, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	29	524	24	86	89	80	86	81	40	38
2	3	602	36	89	154	72	97	95	35	24
3	19	591	34	87	152	80	85	85	41	27
4	123	498	45	61	67	69	74	103	43	36
5	626	519	54	52	64	53	89	121	38	48
6	374	449	48	58	78	54	57	80	47	27
7	147	545	61	71	66	57	80	100	60	50
8	39	461	49	44	47	47	77	93	51	53
9	21	320	31	25	32	24	50	80	43	35
10	17	312	39	27	26	28	42	86	39	25
11 - 14	20	815	94	54	46	43	109	197	144	128
15 - 19	20	525	53	29	33	33	61	144	83	89
20 - 29	14	503	32	17	18	29	53	143	121	90
30 - 59	10	384	16	11	19	22	30	106	79	101
60 - 89	2	69	2	8	5	1	5	14	17	17
90+	-	46	1	1	7	7	5	14	5	6
TOTAL	1,464	7,163	619	720	903	699	1,000	1,542	886	794

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5a (vi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) PRINCE EDWARD ISLAND, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	8	672	19	57	61	163	247	65	36	24
2	1	838	31	52	129	159	289	126	24	28
3	14	888	49	83	135	165	261	121	34	40
4	149	824	46	48	72	206	280	100	44	28
5	598	1,548	54	45	68	502	711	101	37	30
6	357	1,308	51	39	57	377	608	83	54	39
7	87	877	44	48	70	218	300	90	54	53
8	35	526	35	33	44	103	165	69	44	33
9	21	413	33	29	28	56	104	80	43	40
10	14	372	27	29	27	43	92	71	51	32
11 - 14	16	897	56	45	30	74	223	215	126	128
15 - 19	13	534	28	18	23	38	93	149	95	90
20 - 29	20	483	18	15	14	22	70	130	91	123
30 - 59	11	325	10	14	14	12	41	78	79	77
60 - 89	1	56	1	2	3	2	3	17	13	15
90+	-	44	3	2	6	3	2	12	6	10
TOTAL	1,345	10,605	505	559	781	2,143	3,489	1,507	831	790

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.



TABLE 5a (vii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEW BRUNSWICK, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	121	2,918	98	305	576	524	625	479	172	139
2	146	3,498	138	598	1,188	422	475	417	138	122
3	505	3,160	169	485	841	405	502	458	179	121
4	1,467	2,804	191	403	564	391	490	469	151	145
5	2,325	2,647	226	329	469	337	505	471	164	146
6	1,333	2,489	256	352	414	279	400	451	163	174
7	595	2,545	254	345	434	290	387	481	180	174
8	286	2,245	216	243	359	249	432	418	190	138
9	186	1,905	189	232	274	173	283	436	155	163
10	82	1,601	136	177	209	130	269	383	156	141
11 - 14	241	4,344	460	455	424	335	694	1,061	503	412
15 - 19	120	2,937	260	223	251	189	418	802	442	352
20 - 29	126	2,808	178	164	179	147	421	830	451	438
30 - 59	102	2,144	97	104	138	123	241	622	424	395
60 - 89	17	366	11	15	31	25	32	103	63	86
90+	6	267	5	10	22	20	20	57	48	85
TOTAL	7,658	38,678	2,884	4,440	6,373	4,039	6,194	7,938	3,579	3,231

(1) Includes out-of-province hospitalization.

TABLE 5a (viii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEW BRUNSWICK, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	116	3,756	49	250	490	1,072	1,298	369	134	94
2	139	4,855	63	482	1,131	1,056	1,445	429	147	102
3	555	5,091	121	332	759	1,361	1,737	511	139	131
4	1,467	6,170	146	261	550	1,855	2,558	524	153	123
5	2,202	7,826	193	294	417	2,616	3,451	535	191	129
6	1,256	6,033	185	266	365	1,897	2,503	504	178	135
7	517	4,445	178	238	406	1,121	1,590	522	205	185
8	247	3,358	151	207	324	774	1,035	508	210	149
9	144	2,602	152	171	260	454	801	449	169	146
10	100	2,277	122	147	171	356	694	454	205	128
11 - 14	174	6,043	295	337	411	617	1,762	1,531	591	499
15 - 19	119	3,657	174	168	215	249	862	1,068	508	413
20 - 29	112	3,008	111	120	151	161	563	912	523	467
30 - 59	85	2,002	60	64	96	80	278	588	380	456
60 - 89	15	380	12	15	21	13	37	75	88	119
90 +	2	295	4	17	12	8	15	50	68	121
TOTAL	7,250	61,798	2,016	3,369	5,779	13,690	20,629	9,029	3,889	3,397

(1) Includes out-of-province hospitalization.

TABLE 5a (ix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) QUEBEC, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,913	33,467	711	6,556	10,760	4,836	5,287	3,686	1,038	593
2	759	24,688	580	3,947	7,768	4,396	4,401	2,572	642	382
3	3,762	19,220	694	2,031	3,647	3,748	4,829	3,147	731	393
4	13,422	18,860	842	1,772	3,054	3,279	4,982	3,630	851	450
5	21,895	18,684	965	1,678	2,942	2,915	4,994	3,791	896	503
6	10,995	17,458	1,051	1,554	2,693	2,652	4,486	3,562	934	526
7	5,536	17,917	1,169	1,622	2,588	2,397	4,548	3,899	1,109	585
8	2,466	16,189	1,041	1,534	2,145	2,015	4,061	3,764	1,000	629
9	1,310	14,518	959	1,306	1,720	1,547	3,671	3,680	1,080	555
10	794	12,409	910	1,031	1,389	1,205	3,032	3,303	1,012	527
11 - 14	1,554	37,170	2,816	2,995	3,425	3,143	8,359	10,823	3,592	2,017
15 - 19	1,099	27,071	2,104	1,862	1,976	1,928	5,601	8,513	3,148	1,939
20 - 29	1,177	27,211	2,175	1,577	1,547	1,523	4,729	9,231	4,053	2,376
30 - 59	744	17,865	1,376	888	883	959	2,845	5,834	3,079	2,001
60 - 89	100	3,175	193	129	168	223	500	927	604	431
90+	26	2,953	79	102	121	168	290	784	643	766
TOTAL	67,552	308,855	17,665	30,584	46,826	36,934	66,615	71,146	24,412	14,673

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes separations from chronic hospitals.

TABLE 5a (x) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) QUEBEC, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	1,572	35,027	530	5,163	10,154	6,535	8,723	2,501	850	571
2	670	29,590	426	3,028	7,035	6,898	9,308	2,167	451	277
3	3,798	30,243	543	1,417	2,819	8,591	13,206	2,717	589	361
4	13,278	46,049	622	1,317	2,375	14,580	22,768	3,193	731	463
5	21,111	64,687	687	1,224	2,263	21,450	34,550	3,339	747	427
6	10,576	47,323	722	1,202	2,098	14,015	24,727	3,227	863	469
7	4,779	33,738	784	1,245	2,150	8,467	15,922	3,630	1,003	537
8	1,672	24,003	760	1,090	1,783	5,222	10,121	3,478	1,012	537
9	1,032	19,667	746	940	1,398	3,534	7,873	3,602	1,001	573
10	649	17,145	662	842	1,104	2,643	6,771	3,536	964	623
11 - 14	1,446	51,923	2,019	2,338	2,923	6,326	18,953	13,229	4,026	2,109
15 - 19	1,052	36,024	1,529	1,457	1,669	3,177	11,560	11,010	3,635	1,987
20 - 29	1,203	31,126	1,507	1,311	1,260	2,107	8,075	10,387	4,034	2,445
30 - 59	779	18,580	1,030	761	700	1,049	3,936	6,079	2,941	2,084
60 - 89	97	3,043	154	107	153	195	551	889	543	451
90 +	22	3,036	74	82	114	127	334	661	678	966
TOTAL	63,736	491,204	12,795	23,524	39,998	104,916	197,378	73,645	24,068	14,880

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes separations from chronic hospitals.



TABLE 5a (xi) SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES,  
IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, (1) BOTH SEXES AND ALL AGES		
	NEWBORN	TOTAL SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE CONVALESCENT AND CHRONIC HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE AND CONVALESCENT HOSPITALS
1	2,613	97,036	96,931
2	900	106,047	105,961
3	3,078	76,299	76,209
4 - 6	102,712	266,446	266,143
7 - 10	34,943	196,490	196,117
11 - 14	4,525	97,270	96,899
15 - 29	5,386	128,808	127,727
30 - 59	1,745	54,161	52,718
60 - 89	261	11,005	10,049
90+	66	10,958	6,510
TOTAL	156,229	1,044,520	1,035,264
			9,256

(1) Includes all separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals,  
all insured separations from Department of Veterans Affairs Hospitals, and all insured separations from Federal Indian Hospitals.

TABLE 5a (xii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) MANITOBA, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	171	5,757	277	857	1,309	932	988	805	305	284
2	64	10,245	385	2,003	3,521	1,147	1,383	1,123	334	349
3	215	6,076	481	857	1,106	686	1,087	1,096	382	381
4	1,855	5,283	442	729	785	604	919	990	417	397
5	4,357	4,601	455	585	614	433	746	935	425	408
6	2,100	4,018	401	490	482	408	617	808	418	394
7	986	3,829	378	404	392	310	577	890	438	440
8	316	3,319	267	296	318	259	544	808	434	393
9	229	2,803	233	248	206	194	408	752	412	350
10	132	2,268	178	184	143	145	362	575	351	330
11 - 14	201	6,506	497	443	429	345	888	1,836	1,045	1,023
15 - 19	120	4,617	285	208	198	220	621	1,267	916	902
20 - 29	135	4,713	194	152	144	184	487	1,409	1,000	1,143
30 - 59	148	3,835	101	86	98	150	380	1,080	872	1,068
60 - 89	14	799	16	12	31	31	65	205	194	245
90+	5	694	7	7	16	35	58	134	165	272
TOTAL	11,048	69,363	4,597	7,561	9,792	6,083	10,130	14,713	8,108	8,379

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5a (xiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) MANITOBA, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	175	6,669	196	639	1,037	1,586	1,971	724	249	267
2	60	12,935	273	1,413	3,158	2,375	3,477	1,658	314	267
3	217	8,067	324	602	947	1,570	2,642	1,321	330	331
4	1,934	9,093	373	610	726	2,184	3,354	1,099	392	355
5	4,209	13,193	360	475	573	4,108	5,946	996	372	363
6	1,942	9,685	294	431	430	2,880	4,079	881	363	327
7	694	6,400	283	324	376	1,534	2,251	855	420	357
8	251	4,578	225	283	252	845	1,489	790	362	332
9	175	3,552	184	196	164	529	1,056	798	342	283
10	114	3,223	162	165	125	343	963	825	329	311
11 - 14	195	7,982	379	365	312	625	1,989	2,240	1,050	1,022
15 - 19	114	4,784	188	169	158	299	950	1,413	811	796
20 - 29	165	4,357	153	122	135	218	727	1,244	838	920
30 - 59	155	3,380	108	81	82	130	420	928	721	910
60 - 89	14	697	12	12	24	12	56	155	150	276
90+	9	769	12	6	8	14	44	131	174	380
TOTAL	10,423	99,364	3,526	5,893	8,507	19,252	31,414	16,058	7,217	7,497

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5a (xiv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, SASKATCHEWAN, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	225	7,801	402	1,030	1,636	1,197	1,328	1,190	480	538
2	89	11,805	476	2,344	4,192	1,200	1,383	1,204	510	496
3	293	8,057	585	1,186	1,732	929	1,236	1,324	517	548
4	1,214	7,058	627	1,019	1,210	766	1,062	1,292	550	532
5	4,191	6,050	597	846	931	560	879	1,098	569	570
6	2,901	5,302	598	774	745	434	742	948	505	556
7	1,172	4,939	525	665	656	407	614	914	551	607
8	429	4,215	398	494	508	374	607	870	473	491
9	272	3,506	362	348	327	254	500	815	426	474
10	152	3,010	272	298	255	158	413	759	422	433
11 - 14	252	8,211	716	661	564	432	1,017	2,018	1,322	1,481
15 - 19	130	5,565	399	363	324	278	569	1,460	1,001	1,171
20 - 29	170	5,541	293	270	271	190	520	1,472	1,228	1,297
30 - 59	103	4,206	179	182	162	170	328	1,011	959	1,215
60 - 89	21	775	25	40	39	19	48	144	179	281
90+	8	565	13	29	12	16	26	78	129	262
TOTAL	11,622	86,606	6,467	10,549	13,564	7,384	11,272	16,597	9,821	10,952

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.  
Includes out-of-province hospitalization of Provincial-Plan patients.



TABLE 5a. (xv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, SASKATCHEWAN, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	174	8,991	255	780	1,253	1,998	2,847	1,191	340	327
2	67	15,444	308	1,715	4,157	2,657	3,974	1,889	405	339
3	293	10,705	438	918	1,709	2,148	3,002	1,649	461	380
4	1,467	10,348	473	798	1,116	2,275	3,194	1,490	540	462
5	4,308	13,727	468	693	844	3,917	5,545	1,320	477	463
6	2,647	12,155	440	573	721	3,513	4,862	1,121	460	465
7	875	8,480	353	494	627	2,099	2,853	1,066	517	471
8	327	5,896	307	399	485	1,159	1,740	936	451	419
9	225	4,670	256	286	317	708	1,317	952	410	424
10	127	3,844	241	227	218	469	1,114	805	391	379
11 - 14	217	10,189	537	570	524	838	2,616	2,638	1,280	1,186
15 - 19	134	6,372	286	293	258	386	1,325	1,896	961	967
20 - 29	160	5,205	234	214	184	260	857	1,448	934	1,074
30 - 59	117	3,586	116	125	99	165	432	947	770	932
60 - 89	28	705	22	31	24	28	75	147	132	246
90+	7	504	10	12	16	16	36	85	115	214
TOTAL	11,173	120,821	4,744	8,128	12,552	22,636	35,789	19,580	8,644	8,748

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.  
Includes out-of-province hospitalization of Provincial-Plan patients.

TABLE 5a (xvi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, ALBERTA, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75 +
1	297	11,494	359	1,387	2,263	1,880	2,410	2,019	613	563
2	83	16,658	487	3,304	6,022	1,661	2,210	1,893	629	452
3	250	11,511	654	1,742	2,584	1,444	2,091	1,856	617	523
4	2,070	9,607	711	1,324	1,639	1,149	1,749	1,742	719	574
5	4,165	8,175	667	1,145	1,272	852	1,436	1,499	655	649
6	4,500	6,983	618	876	951	686	1,231	1,380	649	592
7	3,195	6,544	562	802	845	588	1,061	1,382	668	636
8	1,149	5,586	443	636	580	497	1,030	1,227	623	550
9	638	4,490	358	430	412	352	790	1,075	562	511
10	398	3,794	295	344	311	234	696	901	545	468
11 - 14	584	10,298	736	803	707	638	1,582	2,630	1,628	1,574
15 - 19	352	6,950	403	414	394	336	998	1,803	1,303	1,299
20 - 29	314	6,512	272	327	343	295	849	1,838	1,287	1,301
30 - 59	198	5,053	175	220	276	209	613	1,361	1,026	1,173
60 - 89	36	1,037	26	31	60	52	115	244	193	316
90 +	10	1,621	18	39	103	65	113	230	281	772
TOTAL	18,239	116,313	6,784	13,824	18,762	10,938	18,974	23,080	11,998	11,953

(1) Adult and child separations are for "Alberta residents" and include some separations for some non-plan in-patients.

(Note: Table I indicates a total of 292,354 adult and child separations, both sexes, for Alberta. Of these, 277,486 were the responsibility of the Provincial Plan, while 14,868 were not. In table 5, data on length of stay is available for a total of 283,765 adult and child separations, both sexes, of which 277,486 were the responsibility of the Provincial Plan, and 6,279 were not).

TABLE 5a (xvii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, ALBERTA, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	212	13,164	241	1,050	1,824	3,112	4,437	1,814	389	297
2	66	21,039	319	2,547	5,789	3,574	5,608	2,392	483	327
3	311	15,287	463	1,323	2,478	3,131	4,631	2,323	556	382
4	2,157	14,464	515	1,063	1,493	3,540	4,937	1,922	581	413
5	4,335	17,235	492	911	1,124	5,141	6,861	1,695	569	442
6	4,197	16,651	456	716	859	5,321	6,850	1,457	548	444
7	2,927	13,789	402	677	771	4,190	5,348	1,311	559	531
8	984	9,482	361	485	560	2,312	3,550	1,279	509	426
9	561	6,731	278	346	392	1,171	2,475	1,198	461	410
10	342	5,416	231	256	276	741	1,879	1,203	467	363
11 - 14	592	13,335	497	694	613	1,334	4,000	3,483	1,408	1,306
15 - 19	365	7,546	284	357	345	556	1,882	2,120	1,004	998
20 - 29	300	6,164	227	249	255	351	1,294	1,832	927	1,029
30 - 59	201	4,493	139	179	211	258	732	1,179	834	961
60 - 89	25	945	22	28	67	61	110	225	140	292
90+	10	1,711	12	33	84	61	107	247	305	862
TOTAL	17,585	167,452	4,939	10,914	17,141	34,854	54,701	25,680	9,740	9,483

(1) Adult and child separations are for "Alberta residents" and include some separations for some non-plan in-patients.

(Note: Table I indicates a total of 292,354 adult and child separations, both sexes, for Alberta. Of these 277,486 were the responsibility of the Provincial Plan, while 14,868 were not. In table 5, data on length of stay is available for a total of 283,765 adult and child separations, both sexes, of which 277,486 were the responsibility of the Provincial Plan and 6,279 were not.)

TABLE 5a (xviii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) BRITISH COLUMBIA, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	277	8,558	277	1,074	1,805	1,336	1,584	1,324	538	620
2	62	18,522	381	4,066	6,950	1,651	2,385	1,924	623	542
3	198	10,425	454	1,442	2,110	1,349	2,132	1,773	618	547
4	1,278	8,895	530	1,260	1,362	931	1,901	1,779	595	537
5	4,372	7,989	547	1,123	1,196	734	1,561	1,659	597	572
6	4,951	7,003	555	933	939	642	1,290	1,515	591	538
7	2,958	6,621	565	825	766	586	1,116	1,500	635	628
8	1,166	5,747	445	665	643	409	925	1,377	649	634
9	688	4,832	370	512	455	293	731	1,268	601	602
10	477	4,017	294	420	327	212	610	1,058	534	562
11 - 14	593	11,489	790	920	795	555	1,596	3,159	1,767	1,907
15 - 19	300	7,976	413	485	486	318	974	2,249	1,383	1,668
20 - 29	338	8,457	372	425	374	266	833	2,447	1,739	2,001
30 - 59	223	6,779	206	283	277	203	566	1,762	1,578	1,904
60 - 89	31	1,260	33	39	69	55	93	289	292	390
90+	8	768	25	22	45	61	89	153	150	223
TOTAL	17,920	119,338	6,257	14,494	18,599	9,601	18,386	25,236	12,890	13,375

(1) Excludes out-of-province hospitalization.



TABLE 5a (xix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) BRITISH COLUMBIA, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	186	9,503	181	840	1,299	2,163	2,952	1,207	385	476
2	73	23,241	259	3,163	6,500	3,434	6,121	2,865	504	395
3	267	14,683	378	1,162	1,833	2,904	4,852	2,532	556	466
4	1,619	12,685	443	920	1,138	2,962	4,445	1,873	462	442
5	4,661	16,553	421	827	909	4,992	6,637	1,747	517	503
6	4,359	17,049	393	742	729	5,417	7,360	1,462	513	433
7	2,479	13,699	408	633	588	3,919	5,507	1,483	556	605
8	969	9,700	326	516	489	2,105	3,827	1,413	546	478
9	601	7,152	285	401	338	1,188	2,681	1,298	494	467
10	461	6,139	230	320	285	778	2,223	1,354	511	438
11 - 14	552	14,863	574	715	624	1,300	4,439	4,010	1,616	1,585
15 - 19	305	8,776	304	408	319	587	2,039	2,539	1,268	1,312
20 - 29	267	7,745	260	316	282	383	1,396	2,174	1,387	1,547
30 - 59	219	5,691	163	208	171	223	741	1,524	1,137	1,524
60 - 89	37	1,126	30	35	40	43	124	283	214	357
90+	8	662	19	18	30	34	57	172	119	213
TOTAL	17,063	169,267	4,674	11,224	15,574	32,432	55,401	27,936	10,785	11,241

(1) Excludes out-of-province hospitalization.

TABLE 5a (xx) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) YUKON, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	5	95	4	17	22	11	17	20	1	3
2	2	151	8	33	46	11	26	19	3	5
3	2	105	5	24	20	9	26	17	2	2
4	30	114	6	23	15	9	35	17	5	4
5	112	68	2	12	9	5	20	13	3	4
6	58	77	14	11	8	6	11	19	3	4
7	18	78	9	19	10	3	11	18	2	5
8	8	61	9	12	8	5	17	7	1	6
9	3	41	3	9	1	4	8	12	1	2
10	3	30	5	7	-	-	4	8	2	4
11-14	7	110	16	17	1	8	19	33	10	6
15-19	3	81	6	12	4	5	22	22	6	4
20-29	7	51	5	4	4	2	8	13	5	10
30-59	3	46	5	4	2	-	9	18	9	4
60-89	-	7	-	1	2	1	1	1	-	1
90+	-	8	-	-	-	-	4	-	1	3
TOTAL	261	1,123	92	205	152	79	238	237	54	66

(1) Includes out-of-territory hospitalization.

TABLE 5a (xxi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) YUKON, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	6	138	5	16	22	20	63	9	1	2
2	3	200	6	20	30	36	85	21	1	1
3	3	147	5	18	16	30	60	14	1	3
4	26	148	11	10	17	29	66	13	-	2
5	115	258	10	10	18	89	130	9	-	2
6	41	198	6	8	10	63	101	5	1	4
7	22	118	3	5	10	38	49	11	1	1
8	3	98	7	11	2	22	43	10	1	2
9	8	46	4	7	2	5	22	6	-	-
10	4	40	2	5	1	5	17	5	2	3
11 - 14	10	131	11	17	2	21	54	19	2	5
15 - 19	4	50	4	7	2	6	12	13	4	2
20 - 29	5	37	3	3	6	3	6	12	2	2
30 - 59	4	18	2	2	1	-	3	8	1	1
60 - 89	-	7	1	1	-	-	1	2	1	1
90+	-	3	-	1	-	-	2	-	-	-
TOTAL	254	1,637	80	141	129	367	714	157	18	31

(1) Includes out-of-territory hospitalization.

TABLE 5a (xxii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) NORTHWEST TERRITORIES, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	16	201	26	39	43	23	48	13	4	5
2	17	233	22	41	91	27	35	12	2	3
3	26	248	32	54	64	28	43	21	2	4
4	52	192	35	30	32	24	43	20	2	6
5	41	163	28	44	24	14	32	16	2	3
6	101	178	36	48	33	15	23	18	3	2
7	47	167	47	40	16	14	22	12	11	5
8	19	121	35	25	17	11	18	8	5	2
9	8	137	46	32	19	9	16	6	3	6
10	9	123	38	27	8	9	21	11	5	4
11 - 14	12	271	68	64	35	16	45	24	10	9
15 - 19	2	153	38	41	14	3	28	15	5	9
20 - 29	6	152	29	35	10	7	19	29	12	11
30 - 59	7	98	22	8	16	3	12	23	8	6
60 - 89	1	19	9	1	2	3	1	1	1	1
90+	-	13	3	2	1	1	3	3	-	-
TOTAL	464	2,469	514	531	425	207	409	232	75	76

(1) Includes out-of-territory hospitalization.



TABLE 5a (xxiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) NORTHWEST TERRITORIES, 1964

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	10	311	27	41	43	67	112	14	4	3
2	13	314	16	35	75	65	101	20	1	1
3	32	327	18	28	60	81	116	15	7	2
4	62	349	35	23	32	93	146	17	1	2
5	126	469	33	41	29	137	205	18	5	1
6	82	389	32	29	28	110	155	19	11	5
7	45	315	37	32	19	91	100	23	4	9
8	18	237	44	30	14	50	77	16	5	1
9	13	177	32	37	16	26	44	14	5	3
10	14	169	24	26	18	24	51	15	6	5
11 - 14	14	339	63	48	22	43	114	34	5	10
15 - 19	6	144	20	32	12	16	32	24	6	2
20 - 29	3	125	26	27	10	7	32	20	2	1
30 - 59	14	82	15	12	8	9	20	16	1	1
60 - 89	-	19	3	4	1	5	2	4	-	-
90+	-	4	-	1	-	1	1	-	1	-
TOTAL	452	3,770	425	446	387	825	1,308	269	64	46

(1) Includes out-of-territory hospitalization.

TABLE 5b (i) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES<sup>(1)</sup>, PROVINCIAL PLAN IN-PATIENTS<sup>(2)</sup>,  
BY PROVINCE, 1964

LENGTH OF STAY IN DAYS(4)	PATIENT-DAYS OF SEPARATIONS, BOTH SEXES											
	NFLD.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(5)
1	3,593	1,232	6,674	68,494	97,036	12,426	16,792	24,658	18,065	233	512	249,715
2	10,114	2,889	16,706	108,556	212,094	46,360	54,498	75,392	83,573	702	1,094	611,973
3	19,593	4,433	24,753	148,389	228,897	42,429	56,286	80,388	75,315	756	1,775	682,903
- - 4	72,379	26,136	137,323	1,066,147	1,343,779	223,692	273,291	365,142	353,211	4,323	8,776	3,866,444
- - 10	65,442	31,270	173,277	1,226,326	1,715,760	276,294	516,275	455,340	479,102	4,127	11,984	4,700,477
11 - 14	67,926	20,947	127,802	1,101,533	1,198,764	178,479	226,694	290,413	323,959	2,943	7,519	3,552,779
15 - 29	159,864	40,975	248,090	2,438,663	2,617,054	372,357	454,259	542,323	665,343	4,246	11,426	7,753,100
30 - 59	122,905	27,194	164,048	1,438,492	2,165,452	289,962	310,590	381,090	496,531	2,520	7,185	5,405,779
60+	123,450	25,369	154,022	2,193,865	4,065,556	426,864	277,365	1,850,734	363,593	2,444	5,234	7,446,446
TOTAL	669,096	180,445	1,054,585	9,549,495	13,744,372	1,844,453	1,936,779	4,666,470	2,395,192	22,299	55,405	36,123,022

(1) Excludes newborns, but includes "age unspecified".

(2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients. British Columbia excludes out-of-province separations which were the responsibility of the Provincial Plan.

(3) Excludes Nova Scotia.

(4) In this table, length-of-stay data have been consolidated into nine categories to facilitate comparison between provinces. For data by province, age-group and sex, see Tables 5b(iii) and following tables.

TABLE 5b (ii) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, BY SEXES AND ALL AGES<sup>(1)</sup>, PROVINCIAL PLAN IN-PATIENTS<sup>(2)</sup>,  
1964-65

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS, BOTH SEXES											
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(3)
1	0.5	0.7	0.6	0.7	0.7	0.7	0.8	0.6	0.6	1.0	0.9	0.7
2	1.5	1.6	1.6	1.1	1.6	2.5	2.7	1.9	2.9	3.1	2.0	1.7
3	2.9	2.5	2.3	1.5	1.7	2.3	2.8	2.0	2.6	3.4	3.1	1.9
4 - 6	11.7	14.5	13.2	10.8	9.9	12.4	13.8	9.0	12.4	19.4	15.7	10.8
7 - 10	12.4	17.3	16.4	13.1	11.9	13.4	16.0	11.2	16.6	18.5	21.6	13.0
11 - 14	10.2	11.6	12.1	11.2	8.9	9.7	11.4	7.1	11.3	13.2	13.6	9.8
15 - 29	23.9	22.7	23.5	24.8	19.3	20.2	22.9	13.3	23.3	19.0	20.6	20.9
30 - 59	18.4	15.1	15.6	14.6	16.0	15.7	15.6	9.4	17.4	11.3	13.0	15.0
60+	18.5	14.1	14.6	22.3	30.0	23.1	14.0	45.5	12.7	11.0	9.4	26.3
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1) Excludes newborns, but includes "age unspecified".

(2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include resident and non-resident non-insured in-patients. British Columbia excludes out-of-province separations which were the responsibility of the Provincial Plan.

(3) Excludes Nova Scotia.

TABLE 5b (iii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, NEWFOUNDLAND, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE										
	(2) NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	AGE
											UNKNOWN
1	NOT AVAILABLE	1,479	133	195	300	256	283	200	58	54	-
2		3,432	374	612	902	448	584	344	86	80	2
3		5,097	528	870	1,308	726	861	552	138	114	-
4		5,576	700	808	1,052	868	1,044	760	180	160	4
5		6,355	975	995	1,005	995	1,015	910	290	170	-
6		6,666	942	942	1,158	882	1,086	1,092	312	246	6
7		8,526	1,246	1,351	1,631	1,211	1,316	1,162	350	259	-
8		9,176	1,280	1,272	1,592	1,208	1,616	1,392	480	328	8
9		8,613	1,287	981	1,440	1,125	1,440	1,449	468	423	-
10		8,260	1,230	850	1,300	1,070	1,340	1,550	500	410	10
11 - 14		31,092	4,582	3,723	3,718	3,279	6,007	6,102	2,138	1,543	-
15 - 19		31,683	3,555	3,195	3,849	2,879	5,244	7,851	3,243	1,867	-
20 - 29		45,675	4,211	3,704	5,092	3,583	8,049	12,589	5,345	3,077	25
30 - 59		65,449	6,367	5,246	9,047	4,683	9,446	17,388	7,947	5,245	80
60 - 89		23,950	2,500	2,358	4,747	1,217	3,523	5,438	2,127	2,040	-
90+		42,033	4,180	5,419	6,693	2,757	6,911	7,283	4,283	4,507	-
TOTAL	--	303,062	34,090	32,521	44,834	27,187	49,765	66,062	27,945	20,523	135

(1) Includes out-of-province hospitalization. Also includes an unspecified number of patient-days for which the Provincial Plan was not financially responsible.

(2) Newfoundland reported 9,311 patient-days for "sick-newborns" only. Data on length-of-stay of other newborns are not available.



TABLE 5b (iv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, NEWFOUNDLAND, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE										
	(2) NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	AGE UNKNOWN
1	NOT AVAILABLE	2,114	87	168	200	615	803	166	44	28	3
2		6,682	206	404	920	1,952	2,640	412	90	58	-
3		14,496	324	561	1,161	5,142	6,498	570	153	87	-
4		20,048	484	664	972	7,700	9,140	844	176	60	8
5		22,960	660	770	875	8,450	10,930	915	245	100	15
6		16,794	822	774	1,086	5,802	6,906	960	318	120	6
7		14,560	798	1,022	1,225	4,305	5,285	1,134	567	210	14
8		11,920	840	896	1,024	3,184	4,192	1,176	368	240	-
9		11,277	954	801	1,152	2,529	3,825	1,179	504	333	-
10		10,910	960	730	910	2,100	3,950	1,450	550	250	10
11 - 14		36,834	3,371	2,641	2,806	5,800	11,703	6,927	2,469	1,081	36
15 - 19		34,909	2,393	2,017	2,649	4,295	9,777	9,270	3,096	1,412	-
20 - 29		47,597	3,220	3,034	3,964	5,688	11,389	12,961	4,935	2,380	26
30 - 59		57,456	4,577	3,642	5,846	5,259	10,376	14,873	7,945	4,938	-
60 - 89		21,979	2,198	1,879	3,234	1,440	2,374	5,936	3,079	1,839	-
90+		35,488	2,653	2,518	8,046	3,742	2,712	6,076	3,539	6,202	-
TOTAL	--	366,024	24,547	22,521	36,070	68,003	102,500	64,849	28,078	19,338	118

(1) Includes out-of-province hospitalization. Also includes an unspecified number of patient-days for which the Provincial Plan was not financially responsible.

(2) Newfoundland reported 10,503 patient-days for "sick-newborns" only. Data on length-of-stay of other newborns are not available.

TABLE 5b (v) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, PRINCE EDWARD ISLAND, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE							
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64
1	29	555	24	86	89	80	85	82
2	6	1,207	72	181	308	144	194	190
3	57	1,769	102	257	456	240	255	255
4	507	1,982	172	242	268	276	296	412
5	3,059	2,591	270	260	318	263	445	605
6	2,717	2,678	276	345	467	324	342	480
7	1,036	3,808	427	490	463	398	560	700
8	309	3,672	392	352	364	372	616	744
9	189	2,880	279	225	288	216	450	720
10	180	3,115	384	270	261	280	420	860
11 - 14	245	10,202	1,251	672	543	535	1,362	2,480
15 - 19	331	8,818	875	495	548	552	1,025	2,419
20 - 29	352	11,915	738	401	420	697	1,290	3,303
30 - 59	354	15,004	614	435	715	890	1,256	4,053
60 - 89	145	4,931	138	609	382	72	358	1,000
90+	-	8,625	241	116	1,335	1,300	1,861	2,441
TOTAL	9,516	83,752	6,255	5,436	7,225	6,639	10,815	20,744
								13,418
								13,220

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5b (vi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), PRINCE EDWARD ISLAND, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+		
1	19	62	61	163	247	65	36	24		
2	62	105	258	323	578	252	48	56		
3	147	249	405	495	783	363	102	120		
4	172	188	288	825	1,120	400	176	112		
5	265	225	337	2,510	3,611	505	185	150		
6	270	234	339	2,269	3,648	498	324	234		
7	301	336	490	1,533	2,101	630	378	371		
8	280	264	352	824	1,320	552	352	264		
9	297	261	252	504	936	719	387	360		
10	260	292	269	440	920	720	510	320		
11 - 14	668	541	356	887	2,642	2,508	1,543	1,600		
15 - 19	427	299	376	627	1,567	2,397	1,499	1,489		
20 - 29	416	346	319	476	1,596	3,007	2,159	3,242		
30 - 59	353	566	580	422	1,528	2,873	2,894	2,974		
60 - 89	65	139	209	134	216	1,206	890	1,059		
90+	1,180	458	1,554	621	195	1,899	668	1,320		
TOTAL	5,122	4,560	6,445	13,053	23,008	18,594	12,151	13,695		

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5b (vii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, NEW BRUNSWICK, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	121	2,918	98	305	576	524	625	479	172	139
2	292	6,996	276	1,196	2,376	844	950	834	276	244
3	1,515	9,480	507	1,455	2,523	1,215	1,506	1,374	537	363
4	5,868	11,216	764	1,612	2,256	1,564	1,960	1,876	604	580
5	11,625	13,235	1,130	1,645	2,345	1,685	2,525	2,355	820	730
6	7,998	14,934	1,536	2,112	2,484	1,674	2,400	2,706	978	1,044
7	4,165	17,815	1,778	2,415	3,038	2,030	2,709	3,367	1,260	1,218
8	2,288	17,960	1,728	1,944	2,872	1,992	3,456	3,344	1,520	1,104
9	1,674	17,145	1,701	2,088	2,466	1,557	2,547	3,924	1,395	1,467
10	820	16,010	1,360	1,770	2,090	1,300	2,690	3,830	1,560	1,410
11 - 14	3,015	53,502	5,652	5,551	5,198	4,099	8,612	13,080	6,214	5,096
15 - 19	2,005	49,187	4,347	3,711	4,181	3,158	6,967	13,435	7,478	5,910
20 - 29	3,005	66,765	4,199	3,859	4,245	3,509	9,877	19,774	10,806	10,496
30 - 59	3,945	84,773	3,811	4,031	5,486	5,022	9,370	24,412	16,543	16,098
60 - 89	1,234	26,165	777	1,089	2,271	1,812	2,291	7,300	4,482	6,143
90+	904	48,310	515	2,370	3,350	2,884	2,657	9,552	9,004	17,978
TOTAL	50,474	456,411	30,179	37,153	47,757	34,869	61,142	111,642	63,649	70,020

(1) Includes out-of-province hospitalization.



TABLE 5b (viii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PREVENTIVE PLAN IN PATIENTS<sup>(1)</sup>, NEW BRUNSWICK, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	116	3,756	49	250	490	1,072	1,298	369	134	94
2	278	9,710	126	964	2,262	2,112	2,890	858	294	204
3	1,665	15,273	363	996	2,277	4,083	5,211	1,533	417	393
4	5,868	24,680	584	1,044	2,200	7,420	10,232	2,096	612	492
5	11,010	39,130	965	1,470	2,085	13,080	17,255	2,675	955	645
6	7,536	36,198	1,110	1,596	2,190	11,382	15,018	3,024	1,068	810
7	3,619	31,115	1,246	1,666	2,842	7,847	11,130	3,654	1,435	1,295
8	1,976	26,864	1,208	1,656	2,592	6,192	8,280	4,064	1,680	1,192
9	1,296	23,418	1,368	1,539	2,340	4,086	7,209	4,041	1,521	1,314
10	1,000	22,770	1,220	1,470	1,710	3,560	6,940	4,540	2,050	1,280
11 - 14	2,169	74,300	3,605	4,135	5,025	7,498	21,529	18,974	7,371	6,163
15 - 19	1,986	60,981	2,887	2,767	3,570	4,087	14,350	17,851	8,526	6,943
20 - 29	2,663	71,157	2,624	2,765	3,582	3,775	13,322	21,586	12,467	11,036
30 - 59	3,353	79,275	2,348	2,569	3,855	3,142	10,690	23,044	15,107	18,520
60 - 89	1,102	26,955	861	1,064	1,470	880	2,630	5,352	6,235	8,463
90+	312	52,592	473	4,329	2,003	1,112	2,709	8,707	10,700	22,559
TOTAL	45,949	598,174	21,037	30,280	40,493	81,328	150,693	122,368	70,572	81,403

(1) Includes out-of-province hospitalization.

TABLE 5b (ix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, QUEBEC, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,913	33,467	711	6,556	10,760	4,836	5,287	3,686	1,038	593
2	1,518	49,376	1,160	7,894	15,536	8,792	8,802	5,144	1,284	764
3	11,286	57,660	2,082	6,093	10,941	11,244	14,487	9,441	2,193	1,179
4	53,688	75,440	3,368	7,088	12,216	13,116	19,928	14,520	3,404	1,800
5	109,475	93,420	4,825	8,390	14,710	14,575	24,970	18,955	4,480	2,515
6	65,970	104,748	6,306	9,324	16,158	15,912	26,916	21,372	5,604	3,156
7	38,752	125,419	8,183	11,354	18,116	16,779	31,836	27,293	7,763	4,095
8	19,728	129,512	8,328	12,272	17,160	16,120	32,488	30,112	8,000	5,032
9	11,790	130,662	8,631	11,754	15,480	13,923	33,039	33,120	9,720	4,995
10	7,940	124,090	9,100	10,310	13,890	12,050	30,320	33,030	10,120	5,270
11 - 14	18,996	459,358	34,812	36,882	41,957	38,697	103,120	134,103	44,755	25,032
15 - 19	18,487	453,601	35,309	31,103	32,958	32,154	93,477	143,073	52,958	32,569
20 - 29	27,838	646,392	51,555	36,997	36,473	35,778	111,865	219,662	97,267	56,795
30 - 59	29,472	706,654	54,106	34,532	35,036	38,285	112,885	228,452	123,220	80,138
60 - 89	6,922	226,381	13,582	9,226	11,979	15,966	35,800	65,607	42,956	31,265
90+	3,032	812,046	12,378	15,822	18,685	27,671	49,845	205,134	199,447	283,064
TOTAL	426,807	4,228,226	254,436	255,597	322,055	315,898	735,065	1,192,704	614,209	538,262

(1) Includes out-of-province hospitalization. Also includes patient-days for resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes patient-days of separations from chronic hospitals.

TABLE 5b (x) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, QUEBEC, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,572	35,027	530	5,163	10,154	6,535	8,723	2,501	850	571
2	1,340	59,180	852	6,056	14,070	13,796	18,616	4,334	902	554
3	11,394	90,729	1,629	4,251	8,457	25,773	39,618	8,151	1,767	1,083
4	53,112	184,196	2,488	5,268	9,500	58,320	91,072	12,772	2,924	1,852
5	105,555	323,435	3,435	6,120	11,315	107,250	172,750	16,695	3,735	2,135
6	63,456	283,938	4,332	7,212	12,588	84,090	148,362	19,362	5,178	2,814
7	33,453	236,166	5,488	8,715	15,050	59,269	111,454	25,410	7,021	3,759
8	13,376	192,024	6,080	8,720	14,264	41,776	80,968	27,824	8,096	4,296
9	9,288	177,003	6,714	8,460	12,582	31,806	70,857	32,418	9,009	5,157
10	6,490	171,450	6,620	8,420	11,040	26,430	67,710	35,360	9,640	6,230
11 - 14	17,749	642,175	24,963	28,798	35,862	77,409	233,758	164,889	50,210	26,286
15 - 19	17,682	602,249	25,764	24,260	27,724	52,679	192,429	184,725	61,185	33,483
20 - 29	28,656	736,421	35,853	31,276	29,698	49,421	189,831	245,859	96,074	58,409
30 - 59	30,727	731,838	41,175	30,113	27,649	41,232	153,211	238,457	116,451	83,550
60 - 89	6,776	215,940	10,868	7,719	11,021	13,793	38,748	62,650	38,628	32,513
90+	2,710	939,498	12,502	13,375	17,635	20,893	67,456	172,358	217,097	418,182
TOTAL	403,336	5,621,269	189,293	203,926	268,609	710,472	1,685,563	1,253,765	628,767	680,874

1) Includes out-of-province hospitalization. Also includes patient-days for resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes patient-days of separations from chronic hospitals.

TABLE 5b (x1) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1964.

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS (1), BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE CONVALESCENT, AND CHRONIC HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE AND CONVALESCENT HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM CHRONIC HOSPITALS
1	2,613	97,036	96,931	105
2	1,800	212,094	211,922	172
3	9,234	228,897	228,627	270
4 - 6	530,816	1,343,959	1,342,449	1,510
7 - 10	273,169	1,615,560	1,612,450	3,110
11 - 14	54,807	1,198,764	1,194,135	4,629
15 - 29	109,197	2,617,054	2,593,697	23,357
30 - 59	68,891	2,165,452	2,102,975	62,477
60 - 89	18,499	788,650	718,273	70,377
90+	7,801	3,276,906	925,331	2,351,575
TOTAL	1,676,827	13,544,272	11,026,790	2,517,582

(1) Includes all patient-days of separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals, all insured separations from Department of Veterans Affairs hospitals, and from Federal Indian hospitals.



TABLE 5b (xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), MANITOBA, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	171	5,757	277	857	1,309	932	988	805	305	284
2	128	20,490	770	4,006	7,042	2,294	2,766	2,246	668	698
3	645	18,228	1,443	2,571	3,318	2,058	3,261	3,288	1,146	1,143
4	7,420	21,132	1,768	2,916	3,140	2,416	3,676	3,960	1,668	1,588
5	21,785	23,005	2,275	2,925	3,070	2,165	3,730	4,675	2,125	2,040
6	12,600	24,108	2,406	2,940	2,892	2,448	3,702	4,848	2,508	2,364
7	6,902	26,803	2,646	2,828	2,744	2,170	4,039	6,230	3,066	3,080
8	2,528	26,552	2,136	2,368	2,544	2,072	4,352	6,464	3,472	3,144
9	2,061	25,227	2,097	2,232	1,854	1,746	3,672	6,768	3,708	3,150
10	1,320	22,680	1,780	1,840	1,430	1,450	3,620	5,750	3,510	3,300
11 - 14	2,517	80,315	6,119	5,394	5,257	4,274	10,977	22,696	12,879	12,719
15 - 19	2,005	77,175	4,746	3,435	3,347	3,654	10,370	21,197	15,338	15,088
20 - 29	3,184	112,110	4,588	3,608	3,422	4,414	11,500	33,379	23,776	27,423
30 - 59	5,954	153,532	3,906	3,397	4,096	6,174	15,187	42,949	34,766	43,057
60 - 89	975	57,396	1,180	851	2,203	2,255	4,690	14,553	13,814	17,850
90+	505	138,047	1,213	992	2,468	5,524	10,564	25,408	31,372	60,506
TOTAL	70,700	832,557	39,350	43,160	50,136	46,046	97,094	205,216	154,121	197,434

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5b (xiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, MANITOBA, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	175	6,669	196	639	1,037	1,586	1,971	724	249	267
2	120	25,870	546	2,826	6,316	4,750	6,954	3,316	628	534
3	651	24,201	972	1,806	2,841	4,710	7,926	3,963	990	993
4	7,736	36,372	1,492	2,440	2,904	8,736	13,416	4,396	1,568	1,420
5	21,045	65,965	1,800	2,375	2,865	20,540	29,730	4,980	1,860	1,815
6	11,652	58,110	1,764	2,586	2,580	17,280	24,474	5,286	2,178	1,962
7	4,858	44,800	1,981	2,268	2,632	10,738	15,757	5,985	2,940	2,499
8	2,008	36,624	1,800	2,264	2,016	6,760	11,912	6,320	2,896	2,656
9	1,575	31,968	1,656	1,764	1,476	4,761	9,504	7,182	3,078	2,547
10	1,140	32,230	1,620	1,650	1,250	3,430	9,630	8,250	3,290	3,110
11 - 14	2,410	98,164	4,661	4,482	3,824	7,624	24,326	27,602	13,005	12,640
15 - 19	1,917	80,088	3,118	2,827	2,598	4,940	15,849	23,659	13,650	13,447
20 - 29	3,861	102,984	3,667	2,838	3,163	5,072	17,035	29,367	19,922	21,920
30 - 59	5,981	136,430	4,313	3,255	3,261	5,136	16,419	37,087	29,357	37,602
60 - 89	974	49,697	869	820	1,726	844	3,887	11,145	10,593	12,813
90+	970	181,724	2,939	2,786	1,151	2,164	9,119	27,394	42,290	93,881
TOTAL	67,073	1,011,896	33,394	37,626	41,640	109,071	217,909	206,656	148,494	217,106

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5b (xiv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), SASKATCHEWAN, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	225	7,801	402	1,030	1,636	1,197	1,328	1,190	480	538
2	178	23,610	952	4,688	8,384	2,400	2,766	2,408	1,020	992
3	879	24,171	1,755	3,558	5,196	2,787	3,708	3,972	1,551	1,644
4	4,856	28,232	2,508	4,076	4,840	3,064	4,248	5,168	2,200	2,128
5	20,955	30,250	2,985	4,230	4,655	2,800	4,395	5,490	2,845	2,850
6	17,406	31,812	3,588	4,644	4,470	2,604	4,452	5,688	3,030	3,336
7	8,204	34,573	3,675	4,655	4,592	2,849	4,298	6,398	3,857	4,249
8	3,432	33,720	3,184	3,952	4,064	2,992	4,856	6,960	3,784	3,928
9	2,448	31,554	3,258	3,132	2,943	2,286	4,500	7,335	3,834	4,266
10	1,520	30,100	2,720	2,980	2,550	1,580	4,130	7,590	4,220	4,330
11 - 14	3,073	101,300	8,811	8,056	6,900	5,339	12,532	24,951	16,317	18,394
15 - 19	2,203	93,258	6,635	6,059	5,383	4,666	9,493	24,488	16,838	19,696
20 - 29	4,036	131,538	6,929	6,343	6,372	4,449	12,351	35,004	29,266	30,824
30 - 59	4,053	168,163	7,014	7,270	6,406	6,743	12,903	39,949	38,079	49,799
60 - 89	1,545	54,940	1,796	2,754	2,785	1,360	3,391	9,965	12,778	20,111
90+	1,235	89,071	1,710	5,984	1,530	2,448	4,072	11,069	19,342	42,916
TOTAL	76,248	914,093	57,922	73,411	72,706	49,564	93,423	197,625	159,441	210,001

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current. Includes out-of-province hospitalization of Provincial-Plan in-patients.

TABLE 5b (xv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, SASKATCHEWAN, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-14	5-14	15-24	25-44	45-64	65-74	75+
1	174	8,991	255	780	1,253	1,998	2,847	1,191	340	327
2	134	30,888	616	3,430	8,314	5,314	7,948	3,778	810	678
3	879	32,115	1,314	2,754	5,127	6,444	9,006	4,947	1,383	1,140
4	5,868	41,392	1,892	3,192	4,464	9,100	12,776	5,960	2,160	1,848
5	21,540	68,635	2,340	3,465	4,220	19,585	27,725	6,600	2,385	2,315
6	15,882	72,930	2,640	3,438	4,326	21,078	29,172	6,726	2,760	2,790
7	6,125	59,360	2,471	3,458	4,389	14,693	19,971	7,462	3,619	3,297
8	2,616	47,168	2,456	3,192	3,880	9,272	13,920	7,488	3,608	3,352
9	2,025	42,030	2,304	2,574	2,853	6,372	11,853	8,568	3,690	3,816
10	1,270	38,440	2,410	2,270	2,180	4,690	11,140	8,050	3,910	3,790
11 - 14	2,675	125,394	6,533	6,944	6,389	10,241	32,054	32,644	15,915	14,674
15 - 19	2,279	106,449	4,726	4,865	4,267	6,386	22,061	31,687	16,131	16,326
20 - 29	3,824	123,014	5,538	4,984	4,348	6,110	20,159	34,220	22,078	25,577
30 - 59	4,663	142,427	4,422	4,944	3,915	6,586	16,677	37,058	31,198	37,627
60 - 89	1,986	50,567	1,578	2,252	1,656	2,015	5,404	10,471	9,332	17,859
90+	680	82,787	1,262	3,136	2,349	2,292	4,271	12,070	18,240	39,167
TOTAL	72,620	1,072,587	42,757	55,678	63,930	132,176	246,984	218,920	137,559	174,583

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current. Includes out-of-province hospitalization of Provincial-Plan in-patients.



TABLE 5b (xvi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, ALBERTA, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	297	11,494	359	1,387	2,263	1,880	2,410	2,019	613	563
2	166	33,314	974	6,608	12,044	3,322	4,419	3,785	1,258	904
3	750	34,527	1,962	5,226	7,752	4,329	6,272	5,566	1,851	1,569
4	8,283	38,426	2,844	5,296	6,556	4,596	6,996	6,966	2,876	2,296
5	20,825	40,875	3,335	5,725	6,360	4,260	7,180	7,495	3,275	3,245
6	26,995	41,898	3,708	5,256	5,706	4,116	7,386	8,280	3,894	3,552
7	22,360	45,808	3,934	5,614	5,915	4,116	7,427	9,674	4,676	4,452
8	9,176	44,688	3,544	5,088	4,640	3,976	8,240	9,816	4,984	4,400
9	5,728	40,402	3,222	3,862	3,708	3,168	7,110	9,675	5,058	4,599
10	3,980	37,930	2,950	3,440	3,110	2,340	6,951	9,009	5,450	4,680
11 - 14	7,042	126,862	9,024	9,852	8,642	7,760	19,531	32,499	20,090	19,464
14 - 19	5,937	116,480	6,749	6,949	6,603	5,602	16,740	30,193	21,842	21,802
20 - 29	7,399	154,549	6,332	7,709	8,013	7,014	20,167	43,863	30,419	31,032
30 - 59	7,805	201,536	6,798	8,801	11,313	8,536	24,280	53,162	41,106	47,540
60 - 89	2,510	74,111	1,794	2,166	4,229	3,664	8,167	17,383	13,853	22,855
90+	2,040	776,866	2,615	9,560	18,269	12,246	52,182	87,200	117,323	477,471
TOTAL	131,293	1,819,766	60,144	92,539	115,123	80,925	205,458	336,585	278,568	650,424

(1) Alberta "residents", including some patient-days for non-plan in-patients. (Note: Table I indicates a total of 4,151,175 patient-days for adults and children, both sexes, for Alberta. Of these, 3,888,234 days were the responsibility of the Provincial Plan, while 262,941 were not. In Table 5, data on length of stay is available for 4,066,070 patient-days of adult and child separations, both sexes, of which 3,888,234 days were the responsibility of the Provincial Plan and 177,836 days were not).

TABLE 5b (xvii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, ALBERTA, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	212	13,164	241	1,050	1,824	3,112	4,437	1,814	389	297
2	132	42,078	638	5,094	11,578	7,148	11,216	4,784	966	654
3	933	45,861	1,389	3,969	7,434	9,393	13,893	6,969	1,668	1,146
4	8,628	57,856	2,060	7,252	5,972	14,160	19,748	7,688	2,324	1,652
5	21,675	86,175	2,460	4,555	5,620	25,705	34,305	8,475	2,845	2,210
6	25,178	99,902	2,736	4,296	5,154	31,922	41,100	8,742	3,288	2,664
7	20,480	96,517	2,814	4,739	5,397	29,330	37,430	9,177	3,913	3,717
8	7,855	75,856	2,888	3,880	4,480	18,496	28,400	10,232	4,072	3,408
9	5,029	60,579	2,502	3,114	3,528	10,539	22,275	10,782	4,149	3,690
10	3,414	54,160	2,310	2,560	2,760	7,410	18,790	12,030	4,670	3,630
11 - 14	7,181	163,551	6,074	8,519	7,453	16,189	48,779	42,957	17,457	16,123
15 - 19	6,151	125,809	4,741	5,941	5,730	9,233	31,258	35,357	16,854	16,695
20 - 29	6,985	145,485	5,402	5,784	6,001	8,188	30,436	43,155	22,031	24,488
30 - 59	7,996	179,554	5,444	7,062	8,424	10,523	28,829	46,945	33,148	39,179
60 - 89	1,768	67,754	1,572	2,033	4,837	4,319	7,830	15,964	10,085	21,114
90+	1,230	932,003	1,340	8,304	17,806	13,536	44,129	122,128	157,183	567,577
TOTAL	124,847	2,246,304	44,611	75,152	103,998	219,203	422,855	387,199	285,042	708,244

(1) Alberta "residents" including some patient-days for non-plan in-patients. (Note: Table I indicates a total of 4,151,175 patient-days for adults and children, both sexes, for Alberta. Of these, 3,888,234 days were the responsibility of the Provincial Plan, while 262,941 were not. In Table 5, data on length of stay is available for 4,066,070 patient-days of adult and child separations, both sexes, of which 3,888,234 days were the responsibility of the Provincial Plan and 177,836 days were not.)

TABLE 5b (xviii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, BRITISH COLUMBIA, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	277	8,558	277	1,074	1,805	1,336	1,584	1,324	538	620
2	124	37,056	762	8,132	13,900	3,302	4,770	3,861	1,245	1,084
3	594	31,269	1,371	4,325	6,325	4,046	6,392	5,315	1,854	1,641
4	5,116	35,572	2,120	5,040	5,448	3,721	7,603	7,112	2,380	2,148
5	21,851	39,893	2,735	5,615	5,980	3,665	7,791	8,267	2,984	2,856
6	29,699	41,992	3,329	5,598	5,629	3,852	7,738	9,074	3,544	3,228
7	20,675	46,312	3,955	5,775	5,362	4,102	7,801	10,483	4,439	4,395
8	9,248	45,956	3,560	5,320	5,144	3,271	7,397	10,999	5,192	5,073
9	5,741	43,475	3,330	4,608	4,095	2,633	6,576	11,406	5,409	5,418
10	4,140	40,156	2,940	4,200	3,270	2,118	6,092	10,576	5,340	5,620
11 - 14	6,234	141,837	9,722	11,240	9,772	6,763	19,607	38,986	22,002	23,745
15 - 19	4,683	133,703	6,874	8,133	8,122	5,290	16,258	37,688	23,202	28,136
20 - 29	7,274	201,691	8,832	10,050	8,807	6,311	19,567	58,205	41,744	48,175
30 - 59	8,503	271,335	8,117	11,538	11,329	8,099	22,563	69,443	63,256	76,990
60 - 89	2,132	89,063	2,320	2,766	4,856	3,919	6,683	20,607	20,743	27,169
90+	1,117	106,265	3,204	3,252	8,341	9,822	14,354	21,323	19,084	26,885
TOTAL	127,408	1,314,133	63,448	96,666	108,185	72,250	162,776	324,669	222,956	263,183

(1) Excludes out-of-province hospitalization.



TABLE 5b (xix) PATIENT DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS<sup>(1)</sup>, BRITISH COLUMBIA, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	186	9,507	181	840	1,299	2,166	2,952	1,208	385	476
2	146	46,517	518	6,326	12,999	6,877	12,242	5,757	1,008	790
3	801	44,046	1,134	3,483	5,501	8,711	14,555	7,596	1,668	1,398
4	6,473	50,743	1,772	3,679	4,551	11,848	17,778	7,499	1,848	1,768
5	23,294	82,745	2,105	4,135	4,548	24,953	33,180	8,724	2,585	2,515
6	26,135	102,266	2,354	4,452	4,374	32,493	44,151	8,766	3,078	2,598
7	17,347	95,873	2,851	4,431	4,116	27,429	38,548	10,372	3,891	4,235
8	7,677	77,580	2,608	4,128	3,912	16,831	30,607	11,302	4,368	3,824
9	5,001	64,363	2,565	3,609	3,042	10,692	24,124	11,682	4,446	4,203
10	3,801	61,387	2,300	3,200	2,849	7,780	22,230	13,538	5,110	4,380
11 - 14	5,556	182,122	6,994	8,801	7,641	15,785	53,887	49,319	20,029	19,666
15 - 19	4,648	146,805	5,082	6,852	5,313	9,810	33,920	42,420	21,324	22,084
20 - 29	5,458	183,644	6,069	7,458	6,636	9,003	32,787	51,515	33,101	37,075
30 - 59	8,451	225,196	6,281	8,310	7,137	8,588	28,681	59,706	44,992	61,501
60 - 89	2,709	78,832	2,152	2,491	2,767	3,102	8,752	20,166	15,051	24,351
90+	1,112	89,433	2,489	3,856	5,020	5,594	7,729	24,447	14,580	25,718
TOTAL	118,795	1,541,059	47,455	76,051	81,705	201,662	406,123	334,017	177,464	216,582

(1) Excludes out-of-province hospitalization.



TABLE 5b (xx) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS<sup>(1)</sup>, YUKON, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	5	95	4	17	22	11	17	20	1	3
2	4	302	16	66	92	22	52	38	6	10
3	6	315	15	72	60	27	78	51	6	6
4		456	24	92	60	36	140	68	20	16
5	120	340	10	60	45	25	100	65	15	20
6	560	462	84	66	48	36	66	114	18	30
7	348	546	63	133	70	21	77	126	14	42
8	126	488	72	96	64	40	136	56	8	16
9	64	369	27	81	9	36	72	108	9	27
10	27	300	50	70	--	--	40	80	20	40
11 - 14	30	1,351	193	208	11	97	243	403	125	71
15 - 19	94	1,360	100	210	68	82	361	366	101	72
20 - 29	53	1,188	117	101	98	42	187	294	120	229
30 - 59	174	1,787	--	158	85	--	357	658	373	156
60 - 89	99	467	--	68	135	62	70	63	--	69
90+	--	1,048	--	--	--	--	446	--	247	355
TOTAL	1,710	10,874	775	1,498	867	537	2,442	2,510	1,083	1,162

(1) Includes out-of-territory hospitalization.

TABLE 5b (xxi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS<sup>(1)</sup>, YUKON, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	6	138	5	16	22	20	63	9	1	2
2	6	400	12	40	60	72	170	42	2	2
3	9	441	15	54	48	90	180	42	3	9
4	104	592	44	40	68	116	264	52	--	8
5	575	1,290	50	50	40	445	650	45	--	10
6	246	1,188	36	48	60	378	606	30	6	24
7	154	826	21	35	70	266	343	77	7	7
8	24	784	56	88	16	176	344	80	8	16
9	72	414	36	63	18	45	198	54	--	--
10	40	400	20	50	10	50	170	50	20	30
11 - 14	122	1,592	139	208	24	248	654	227	28	64
15 - 19	65	832	62	114	34	102	204	217	67	32
20 - 29	117	866	70	62	141	74	136	282	52	49
30 - 59	162	733	80	79	41	--	94	347	36	56
60 - 89	--	481	74	61	--	--	68	139	69	70
90+	--	448	--	189	--	--	259	--	--	--
TOTAL	1,702	11,425	720	1,197	652	2,082	4,403	1,693	299	379

(1) Includes out-of-territory hospitalization.

TABLE 5b (xxii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS (1), NORTHWEST TERRITORIES, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	16	201	26	39	43	23	48	13	4	5
2	34	466	44	82	182	54	70	24	4	6
3	78	744	96	162	192	84	129	63	6	12
4	208	768	140	120	128	96	172	80	8	24
5	705	815	140	220	120	70	160	80	10	15
6	606	1,068	216	288	198	90	138	108	18	12
7	329	1,169	329	280	112	98	154	84	77	35
8	152	968	280	200	136	88	144	64	40	16
9	72	1,233	414	288	171	81	144	54	27	54
10	90	1,230	380	270	80	90	210	110	50	40
11 - 14	142	3,349	826	783	435	192	565	298	130	120
15 - 19	37	2,545	621	693	221	48	475	254	84	149
20 - 29	149	3,533	673	804	228	165	449	660	280	274
30 - 59	210	3,904	904	281	652	107	488	941	303	228
60 - 89	87	1,322	618	66	143	219	66	63	87	60
90+	--	1,866	507	253	92	152	425	437	--	--
TOTAL	2,915	25,181	6,214	4,829	3,133	1,657	3,837	3,333	1,128	1,050

(1) Includes out-of-territory hospitalization.

TABLE 5b (xxiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS<sup>(1)</sup>, NORTHWEST TERRITORIES, 1964

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL								
			UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	10	311	27	41	43	67	112	14	4	3
2	26	628	32	70	150	130	202	40	2	2
3	96	981	54	84	180	243	348	45	21	6
4	248	1,396	140	92	128	372	584	68	4	8
5	630	2,345	165	205	145	685	1,025	90	25	5
6	492	2,334	192	174	168	660	930	114	66	30
7	315	2,205	259	224	133	637	700	161	28	63
8	144	1,896	352	240	112	400	616	128	40	8
9	117	1,593	288	333	144	234	396	126	45	27
10	140	1,690	240	260	180	240	510	150	60	50
11 - 14	168	4,170	765	598	274	520	1,401	423	64	125
15 - 19	104	2,396	331	528	207	264	535	402	97	32
20 - 29	75	2,952	624	631	247	162	745	479	41	23
30 - 49	443	3,281	609	491	300	376	778	655	37	35
50 - 89	--	1,421	233	299	63	333	173	320	--	--
90+	--	625	--	114	--	238	94	--	179	--
TOTAL	3,008	30,224	4,311	4,384	2,474	5,561	9,149	3,215	713	417

(1) Includes out-of-territory hospitalization.



TABLE 6(a) SEPARATIONS, BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP, FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING  
OUT-OF-PROVINCE HOSPITALIZATION, CANADA, (2) 1964

(1) See notes on page 180  
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	M. F.	35 20	91 62	83 69	45 44	82 86	94 93	98 111	122 143	135 133	169 127
2.	Poliovmyelitis and encephalitis	M. F.	39 32	127 104	243 189	352 326	138 144	43 58	45 54	49 47	46 35	37 36
3.	Infectious hepatitis	M. F.	22 10	110 94	402 483	458 462	335 331	278 317	252 254	228 250	187 167	142 113
4.	Other diseases attributable to viruses	M. F.	976 792	2,223 1,890	1,521 1,260	541 476	605 663	428 406	246 162	226 141	179 138	116 120
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	1,230 1,123	1,479 1,636	1,119 1,195	684 728	448 604	397 435	354 312	319 297	284 246	241 271
6.	Malignant neoplasms of buccal cavity and pharynx	M. F.	1 --	3 1	5 1	4 3	8 12	8 11	13 14	37 17	47 28	88 33
7.	Malignant neoplasm of stomach	M. F.	-- --	-- --	1 --	-- --	1 1	2 1	6 1	14 13	38 31	88 71
8.	Malignant neoplasm of large intestine except rectum	M. F.	-- --	1 --	-- --	1 2	3 5	6 9	19 20	18 31	54 98	89 131
9.	Malignant neoplasm of rectum	M. F.	-- --	-- --	-- --	-- --	-- 1	4 2	6 5	27 17	30 26	56 70
10.	Malignant neoplasm of bronchus, trachea and lung, primary and unspecified as to whether primary or secondary	M. F.	-- --	1 2	1 --	1 --	3 5	5 5	4 2	20 22	59 33	178 64

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total	
1.	Tuberculosis, all forms	M. F.	148 104	156 89	178 97	153 68	137 77	117 78	83 54	46 35	28 15	2,000 1,505
2.	Poliomyelitis and encephalitis	M. F.	28 34	22 25	30 19	15 9	9 4	3 2	4 4	1 2	-- 1	1,231 1,126
3.	Infectious hepatitis	M. F.	100 85	70 70	47 42	40 44	36 30	35 20	27 20	13 8	8 4	2,790 2,804
4.	Other diseases attributable to viruses	M. F.	106 111	100 120	110 151	90 145	91 139	128 115	98 149	62 98	32 40	7,878 7,117
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	217 228	216 247	221 186	177 152	163 136	141 102	106 81	52 49	32 31	7,885 8,066
6.	Malignant neoplasms of buccal cavity and pharynx	M. F.	93 61	185 72	207 91	226 80	225 71	249 74	200 83	167 58	81 30	1,847 740
7.	Malignant neoplasm of stomach	M. F.	123 74	219 98	306 119	450 170	483 213	452 254	455 254	307 166	115 87	3,060 1,553
8.	Malignant neoplasm of large intestine except rectum	M. F.	156 216	219 302	301 363	394 416	495 520	456 533	402 498	260 299	144 155	3,018 3,598
9.	Malignant neoplasm of rectum	M. F.	108 101	181 152	238 151	319 210	334 225	331 207	284 202	217 130	94 72	2,229 1,571
10.	Malignant neoplasm of bronchus, trachea and lung, primary and unspecified as to whether primary or secondary	M. F.	274 106	624 145	903 161	1,049 156	1,115 145	839 123	503 99	193 62	77 24	5,849 1,154

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
11.	Malignant neoplasm of breast	M. F.	-- --	-- --	-- --	1 2	1 6	-- 18	-- 43	2 206	3 517	9 1,067
12.	Malignant neoplasm of cervix uteri	M. F.	-- 1	-- --	-- 1	-- --	-- 1	-- 91	-- 353	-- 727	-- 1,150	-- 1,176
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- --	-- 1	-- --	-- 1	-- 3	-- 12	-- 18	-- 57	-- 115	-- 185
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F.	-- --	-- --	-- 2	-- 6	-- 3	-- 25	-- 26	-- 43	-- 104	-- 142
15.	Malignant neoplasm of prostate	M. F.	-- --	2 --	1 --	-- --	2 --	1 --	-- --	-- --	3 --	14 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	5 --	43 42	30 3	3 1	7 2	12 4	16 10	25 18	45 21	121 61
17.	Leukaemia and aleukaemia	M. F.	11 10	237 210	254 173	95 52	39 64	41 38	33 35	41 36	44 54	74 58
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	49 22	202 100	166 127	169 134	249 182	223 154	240 198	381 279	518 419	572 625
19.	Benign neoplasm of uterus	M. F.	-- --	-- --	-- 2	-- 5	-- 87	-- 379	-- 908	-- 1,976	-- 3,877	-- 6,129
20.	Benign neoplasm of ovary	M. F.	-- --	-- 1	-- 17	-- 109	-- 801	-- 1,519	-- 1,472	-- 1,403	-- 1,135	-- 917

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
11.	Malignant neoplasm of breast	6 1,272	20 1,329	9 1,133	26 1,019	16 878	13 820	11 634	6 358	1 193	124 9,501
12.	Malignant neoplasm of cervix uteri	-- 876	-- 767	-- 592	-- 461	-- 319	-- 238	-- 163	-- 79	-- 35	-- 7,030
13.	Malignant neoplasm of uterus other than cervix uteri	-- 221	-- 390	-- 407	-- 364	-- 375	-- 245	-- 166	-- 88	-- 42	-- 2,690
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	-- 273	-- 280	-- 266	-- 266	-- 205	-- 136	-- 84	-- 52	-- 14	-- 1,932
15.	Malignant neoplasm of prostate	34 --	88 --	236 --	544 --	863 --	1,319 --	1,456 --	1,019 --	523 --	6,105 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	147 82	346 108	442 166	650 193	663 259	689 293	646 225	376 168	187 80	4,453 1,741
17.	Leukaemia and aleukaemia	80 71	103 99	160 105	228 97	186 144	213 147	221 114	104 64	38 29	2,302 1,600
18.	Other malignant neoplasms and neoplasm of lymphatic and haematopoietic tissue	820 761	1,041 970	1,294 1,115	1,527 1,209	1,514 1,287	1,425 1,212	1,132 968	718 632	371 293	12,612 10,747
19.	Benign neoplasm of uterus	-- 5,831	-- 3,094	-- 968	-- 505	-- 301	-- 187	-- 93	-- 46	-- 16	-- 24,404
20.	Benign neoplasm of ovary	-- 509	-- 270	-- 145	-- 139	-- 102	-- 72	-- 42	-- 29	-- 8	-- 8,690



TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
21.	Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature											
	M.											
	F.											
		2	391	677	690	695	1,052	1,444	1,185	1,043	1,027	1,047
		3	580	768	659	760	1,905	2,221	1,969	2,133	2,259	2,337
22.	Asthma											
	M.	2	495	1,776	1,177	676	346	190	170	213	277	407
	F.	--	262	933	724	452	386	391	347	361	510	636
23.	Other allergic disorders (excluding asthma)											
	M.	1	451	680	357	264	198	162	153	166	152	140
	F.	--	272	420	261	211	277	273	230	227	215	227
24.	Diseases of thyroid gland											
	M.	--	26	18	30	52	89	77	96	113	122	148
	F.	2	33	35	57	155	499	547	663	865	992	1,135
25.	Diabetes mellitus											
	M.	--	11	122	318	439	507	319	408	504	650	809
	F.	--	14	119	272	522	587	523	470	460	666	874
26.	Diseases of other endocrine glands											
	M.	1	50	110	72	92	101	48	30	44	72	60
	F.	--	33	84	88	117	192	231	238	201	178	148
27.	Avitaminoses and other metabolic diseases											
	M.	2	415	558	184	160	90	84	79	166	224	218
	F.	2	345	519	155	200	282	295	259	283	299	349
28.	Diseases of the blood and blood-forming organs											
	M.	3	689	1,259	922	564	294	204	145	126	122	170
	F.	3	474	830	464	311	440	334	371	460	577	642
29.	Psychoses											
	M.	--	3	10	27	74	332	467	341	747	721	783
	F.	--	2	10	14	81	459	764	834	1,084	1,140	1,113
30.	Psychoneurotic disorders											
	M.	--	12	63	220	389	773	1,160	1,203	1,563	1,751	2,034
	F.	--	11	73	275	754	2,605	3,175	3,549	4,078	4,108	3,938

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	35+	Total
21.	Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature	M. F.	1,041 2,000	1,119 1,601	1,074 1,123	1,016 891	780 837	650 637	508 415	272 237	106 89	15,819 23,424
22.	Asthma	M. F.	444 649	623 688	751 609	787 591	669 475	555 408	380 261	208 123	75 31	10,221 8,837
23.	Other allergic disorders (excluding asthma)	M. F.	108 160	122 175	72 110	73 88	64 63	33 44	36 33	22 13	5 11	3,259 3,310
24.	Diseases of thyroid gland	M. F.	175 1,071	214 986	146 680	110 505	77 356	78 265	36 151	20 54	3 8	1,630 9,059
25.	Diabetes mellitus	M. F.	1,015 1,046	1,356 1,659	1,007 2,092	1,332 2,517	1,544 2,600	1,474 2,447	1,211 1,878	702 967	297 343	14,712 20,056
26.	Diseases of other endocrine glands	M. F.	71 133	56 118	52 76	51 94	29 59	33 35	10 24	9 6	3 3	994 2,058
27.	Avitaminoses and other metabolic diseases	M. F.	235 328	289 298	235 246	195 179	172 156	130 118	117 80	86 48	48 22	3,687 4,463
28.	Diseases of the blood and blood-forming organs	M. F.	185 616	221 474	318 387	351 450	399 538	483 617	517 609	363 390	175 220	7,510 9,207
29.	Psychoses	M. F.	711 985	624 1,001	542 758	419 583	357 491	239 390	244 278	169 173	97 112	6,907 10,272
30.	Psychoneurotic disorders	M. F.	1,581 3,104	1,476 2,647	1,072 2,017	773 1,470	507 1,082	310 727	184 430	77 130	22 33	15,170 34,206

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
31.	Disorders of character, behaviour and intelligence	M. F.	115 93	426 348	412 229	267 240	347 456	378 341	474 286	874 387	1,217 392	1,341 402
32.	Vascular lesions affecting central nervous system	M. F.	100 56	167 143	136 124	129 86	145 82	85 67	58 102	121 119	188 153	316 297
33.	Inflammatory and other diseases of central nervous system	M. F.	698 491	1,230 1,023	1,120 931	833 756	674 771	598 633	528 614	612 773	661 798	741 929
34.	Diseases of nerves and peripheral ganglia	M. F.	19 14	39 35	75 64	87 116	119 247	201 324	236 384	330 422	485 536	503 603
35.	Diseases and conditions of the eye	M. F.	479 447	2,925 2,795	2,773 2,423	1,138 948	761 740	540 482	528 362	523 379	542 467	594 548
36.	Diseases of ear and mastoid process	M. F.	2,724 1,973	3,969 3,003	2,669 1,970	1,298 1,133	626 709	406 582	462 602	552 670	651 841	658 935
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	11 5	130 121	575 528	593 617	320 385	161 327	184 352	233 449	306 510	340 543
38.	Arteriosclerotic and degenerative heart disease	M. F.	15 14	29 20	55 33	40 29	52 44	71 63	128 92	527 183	1,311 458	2,895 927
39.	Other diseases of the heart	M. F.	70 62	118 89	137 132	105 103	137 124	126 138	156 188	214 231	256 327	381 406
40.	Hypertensive heart disease and other hypertensive disease	M. F.	5 1	10 5	14 8	30 26	78 64	111 122	136 166	269 294	409 446	572 781
41.	Diseases of arteries	M. F.	3 4	8 11	9 11	20 23	35 46	49 62	56 77	114 79	175 118	301 173

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
31.	Disorders of character, behaviour and intelligence	M. F.	1,421 375	1,242 295	892 179	490 120	312 77	186 34	70 16	31 13	19 8	10,544 4,316
32.	Vascular lesions affecting central nervous system	M. F.	517 421	909 662	1,264 902	1,723 1,262	2,126 1,769	2,606 2,523	2,804 3,139	2,273 2,015	1,422 1,612	17,090 15,534
33.	Inflammatory and other diseases of central nervous system	M. F.	734 828	828 781	915 675	969 682	807 778	792 732	754 592	427 380	212 235	14,133 13,402
34.	Diseases of nerves and peripheral ganglia	M. F.	481 571	472 486	426 432	352 366	286 309	205 293	167 190	78 116	28 70	4,589 5,578
35.	Diseases and conditions of the eye	M. F.	727 603	931 899	1,028 1,057	1,222 1,183	1,377 1,613	1,488 1,867	1,331 1,662	791 1,006	335 477	20,034 19,960
36.	Diseases of ear and mastoid process	M. F.	613 837	561 776	438 633	381 503	231 350	154 240	113 118	52 58	17 29	16,577 15,962
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	341 611	388 674	279 522	212 334	140 248	87 167	63 87	29 43	7 19	4,399 6,542
38.	Arteriosclerotic and degenerative heart disease	M. F.	4,438 1,497	6,269 2,535	7,324 3,442	7,907 4,721	7,573 5,606	7,595 6,221	6,465 5,789	4,338 4,154	2,569 2,607	59,601 38,436
39.	Other diseases of the heart	M. F.	493 439	773 616	905 713	1,257 873	1,500 1,157	1,768 1,467	1,919 1,674	1,348 1,222	916 860	12,579 10,823
40.	Hypertensive heart disease and other hypertensive disease	M. F.	714 1,097	914 1,488	994 1,696	1,120 1,854	998 1,879	929 1,906	722 1,698	464 988	257 488	8,746 15,008
41.	Diseases of arteries	M. F.	463 205	745 274	901 341	1,196 460	1,221 561	1,253 816	1,123 743	855 739	687 563	9,215 5,306



TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
42.	Varicose veins of lower extremities	M. F.	1 --	2 1	3 2	6 2	32 41	96 414	171 1,113	298 1,905	387 2,359	503 2,462
43.	Haemorrhoids	M. F.	-- --	2 1	5 7	4 1	108 119	399 466	709 695	1,161 1,057	1,416 1,369	1,593 1,394
44.	Phlebitis and thrombophlebitis	M. F.	-- --	-- 1	2 5	12 10	19 68	37 154	54 215	98 244	102 365	214 421
45.	Other diseases of the circulatory system	M. F.	-- 1	162 123	1,936 1,846	1,304 1,232	539 645	282 320	244 257	207 248	212 308	242 256
46.	Acute upper respiratory infections	M. F.	6 6	5,690 4,438	3,605 3,171	1,187 1,487	873 1,451	750 926	470 525	439 462	354 366	280 346
47.	Influenza	M. F.	1 --	806 753	728 718	537 501	442 628	312 516	274 380	267 351	281 356	294 362
48.	Pneumonia	M. F.	22 17	11,970 8,652	4,465 3,591	1,930 1,616	1,296 976	788 919	781 993	1,008 1,224	1,140 1,278	1,295 1,403
49.	Bronchitis	M. F.	4 4	7,421 5,039	2,151 1,688	747 684	428 663	324 652	270 629	372 704	502 722	705 720
50.	Hypertrophy of tonsils and adenoids	M. F.	3 1	291 158	40,785 40,675	9,703 13,243	3,717 8,398	2,886 4,315	2,057 2,328	1,569 1,612	971 991	476 551
51.	Other diseases of respiratory system	M. F.	-- 2	906 650	1,219 884	1,162 907	2,376 1,695	2,184 1,456	1,874 1,425	1,892 1,380	1,872 1,313	1,859 1,293
52.	Diseases of teeth and supporting structure	M. F.	-- --	79 43	1,820 2,108	800 1,046	1,746 2,775	1,660 2,480	1,145 1,771	856 1,372	789 1,267	728 1,084

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
42.	Varicose veins of lower extremities	M. F. 565 1,935	575 1,596	531 1,242	493 982	315 650	188 501	134 286	78 175	33 79	4,414 15,746
43.	Haemorrhoids	M. F. 1,374 1,203	1,223 996	969 676	663 474	407 311	267 234	175 132	84 61	30 24	10,596 9,228
44.	Phlebitis and thrombophlebitis	M. F. 184 428	246 404	266 394	253 405	211 360	188 319	161 231	72 110	30 43	2,154 4,181
45.	Other diseases of the circulatory system	M. F. 252 233	279 251	286 212	316 231	241 207	269 194	222 145	125 77	72 66	8,249 7,712
46.	Acute upper respiratory infections	M. F. 232 295	229 328	193 278	171 210	140 169	108 162	100 118	80 65	47 56	26,140 22,873
47.	Influenza	M. F. 288 369	323 382	332 354	283 368	251 345	255 316	246 315	208 226	130 162	7,467 8,501
48.	Pneumonia	M. F. 1,199 1,178	1,568 1,264	1,629 1,230	1,864 1,256	1,736 1,354	2,026 1,380	1,964 1,342	1,457 1,121	1,228 979	52,604 42,151
49.	Bronchitis	M. F. 901 862	1,190 913	1,393 908	1,612 872	1,626 861	1,630 717	1,262 554	742 410	365 247	32,240 23,767
50.	Hypertrophy of tonsils and adenoids	M. F. 234 288	111 182	66 141	30 56	17 22	18 13	8 7	4 6	-- 3	95,289 98,463
51.	Other diseases of respiratory system	M. F. 1,662 1,111	1,885 1,106	1,838 917	1,763 821	1,598 780	1,428 680	960 528	538 356	276 200	28,873 18,529
52.	Diseases of teeth and supporting structure	M. F. 566 784	456 658	356 433	221 291	132 194	90 92	53 50	23 21	13 8	12,541 17,527

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
53.	Ulcer of stomach, duodenum and jejunum	1 1	5 4	29 11	67 87	139 100	451 307	1,216 486	1,821 605	2,460 868	3,141 1,256	3,575 1,512
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	-- 4	423 292	329 355	427 398	383 375	473 876	763 992	949 1,009	1,158 1,022	1,378 1,105	1,504 1,173
55.	Appendicitis	1 1	15 11	672 521	4,060 3,869	6,358 5,685	4,490 5,825	2,960 2,921	1,826 1,621	1,527 1,069	1,252 787	1,006 606
56.	Hernia of abdominal cavity	7 3	2,985 808	5,118 1,230	3,086 752	1,034 200	1,250 250	1,768 348	1,719 539	2,126 864	2,604 1,276	2,973 1,548
57.	Intestinal obstruction without mention of hernia	1 --	200 115	229 150	243 145	166 102	137 114	108 160	94 163	128 259	136 304	156 366
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	4 3	9,639 7,707	7,056 5,682	1,681 1,561	1,055 1,018	660 926	574 930	455 737	454 585	464 623	466 636
59.	Chronic enteritis and ulcerative colitis	-- --	37 28	53 35	36 34	52 43	122 129	126 154	166 215	198 223	239 290	270 358
60.	Cirrhosis and other diseases of liver	-- --	33 21	36 47	92 103	106 99	68 171	78 147	96 140	187 195	328 237	398 289
61.	Diseases of gall bladder and pancreas	-- 2	77 62	76 108	71 64	63 136	128 1,234	256 3,606	486 4,104	1,004 4,527	1,406 4,961	1,760 5,142
62.	Other diseases of digestive system	-- 4	831 506	1,371 1,221	940 767	725 678	556 939	677 1,086	868 1,018	1,151 1,214	1,271 1,386	1,343 1,426
63.	Nephritis and nephrosis	-- --	37 28	494 379	693 556	464 376	252 264	185 178	236 181	218 250	331 179	308 222

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
53.	Ulcer of stomach, duodenum and jejunum	M. F. 3,707 1,586	3,861 1,517	3,308 1,161	2,674 976	2,099 807	1,599 727	1,089 537	667 318	269 158	32,178 13,024
54.	Gastric, duodenitis and other disorders and diseases of the stomach and duodenum	M. F. 1,295 1,040	1,211 959	941 794	763 681	591 598	467 491	390 374	195 245	106 120	13,746 12,903
55.	Appendicitis	M. F. 784 445	651 401	480 250	377 231	248 165	195 155	142 84	65 49	29 23	27,138 24,719
56.	Hernia of abdominal cavity	M. F. 3,255 1,474	3,718 1,322	3,673 1,245	3,646 1,123	2,299 1,062	2,342 828	1,743 597	346 330	412 191	47,119 15,990
57.	Intestinal obstruction without mention of hernia	M. F. 225 386	271 357	288 331	317 331	337 325	338 369	370 359	257 324	148 224	4,149 4,884
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M. F. 362 595	435 582	400 534	373 544	317 498	321 453	302 439	191 318	172 200	25,381 24,571
59.	Chronic enteritis and ulcerative colitis	M. F. 328 406	428 538	414 577	482 671	468 746	482 828	412 707	266 471	133 291	4,712 6,744
60.	Cirrhosis and other diseases of liver	M. F. 475 347	552 356	530 299	486 246	330 192	261 136	166 116	72 64	22 32	4,316 3,237
61.	Diseases of gall bladder and pancreas	M. F. 1,795 4,699	2,049 4,998	1,859 4,619	1,889 3,874	1,541 3,263	1,361 2,527	1,100 1,846	598 1,046	283 559	17,802 51,577
62.	Other diseases of digestive system	M. F. 1,241 1,298	1,213 1,208	1,116 993	921 877	784 776	668 703	600 607	369 359	236 268	16,881 17,334
63.	Nephritis and nephrosis	M. F. 248 144	257 172	220 115	156 124	117 114	144 113	97 111	65 76	48 17	4,570 3,599



TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
64.	Infections of kidney	M. F.	173 222	309 1,249	409 1,780	379 1,014	272 1,425	255 1,430	253 1,063	273 1,062	328 974	311 387
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	1 1	9 8	24 28	28 42	164 206	477 448	331 528	1,118 541	1,322 578	1,429 570
66.	Other diseases of urinary system	M. F.	258 183	826 1,669	1,038 2,244	651 864	441 951	463 1,154	468 1,144	554 1,353	687 1,318	651 1,445
67.	Hyperplasia of prostate	M. F.	4 --	12 --	7 --	6 --	5 --	15 --	15 --	43 --	61 --	148 --
68.	Redundant prepuce and phimosis	M. F.	1,360 --	1,894 --	973 --	767 --	395 --	3,053 --	430 --	274 --	217 --	131 --
69.	Diseases of ovary, Fallopian tube and Parametrium, and infective disease of uterus, vagina and vulva	M. F.	-- 8	-- 90	-- 144	-- 324	-- 2,523	-- 5,620	-- 5,524	-- 5,389	-- 4,340	-- 3,829
70.	Uterovaginal prolapse	M. F.	-- --	-- 3	-- 4	-- 2	-- 24	-- 165	-- 573	-- 1,269	-- 2,154	-- 2,719
71.	Disorders of menstruation	M. F.	-- --	-- 2	-- 6	-- 504	-- 2,435	-- 3,971	-- 4,125	-- 4,696	-- 5,067	-- 5,044
72.	Other diseases of genital organs	M. F.	443 43	977 55	642 90	608 156	722 1,174	664 3,493	625 4,256	671 4,025	729 3,748	367 4,444
73.	Complications of pregnancy	M. F.	-- --	-- --	-- 1	-- 47	-- 3,920	-- 23,060	-- 18,489	-- 13,211	-- 8,474	-- 3,167

TABLE 6(a) (Cont'd)

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
74.	Abortion	M. F.	-- --	-- --	-- --	-- 25	3,457 --	12,529 --	12,436 --	10,590 --	8,352 --	4,346 --
75.	Delivery without mention of complications	M. F.	-- --	-- --	-- --	-- 188	34,094 --	113,071 --	100,133 --	67,046 --	36,683 --	11,730 --
76.	Delivery with specified complications	M. F.	-- --	-- --	-- --	-- 33	6,342 --	18,771 --	16,545 --	11,740 --	7,386 --	2,624 --
77.	Complications of the puerperium	M. F.	-- --	-- --	-- --	-- 3	641 --	2,212 --	1,792 --	1,506 --	982 --	376 --
78.	Infection of skin and subcutaneous tissue	M. F.	853 757	2,751 2,656	2,040 1,627	1,693 1,354	1,619 1,092	978 668	765 595	732 580	789 547	711 578
79.	Other diseases of skin and subcutaneous tissue	M. F.	1,891 1,003	973 1,093	806 924	1,541 1,407	1,732 1,677	399 1,194	679 929	665 914	697 894	680 971
80.	Arthritis and rheumatism, except rheumatic fever	M. F.	32 27	169 207	373 323	394 433	419 553	491 612	610 656	936 923	1,207 1,306	1,494 1,653
81.	Displacement of intervertebral disc	M. F.	-- --	3 3	3 5	15 10	149 136	397 314	826 547	1,404 890	1,730 1,275	1,842 1,359
82.	Other diseases of bones and organs of movement	M. F.	351 207	1,161 697	1,760 992	1,777 1,724	1,980 1,680	1,468 1,221	1,339 1,108	1,499 1,208	1,690 1,525	1,575 1,673
83.	Congenital malformations	M. F.	3,771 2,664	3,090 2,627	3,097 1,719	1,858 1,100	949 929	509 890	371 579	342 487	321 461	282 372
84.	Certain diseases of early infancy	M. F.	5,127 4,231	51 65	10 16	2 8	1 7	-- 1	2 2	1 2	1 2	-- 1

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
74.	Abortion	613	31	1	--	--	--	--	--	--	52,380
75.	Delivery without mention of complications	777	31	2	--	--	--	--	--	--	368,755
76.	Delivery with specified complications	232	7	1	--	--	--	--	--	--	63,681
77.	Complications of the puerperium	43	2	--	--	--	2	--	--	--	7,559
78.	Infection of skin and subcutaneous tissue	608 500	584 483	510 381	390 299	301 233	265 213	216 167	127 117	82 68	16,016 12,918
79.	Other diseases of skin and subcutaneous tissue	700 957	721 946	663 855	559 699	606 548	468 494	423 409	250 243	129 144	15,089 16,306
80.	Arthritis and rheumatism, except rheumatic fever	1,586 1,845	1,833 2,165	1,845 2,146	1,731 2,070	1,403 1,969	1,160 1,838	990 1,575	595 922	312 558	17,580 21,781
81.	Displacement of intervertebral disc	1,463 1,154	1,277 959	954 644	515 429	285 247	145 163	91 105	39 40	15 19	11,153 8,299
82.	Other diseases of bones and organs of movement	1,492 1,769	1,470 1,895	1,196 1,557	1,004 1,288	679 1,000	474 825	332 658	202 373	92 226	21,546 21,634
83.	Congenital malformations	298 327	192 258	167 191	120 112	99 85	84 58	35 40	12 29	5 10	16,011 13,278
84.	Certain diseases of early infancy	--	--	2	2	1	1	--	--	--	9,208
		--	1	--	1	1	--	--	1	--	7,077



TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
85.	Symptoms, senility, and ill-defined conditions	M. F. 133 74	1,494 1,177	3,257 2,787	3,301 2,894	2,739 2,718	1,816 2,970	1,529 2,693	1,554 2,238	1,782 2,218	1,944 2,149	2,069 2,193
86.	Fracture of or involving skull or face bones, and head F. injury except open wound, contusion and haematoma of scalp	M. F. 2 35	2,781 1,873	3,547 1,757	2,786 1,099	2,941 1,374	3,291 862	1,597 503	1,863 508	1,597 503	1,275 512	1,176 491
87.	Fracture of spine and trunk	M. F. -- --	62 45	141 79	233 173	709 438	755 337	604 255	624 274	626 271	614 326	614 326
88.	Fracture of upper limb	M. F. -- --	969 757	3,470 2,055	3,795 1,681	2,227 504	1,137 340	772 263	749 282	716 359	716 359	682 484
89.	Fracture of femur	M. F. -- --	591 310	667 289	409 172	350 132	264 57	178 46	154 30	140 66	153 93	153 93
90.	Other fractures of lower limbs (excluding femur)	M. F. 1 --	426 273	897 512	1,495 749	1,809 518	1,401 453	1,080 350	1,159 431	1,185 450	1,115 558	1,115 558
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F. -- --	149 105	375 226	810 554	2,063 981	1,933 670	1,732 491	1,922 574	1,854 666	1,854 666	1,670 645
92.	Internal injury of chest, abdomen and pelvis	M. F. -- --	79 36	226 112	248 51	379 97	359 84	213 54	189 51	165 52	165 52	189 50
93.	Burns	M. F. 1 46	1,876 1,319	651 421	486 237	513 265	522 219	398 136	380 132	329 139	295 125	295 125

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
85.	Symptoms, senility, and ill-defined conditions	M. F. 2,090 1,884	2,079 1,833	1,748 1,423	1,528 1,330	1,269 1,088	1,265 1,014	1,086 861	796 665	539 397	34,018 34,606
86.	Fracture of or involving skull or face bones, and head F. injury except open wound, contusion and haematoma of scalp	M. F. 903 430	798 401	688 286	560 248	374 186	280 228	243 191	140 120	76 95	26,821 11,570
87.	Fracture of spine and trunk	M. F. 662 360	717 395	703 378	577 385	400 388	432 435	345 467	221 366	158 334	8,589 5,710
88.	Fracture of upper limb	M. F. 603 556	614 901	458 1,045	439 1,029	330 958	229 941	202 777	125 481	107 327	17,677 13,793
89.	Fracture of femur	M. F. 176 157	225 289	200 385	210 496	285 726	364 1,084	488 1,518	508 1,715	537 1,789	6,016 9,448
90.	Other fractures of lower limbs (excluding femur)	M. F. 917 572	880 669	652 611	524 627	328 503	252 441	192 347	117 224	46 123	14,492 8,432
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F. 1,291 595	1,045 573	710 414	542 308	328 287	221 282	179 213	94 150	53 91	16,985 7,839
92.	Internal injury of chest, abdomen and pelvis	M. F. 142 32	139 36	101 27	93 26	63 24	50 29	32 12	15 11	10 8	2,694 794
93.	Burns	M. F. 257 125	184 117	133 99	110 71	96 53	63 77	70 54	33 31	41 14	6,719 3,834

TABLE 5(a) (Cont'd)

Can. List No.	Diagnostic	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	675 535	8,091 5,766	5,372 3,438	4,888 2,441	7,125 3,557	6,644 2,659	4,406 2,056	4,039 2,127	3,718 2,087	3,423 2,044
95.	Medical or special examination (without sickness)	M. F.	52 42	51 37	49 51	37 46	32 66	24 55	25 60	42 59	42 62	52 69
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
97.	Immature newborn	M. F.	126,467 117,025	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
98.	Other special admissions, examinations, etc.	M. F.	348 374	350 306	396 257	374 291	512 576	444 785	415 723	417 657	491 567	454 490
Total		M. F.	63,583 48,324	133,492 103,194	114,187 97,974	66,255 53,982	59,534 122,544	54,814 244,186	45,312 215,025	50,907 176,266	55,831 141,361	60,413 108,265

TABLE 6(a) (Cont'd)

Can. List No.	Diagnostic	45-49	50-54	55-59	60-64	75-69	70-74	75-79	80-84	85	Total
94.	M. F. Other and unspecified effects of accidents, poisonings and violence	2,820 1,768	2,785 1,621	2,255 1,235	1,825 1,077	1,285 929	1,006 932	794 740	476 595	286 419	61,916 36,027
95.	M. F. Medical or special examination (without sickness)	65 60	71 55	70 35	36 30	25 27	25 15	19 14	11 7	2 2	730 792
96.	M. F. Mature newborn	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	126,467 117,025
97.	M. F. Immature newborn	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	7,460 8,121
98.	M. F. Other special admissions, examinations, etc.	447 463	564 498	586 551	652 582	528 656	494 752	451 680	263 440	122 283	8,335 9,960
Total	M. F.	60,281 81,079	67,016 73,506	65,337 61,393	64,899 57,121	58,337 54,197	55,387 51,556	47,371 44,048	30,250 29,030	17,549 18,322	1,316,397 1,915,404



TABLE 6(b) PATIENT-DAYS BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP FOR PROVINCIAL-PLAN<sup>(1)</sup> IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA<sup>(2)</sup> 1964

(1) See notes on page 180  
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	M. F.	655 356	1,808 1,519	1,372 1,656	712 789	1,834 2,033	1,488 1,010	1,705 1,638	2,056 2,398	2,117 2,034	2,906 2,448
2.	Poliomyelitis and encephalitis	M. F.	1,217 716	5,531 5,430	7,667 6,460	8,926 9,678	3,757 4,644	1,032 1,735	2,496 3,224	2,342 818	3,267 1,159	2,654 1,014
3.	Infectious hepatitis	M. F.	386 332	1,318 1,139	4,403 5,207	5,555 5,475	4,234 3,791	3,779 4,152	3,430 3,360	3,124 3,886	2,730 2,737	2,054 1,881
4.	Other diseases attributable to viruses	M. F.	9,184 7,635	19,546 16,689	10,744 9,220	3,878 3,408	4,990 5,816	3,968 3,868	1,940 1,253	1,756 1,276	1,402 1,461	1,012 1,233
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	22,804 21,177	21,321 24,939	11,200 12,042	6,110 5,787	3,263 4,339	3,262 3,396	3,636 2,476	3,534 2,997	3,409 2,559	2,693 2,744
6.	Malignant neoplasms of buccal cavity and pharynx	M. F.	39 --	16 27	58 7	92 21	132 229	65 97	89 116	494 307	538 324	1,848 621
7.	Malignant neoplasm of stomach	M. F.	-- --	-- --	5 --	-- --	22 34	16 21	219 13	316 380	935 821	2,524 2,175
8.	Malignant neoplasm of large intestine except rectum	M. F.	-- --	12 --	-- --	7 38	34 40	110 258	422 534	483 959	1,525 2,508	1,991 3,552
9.	Malignant neoplasm of rectum	M. F.	-- --	-- --	-- --	-- --	-- 30	72 47	238 78	802 350	709 820	1,636 2,152
10.	Malignant neoplasm of bronchus, trachea and lung, primary and unspecified as to whether primary or secondary	M. F.	-- --	69 68	8 --	2 --	46 112	62 80	105 16	323 373	1,567 742	4,594 1,279

1 100 1

TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
1.	Tuberculosis, all forms	3,037 1,517	2,769 1,814	4,597 1,955	3,763 1,308	3,133 1,350	1,945 1,513	1,731 1,087	926 527	650 274	39,204 27,226
2.	Poliomyelitis and encephalitis	1,075 1,820	517 3,867	599 622	2,264 252	1,550 38	59 91	72 7,938	1,538 132	2,009	46,563 51,677
3.	Infectious hepatitis	1,962 1,882	1,320 1,302	679 862	819 1,220	514 426	1,078 1,436	459 427	187 175	133 87	38,164 39,777
4.	Other diseases attributable to viruses	901 1,152	904 1,398	1,040 1,752	956 1,680	1,163 2,015	1,859 2,023	1,849 3,001	995 1,799	711 856	68,798 67,543
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	2,750 2,501	4,538 3,542	3,915 5,226	4,533 2,322	9,662 1,737	3,117 1,313	4,345 1,992	953 1,724	2,232 2,689	117,328 105,644
6.	Malignant neoplasms of buccal cavity and pharynx	2,292 1,174	5,022 1,482	5,159 1,759	5,233 1,516	5,321 1,954	2,702 1,363	4,861 2,141	4,874 1,755	2,756 923	46,591 15,676
7.	Malignant neoplasm of stomach	3,092 2,166	5,576 2,465	3,340 3,167	11,244 4,742	13,702 6,620	12,381 7,660	13,469 9,038	3,911 2,430	3,901 3,953	84,653 48,707
8.	Malignant neoplasm of large intestine except rectum	4,112 6,949	3,677 8,650	8,024 11,036	11,543 13,035	16,341 13,413	15,113 18,909	16,467 22,868	3,453 12,227	5,000 12,294	95,314 133,330
9.	Malignant neoplasm of rectum	2,954 2,630	5,921 4,981	8,094 4,540	11,308 7,016	12,421 8,549	11,672 8,797	11,239 10,917	3,228 4,832	5,240 4,302	81,354 60,301
10.	Malignant neoplasm of bronchus, trachea and lung, primary and unspecified as to whether primary or secondary	6,089 2,999	15,329 4,802	22,895 4,718	28,553 4,030	28,598 3,653	25,215 3,835	14,829 3,076	2,989 2,401	2,328 641	156,611 32,825

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
11.	Malignant neoplasm of breast	M. F.	-- 5	-- --	-- --	24 17	8 42	-- 199	-- 712	37 3,670	50 10,035	109 23,682
12.	Malignant neoplasm of cervix uteri	M. F.	-- 9	-- --	-- 14	-- --	-- 3	-- 880	-- 3,834	-- 8,686	-- 15,161	-- 16,826
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- --	-- 8	-- --	-- 7	-- 23	-- 206	-- 211	-- 878	-- 1,955	-- 2,753
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F.	-- --	-- --	-- 35	-- 119	-- 158	-- 309	-- 350	-- 959	-- 2,228	-- 2,987
15.	Malignant neoplasm of prostate	M. F.	-- --	58 --	33 --	-- --	72 --	8 --	-- --	-- --	41 --	387 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	174 --	1,030 761	401 128	82 22	196 36	200 94	176 198	249 368	532 321	2,413 1,634
17.	Leukaemia and aleukaemia	M. F.	140 201	4,343 3,237	3,110 2,230	1,377 681	1,455 915	823 791	633 657	602 666	1,012 740	1,077 1,203
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	1,097 385	4,689 2,917	3,418 2,778	3,301 3,008	6,601 4,777	4,658 2,826	5,172 3,470	8,220 5,712	10,612 8,916	14,074 13,993
19.	Benign neoplasm of uterus	M. F.	-- --	-- --	-- 18	-- 34	-- 475	-- 2,487	-- 7,561	-- 18,108	-- 39,562	-- 67,199
20.	Benign neoplasm of ovary	M. F.	-- --	-- 7	-- 152	-- 904	-- 6,789	-- 12,667	-- 14,458	-- 14,682	-- 12,570	-- 11,123

TABLE 1 (Contd.)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
11.	Malignant neoplasm of breast	73 25,965	353 32,606	156 27,664	488 28,108	252 26,338	307 25,947	276 21,850	355 14,939	172 15,228	2,660 257,007
12.	Malignant neoplasm of cervix uteri	14,033	14,434	11,378	8,968	7,690	4,906	6,293	3,354	6,886	123,355
13.	Malignant neoplasm of uterus other than cervix uteri	3,571	6,181	8,808	6,866	7,336	5,602	4,703	2,607	1,575	53,290
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	6,489	6,328	7,360	7,692	4,982	4,276	2,607	2,901	362	50,142
15.	Malignant neoplasm of prostate	1,186	2,300	5,155	15,143	27,300	42,414	51,620	35,999	25,360	207,076
16.	Malignant neoplasm of kidney, bladder and other urinary organs	2,766 1,677	6,447 2,632	9,805 3,373	12,911 6,235	16,187 6,893	16,745 6,972	16,755 5,239	11,351 3,999	5,576 4,089	103,996 44,671
17.	Leukaemia and aleukaemia	1,566 1,323	1,663 2,264	3,165 2,849	3,970 1,959	4,728 4,174	4,990 3,862	6,107 4,178	3,025 2,077	920 1,437	44,706 35,444
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	21,509 20,776	25,045 28,386	34,224 35,739	43,670 35,523	44,080 37,254	40,678 39,024	23,368 33,384	20,358 24,471	16,191 15,101	336,501 318,440
19.	Benign neoplasm of uterus	65,136	32,888	10,026	5,332	3,672	2,744	1,341	679	569	257,831
20.	Benign neoplasm of ovary	6,477	3,724	2,206	2,317	1,843	1,633	748	387	128	92,815



TABLE 6 (c) (Contd.)

Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
21. Ectopic testis (excluded) and cryptorchidism (excluded) and testicular nature unspecified	27	1,793	2,157	2,321	5,377	13,225	13,225	9,400	7,000	5,101	1,270
22. Asthma	13	1,207	1,142	1,201	1,201	1,100	1,201	1,201	1,711	2,000	1,206
23. Chronic allergic disorders (excluded) and allergic nature unspecified	4	3,227	6,222	1,201	1,201	1,201	1,201	1,201	885	999	300
24. Diseases of thyroid gland	13	458	133	302	1,201	1,201	1,201	1,201	1,384	1,095	1,474
25. Diabetes mellitus	197	186	1,201	3,222	1,201	1,201	1,201	1,201	6,777	8,047	10,502
26. Diseases of other endocrine glands	1	300	1,201	302	1,201	1,201	1,201	1,201	660	900	983
27. Allergic diseases other than rheumatoid diseases	25	1,201	1,201	1,201	1,201	1,201	1,201	1,201	2,200	2,714	2,519
28. Diseases of the blood and blood-forming organs	37	3,223	1,201	5,302	1,201	1,201	1,201	1,201	1,201	1,201	2,475
29. Psychoses	112	106	109	529	1,201	1,201	1,201	1,201	1,201	1,201	1,201
30. Psychoneurotic disorders	105	105	452	2,227	3,227	9,156	15,697	15,697	20,584	25,719	29,683

TABLE 10 (Contd.)

Cen. List	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
21.	Benign neoplasm (excluding uterus and ovary) and neoplasm of unspecified nature	M. P.	12,505 14,370	12,453 12,282	13,840 10,871	10,885 11,246	9,676 10,860	8,598 7,613	4,128 6,294	2,205 2,755	160,206 199,286
22.	Asthma	M. P.	6,868 9,768	9,333 9,890	11,744 7,799	12,145 8,333	9,819 7,580	5,915 6,286	6,621 2,497	4,669 723	117,072 101,935
23.	Other allergic dis- orders (excluding asthma)	M. P.	730 1,293	497 902	694 874	544 545	268 347	336 401	334 304	92 156	26,434 27,161
24.	Diseases of thyroid gland	M. P.	1,619 12,236	3,857 9,031	1,743 7,428	1,631 5,539	1,422 6,240	651 3,089	729 1,473	73 351	23,053 107,825
	Diabetes mellitus	M. P.	14,744 15,333	19,768 24,417	26,453 37,729	29,561 52,783	46,306 70,185	41,635 64,948	24,165 50,168	14,544 23,352	305,656 456,890
	Diseases of other endocrine glands	M. P.	1,139 1,536	727 1,768	844 1,468	360 1,137	1,073 713	166 677	150 183	442 30	15,171 30,213
	Avitaminoses and other metabolic diseases	M. P.	3,510 4,536	3,856 4,520	2,912 6,026	2,954 3,190	2,364 4,301	2,675 1,459	2,608 1,836	1,948 1,567	58,077 77,678
25.	Diseases of the blood and blood-forming organs	M. P.	2,894 7,868	3,369 7,417	5,288 7,390	6,690 10,273	9,272 13,531	9,853 14,704	7,440 9,647	4,052 12,630	104,256 148,985
	Psychoses	M. P.	12,282 22,395	14,658 22,315	15,121 19,729	16,334 17,592	11,733 13,388	15,418 18,465	11,693 17,007	7,194 18,763	192,539 306,385
	Psychoneurotic disorders	M. P.	26,405 52,184	22,721 44,284	18,648 35,585	9,761 20,804	5,467 14,429	3,473 8,021	1,155 2,552	1,365 3,078	225,059 554,398

TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
31.	Disorders of character, behaviour and in- telligence	M. F.	1,622 1,862	8,191 6,991	5,753 2,498	4,847 3,803	7,978 8,432	4,475 5,529	4,793 3,897	7,582 7,680	11,251 4,938	17,235 9,212
32.	Vascular lesions affecting central nervous system	M. F.	2,531 1,395	3,045 3,827	3,740 6,771	2,235 2,785	2,678 2,636	2,088 1,778	1,249 1,968	1,975 2,559	2,083 2,471	6,506 6,229
33.	Inflammatory and other diseases of central nervous system	M. F.	15,935 10,500	21,039 16,775	16,397 14,473	11,127 12,355	21,882 14,192	21,127 10,793	13,355 17,419	26,467 23,634	38,890 38,468	50,247 36,575
34.	Diseases of nerves and peripheral ganglia	M. F.	240 266	912 439	1,108 1,008	1,377 1,776	1,669 2,381	2,116 3,263	2,072 4,280	3,178 4,386	4,938 6,305	5,246 6,751
35.	Diseases and condi- tions of the eye	M. F.	2,421 2,249	11,105 9,983	11,157 9,137	6,472 4,125	5,393 3,798	4,548 3,081	3,838 2,602	4,392 2,694	4,741 3,625	5,711 4,699
36.	Diseases of ear and mastoid process	M. F.	28,569 20,382	36,564 26,326	17,616 12,697	9,486 8,362	5,120 5,083	3,251 3,905	3,070 3,937	3,775 4,749	4,202 5,465	4,507 6,351
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	186 135	2,156 1,998	10,593 10,231	11,755 11,510	5,268 6,436	2,559 5,055	3,268 6,157	4,383 8,205	5,864 9,340	6,032 11,757
38.	Arteriosclerotic and degenerative heart disease	M. F.	164 240	294 188	725 284	484 220	442 548	980 1,270	1,939 1,236	8,970 2,276	23,842 8,877	53,505 18,600
39.	Other diseases of the heart	M. F.	930 944	2,364 1,260	1,842 2,807	1,402 1,419	1,439 1,077	1,424 1,484	1,614 2,043	2,950 3,705	2,918 3,889	4,443 6,312

TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
31.	Disorders of character, behaviour and in- telligence	M. F. 14,031 6,568	11,887 3,944	9,725 16,124	4,863 2,427	3,341 20,994	3,747 761	1,060 8,057	615 943	702 912	124,155 116,040
32.	Vascular lesions affecting central nervous system	M. F. 14,879 12,135	21,982 19,884	44,083 35,971	67,282 44,575	85,006 87,735	114,094 143,754	131,201 180,128	107,484 182,772	74,054 124,258	691,222 863,621
33.	Inflammatory and other diseases of central nervous system	M. F. 27,661 47,404	51,434 44,843	63,767 67,916	67,240 66,495	67,279 69,693	80,718 87,639	80,580 106,188	67,741 86,497	68,498 102,618	211,221 874,477
34.	Diseases of nerves and peripheral ganglia	M. F. 6,100 7,438	5,942 6,214	5,726 5,444	4,873 5,694	3,846 6,036	5,713 6,159	3,315 3,448	2,068 3,239	829 2,927	61,268 77,454
35.	Diseases and condi- tions of the eye	M. F. 7,016 6,061	10,005 9,676	12,598 12,115	14,639 14,637	18,724 19,821	19,738 26,002	17,191 21,223	10,756 12,839	7,809 12,855	178,256 181,259
36.	Diseases of ear and mastoid process	M. F. 3,936 5,517	3,661 5,515	3,084 4,474	2,866 3,815	1,774 3,955	1,365 2,141	3,206 1,281	651 3,301	180 3,937	136,927 131,193
37.	Rheumatic fever and chronic rheumatic heart disease	M. F. 6,219 12,661	6,956 16,306	5,520 12,256	4,246 8,116	3,029 6,504	3,191 4,811	1,169 3,795	561 2,605	181 1,686	83,136 139,564
38.	Arteriosclerotic and degenerative heart disease	M. F. 82,800 26,554	119,181 50,084	146,029 76,228	169,628 105,032	162,949 144,670	184,301 167,362	200,221 204,093	164,006 207,592	127,971 177,278	1,111,111 1,192,635
39.	Other diseases of the heart	M. F. 5,874 5,376	10,524 9,298	14,935 12,028	22,034 15,112	26,668 22,057	35,030 36,108	45,623 46,212	31,450 34,128	28,234 36,664	241,698 241,929



TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
40.	Hypertensive heart disease and other hypertensive disease											
		--	26	115	372	229	636	1,064	1,413	2,876	4,926	6,981
		2	10	126	108	343	792	1,433	1,674	3,365	5,541	9,454
41.	Diseases of arteries											
		--	19	103	129	797	589	772	858	1,829	4,523	6,472
		--	71	97	220	395	840	883	1,395	1,882	2,168	3,314
42.	Varicose veins of lower extremities	60	17	39	10	53	212	801	1,443	2,842	3,627	5,558
		--	6	10	4	9	290	2,827	8,268	14,601	20,299	23,274
43.	Haemorrhoids	--	13	48	6	19	731	2,870	5,655	9,411	12,193	14,137
		--	2	21	35	3	818	3,649	5,672	8,903	11,872	12,622
44.	Phlebitis and thrombophlebitis	--	--	65	16	84	242	483	667	1,331	1,392	2,867
		--	7	40	33	112	774	1,806	2,726	3,070	4,642	5,912
45.	Other diseases of the circulatory system	--	1,473	7,998	10,908	6,826	3,509	1,949	2,114	2,006	2,413	3,065
		7	1,378	6,468	9,874	6,652	4,335	2,280	2,317	2,308	3,702	2,805
46.	Acute upper respir- atory infections	35	42,831	61,535	16,032	5,367	4,121	3,371	2,108	2,176	1,926	1,594
		126	32,668	45,662	14,312	6,898	6,555	4,249	2,860	2,553	2,187	2,130
47.	Influenza	2	6,616	7,969	3,823	2,733	2,016	1,502	1,268	1,381	1,446	1,802
		--	6,062	7,627	3,726	2,364	3,184	2,609	2,213	2,140	2,229	2,348
48.	Pneumonia	301	141,835	131,461	38,886	17,405	11,030	6,623	6,858	9,324	11,481	14,166
		233	95,035	101,259	31,979	14,645	8,965	8,301	9,155	12,704	13,281	15,257
49.	Bronchitis	23	66,656	61,531	14,067	5,295	2,859	2,064	2,231	2,827	4,247	7,174
		38	44,960	42,558	11,501	4,647	4,977	4,808	5,219	6,245	6,439	7,172
50.	Hypertrophy of tonsils and adenoids	9	1,141	61,290	77,060	20,934	10,689	9,141	6,695	5,242	3,372	1,703
		3	656	47,510	77,135	29,464	25,319	14,142	7,716	5,663	3,466	2,135



TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
51.	Other diseases of respiratory system	--	12,752 7,943	15,516 10,101	9,575 7,052	6,730 5,784	13,306 10,553	12,792 9,810	11,308 9,639	11,227 9,859	12,686 10,434	14,690 11,084
52.	Diseases of teeth and supporting structure	--	399 187	2,075 2,286	3,229 3,557	1,875 2,100	3,434 5,468	3,268 5,080	2,388 3,691	1,890 2,875	1,724 2,875	1,676 2,550
53.	Ulcer of stomach, duodenum and jejunum	23	107	207	651	1,392	5,043	12,756	19,445	27,663	37,196	45,128
		2	46	130	737	795	3,114	5,126	6,679	10,566	16,550	20,473
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	--	3,670 2,488	1,524 1,881	1,328 1,790	1,788 2,054	2,874 5,477	4,479 6,680	6,108 7,505	7,602 7,891	9,986 9,139	11,123 9,730
55.	Appendicitis	8	124	6,477	28,848	44,503	32,214	20,258	13,062	11,572	10,735	8,633
		8	91	4,730	27,180	40,153	41,039	20,828	12,521	8,930	6,920	5,638
56.	Hernia of abdominal cavity	80	21,002	25,986	16,232	6,382	9,052	12,890	12,851	16,304	21,465	25,894
		62	6,010	6,138	3,749	1,293	2,015	2,924	4,691	8,461	12,852	17,697
57.	Intestinal obstruction without mention of hernia	19	1,924	1,577	1,442	1,090	1,149	1,165	1,255	1,122	1,403	1,655
		--	1,025	996	908	605	1,848	1,441	1,612	2,758	3,376	4,648
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	18	96,353	50,934	7,483	4,454	2,775	2,487	2,008	2,641	2,704	2,824
		10	75,856	39,656	6,929	3,950	3,932	4,396	4,041	3,537	4,318	4,925
59.	Chronic enteritis and ulcerative colitis	--	493	632	470	660	2,484	3,146	3,083	3,213	4,144	4,402
		--	386	361	422	421	2,389	3,060	4,476	--	4,749	4,866

TABLE (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	Total
51.	Other diseases of respiratory system	M. F.	15,283 11,070	20,358 11,560	22,786 11,514	26,820 12,808	30,427 12,158	31,306 11,267	29,097 9,724	12,804 6,944
52.	Diseases of teeth and supporting structures	M. F.	1,368 2,125	1,069 1,670	881 1,207	600 1,061	437 717	360 283	214 214	99 149
53.	Ulcer of stomach, duodenum and jejunum	M. F.	49,318 23,319	55,323 21,900	50,630 19,226	44,212 16,340	36,416 15,310	29,541 13,195	23,173 11,715	13,841 7,104
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. F.	10,741 9,202	10,146 8,788	8,363 8,912	7,445 6,545	6,153 5,981	5,722 5,103	6,179 4,536	2,957 3,160
55.	Appendicitis	M. F.	1,113 1,113	1,113 1,113	1,113 1,113	1,113 1,113	1,113 1,113	1,113 1,113	1,113 1,113	1,113 1,113
56.	Hernia of abdominal cavity	M. F.	30,154 18,307	36,006 17,140	37,065 17,535	38,565 16,403	31,371 16,204	28,757 14,662	22,934 10,630	12,576 7,618
57.	Intestinal obstruction without mention of hernia	M. F.	2,563 5,218	3,554 4,879	4,124 5,133	5,336 5,839	5,479 4,125	5,107 6,337	4,859 6,597	3,711 4,994
58.	Gastro-enteritis and colitis, except ulcerative, and other diseases of the large intestine	M. F.	2,417 4,640	3,119 5,187	2,748 4,424	2,846 4,583	2,732 5,899	3,202 4,462	3,135 4,999	1,752 4,016
59.	Chronic enteritis and ulcerative colitis	M. F.	5,223 6,140	6,249 7,814	5,949 8,461	7,421 10,325	7,197 11,569	8,316 13,248	6,606 15,044	4,004 9,625



TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
60.	Cirrhosis and other diseases of liver	M. F.	611 391	563 549	1,121 1,463	500 1,111	699 1,739	810 1,537	1,436 1,544	2,553 2,792	4,395 5,129	7,442 5,765
61.	Diseases of gall-bladder and pancreas	M. F.	1,948 1,947	1,735 2,218	923 1,136	673 1,391	1,140 11,534	2,778 37,890	4,894 44,386	10,780 51,032	16,562 58,784	22,213 62,956
62.	Other diseases of digestive system	M. F.	8,186 5,912	11,287 9,597	5,667 4,579	4,771 4,426	4,532 5,614	4,803 8,969	6,267 8,665	8,869 10,618	11,116 13,189	12,693 14,450
63.	Nephritis and nephrosis	M. F.	1,178 667	11,758 8,500	13,598 10,712	9,295 6,396	5,258 4,435	3,304 2,791	2,999 2,338	2,631 3,079	4,477 2,778	2,840 3,388
64.	Infections of kidney	M. F.	3,244 3,715	4,029 12,573	4,285 14,597	3,151 7,450	2,463 10,795	2,206 11,253	2,210 8,528	2,518 10,109	3,304 9,270	3,056 8,991
65.	Calculi of kidney ureter and other parts of urinary system	M. F.	7 5	272 40	324 258	250 426	1,309 1,481	3,579 3,720	6,116 5,246	8,147 5,021	9,815 5,473	10,714 5,752
66.	Other diseases of urinary system	M. F.	3,703 2,787	9,428 15,005	8,385 16,754	5,014 6,829	4,773 6,738	4,904 8,179	4,213 9,673	5,824 11,833	6,387 11,312	6,800 14,290
67.	Hyperplasia of prostate	M. F.	21 --	25 --	16 --	35 --	11 --	152 --	123 --	306 --	556 --	1,407 --
68.	Redundant prepuce and phimosis	M. F.	3,521 --	5,397 --	2,793 --	2,399 --	1,536 --	9,875 --	1,518 --	1,012 --	872 --	604 --
69.	Diseases of ovary, Fallopian tube and parametrium, and infective disease of uterus, vagina and vulva	M. F.	-- 65	-- 779	-- 861	-- 2,317	-- 16,802	-- 37,770	-- 39,701	-- 39,951	-- 38,771	-- 30,899

TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
60. Cirrhosis and other diseases of liver	M. F.	9,237 6,535	11,327 6,843	19,113 7,738	11,759 5,539	9,510 5,911	2,057 3,293	7,122 3,261	1,761 1,761	100 100	12,919 3,503
61. Diseases of gall- bladder and pancreas	M. F.	23,975 61,435	29,155 68,439	27,688 66,945	29,520 58,390	26,997 54,497	25,737 44,374	21,519 34,508	10,584 21,443	5,784 14,777	264,605 698,152
62. Other diseases of digestive system	M. F.	13,339 13,997	12,947 13,770	12,260 11,670	11,187 13,012	10,463 11,130	9,125 10,759	8,210 8,547	5,869 6,822	4,205 5,772	165,796 182,825
63. Nephritis and nephrosis	M. F.	3,339 2,343	3,754 2,040	3,444 2,009	3,297 2,050	2,448 4,531	5,688 3,623	2,011 4,371	1,481 2,799	1,263 605	84,063 69,455
64. Infections of kidney	M. F.	3,601 7,522	4,996 9,027	4,634 8,262	5,574 7,021	4,435 8,259	6,568 7,668	6,926 6,312	4,916 5,270	4,732 3,033	76,933 159,864
65. Calculi of kidney ureter and other parts of urinary system	M. F.	12,648 5,110	12,841 6,014	11,787 5,437	10,340 4,393	7,403 3,409	6,192 2,961	4,835 1,870	1,884 758	1,907 227	110,370 57,601
66. Other diseases of urinary system	M. F.	6,981 12,870	7,607 13,626	9,565 18,071	11,340 11,534	13,482 11,944	15,587 11,874	15,881 7,798	13,103 6,533	8,765 6,481	161,762 198,151
67. Hyperplasia of prostate	M. F.	3,249 --	11,318 --	24,780 --	47,998 --	62,379 --	75,518 --	69,369 --	51,644 --	32,425 --	381,332 --
68. Redundant prepuce and phimosis	M. F.	678 --	560 --	689 --	424 --	485 --	566 --	475 --	410 --	225 --	34,078 --
69. Diseases of ovary, Fallopian tube and parametrium, and in- fective disease of uterus, vagina and vulva	M. F.	20,162 --	10,538 --	5,194 --	4,121 --	3,228 --	1,955 --	1,446 --	912 --	353 --	255,836 --

TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
70.	Uterovaginal prolapse	--	--	79	46	--	215	1,714	6,949	16,976	29,432	35,121
71.	Disorders of menstruation	--	--	22	37	2,170	10,918	17,819	18,761	22,399	24,953	24,252
72.	Other diseases of genital organs	--	3,048 396	5,389 311	3,682 724	3,729 793	2,060 5,345	4,308 17,041	4,074 22,196	4,550 23,105	5,371 21,807	6,426 25,940
73.	Complications of pregnancy	--	--	--	7	164	34,997	96,281	81,003	60,097	40,326	16,306
74.	Abortion	--	--	--	--	98	13,123	47,253	47,899	41,666	34,137	17,960
75.	Delivery without mention of complications	--	--	--	--	1,188	198,316	666,865	568,152	385,886	217,076	71,174
76.	Delivery with speci- fied complications	--	--	--	--	261	49,497	148,170	139,175	104,920	70,896	27,036
77.	Complications of the puerperium	--	--	--	--	17	4,441	16,851	14,107	13,466	9,288	3,912
78.	Infection of skin and subcutaneous tissue	12 23	9,491 8,508	22,539 22,273	12,922 10,336	10,052 7,859	9,261 5,860	5,476 4,206	4,287 3,616	4,302 3,956	5,772 3,750	5,594 4,508
79.	Other diseases of skin and subcutaneous tissue	46 51	26,041 13,984	10,726 11,681	7,375 7,845	9,093 9,513	11,153 11,512	6,607 9,416	5,891 8,266	6,880 9,687	7,765 10,042	8,043 10,701

TABLE 6(b) (Cont'd)

Car. List No.	Diagnosis	45-49	50-54	-59	60-64	65-69	70-74	75-79	80-84	65+	Total
70.	Uterovaginal prolapse	37,322	33,557	31,235	25,700	25,475	17,837	10,070	3,408	1,002	281,686
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
71.	Disorders of menstruation	20,575	10,810	3,357	1,438	855	574	335	242	48	159,565
72.	Other diseases of genital organs	6,522	8,159	8,067	8,531	5,100	7,535	6,131	3,996	6,312	115,338
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
		25,215	15,508	5,927	4,203	3,100	2,190	1,957	564	212	176,229
73.	Complications of pregnancy	1,767	186	39	--	--	--	--	--	--	331,173
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
74.	Abortion	2,772	184	3	--	--	--	--	--	--	205,095
75.	Delivery without reaction of complications	4,908	170	15	--	--	--	--	--	--	2,113,750
76.	Delivery with special complications	2,470	63	4	--	--	--	--	--	--	542,492
77.	Complications of the puerperium	431	12	--	--	--	77	--	--	--	62,602
78.	Infection of skin and subcutaneous tissue	5,282	5,021	5,031	4,100	4,159	3,962	2,886	1,800	1,502	123,991
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
		4,493	4,752	4,177	3,100	2,819	3,145	2,545	2,100	1,158	103,523
79.	Other diseases of skin and subcutaneous tissue	8,578	9,597	10,192	8,321	10,015	10,259	7,473	6,550	2,579	174,195
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
		11,233	14,309	11,572	11,031	8,833	9,325	8,825	8,171	4,040	190,085

- 115 -



TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
80.	Arthritis and rheumatism, except rheumatic fever	M. F.	656 428	2,024 3,639	5,141 4,180	5,454 5,735	4,992 6,007	6,511 6,491	7,821 8,734	12,136 12,605	17,477 21,020	22,985 29,915
81.	Displacement of inter- vertebral disc	M. F.	-- --	20 33	49 56	331 152	2,639 1,942	5,984 4,667	15,172 8,051	22,131 14,895	28,338 23,131	20,728 24,286
82.	Other diseases of bones and organs of movement	M. F.	6,648 3,738	17,990 12,126	31,647 14,548	28,742 25,819	25,525 18,304	15,849 13,294	13,964 9,530	17,952 11,705	19,636 16,179	27,490 20,667
83.	Congenital malforma- tions	M. F.	66,523 53,527	46,408 47,544	31,826 24,154	21,312 17,952	12,238 12,648	6,904 8,566	7,984 7,317	5,952 5,775	5,013 5,108	4,160 5,827
84.	Certain diseases of early infancy	M. F.	66,405 55,704	850 1,003	94 243	9 112	5 45	-- 5	17 5	0 16	2 26	-- 2
85.	Symptoms, senility, and ill-defined conditions	M. F.	13,197 10,173	20,378 17,513	17,511 15,535	14,949 14,512	9,424 16,736	8,268 16,085	9,424 15,244	10,664 15,866	12,462 16,771	14,082 18,196
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	M. F.	3,883 3,449	15,492 10,456	18,961 9,011	12,603 5,169	24,081 9,681	22,602 6,141	15,017 3,297	12,356 4,210	11,867 4,280	10,744 4,131
87.	Fracture of spine and trunk	M. F.	270 60	979 728	1,924 1,431	3,679 2,904	15,592 9,083	18,490 6,517	12,301 4,710	16,365 4,704	12,212 5,441	10,202 5,689
88.	Fracture of upper limb	M. F.	406 420	4,099 3,013	12,259 6,822	12,649 5,399	10,327 3,142	7,423 2,029	4,574 1,664	4,962 1,592	5,215 2,098	4,805 3,217
89.	Fracture of femur	M. F.	2,622 1,882	17,117 8,713	20,872 8,975	13,691 5,190	12,680 5,549	10,433 3,015	9,854 1,407	6,546 1,413	6,309 2,453	7,050 3,944

TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-	Total
20.	Arthritis and rheumatism, except rheumatic fever	32,781 32,814	33,063 51,791	43,070 60,416	38,568 57,180	28,064 63,096	30,608 97,406	41,489 75,429	22,202 64,816	20,127 60,317	220,291 320,311
21.	Displacement of intervertebral disc	25,042 21,071	22,932 18,707	16,648 11,773	9,043 7,731	5,310 4,059	3,121 4,202	1,840 2,238	673 963	1,779 1,773	159,212 143,722
22.	Other diseases of bones and organs of movement	17,962 21,523	18,905 23,616	22,181 21,033	17,001 20,252	16,382 17,982	10,721 20,554	12,990 21,117	5,765 16,628	6,051 21,075	225,331 329,711
23.	Congenital malformations	4,183 4,992	6,840 3,815	3,057 2,812	2,197 2,063	1,539 1,898	1,591 2,415	697 552	271 494	47 643	233,216 214,453
24.	Certain diseases of early infancy	-- --	-- 1	6 --	14 41	35 12	14 --	-- --	-- 10	-- --	110,311 10,317
25.	Symptoms, senility, and ill-defined conditions	14,894 16,377	15,296 17,659	15,219 13,374	12,921 15,936	12,082 14,022	14,804 13,575	14,573 22,054	14,298 18,417	16,621 18,742	200,722 300,321
26.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	9,232 4,521	10,018 4,286	8,512 2,514	7,131 3,320	4,331 2,221	3,800 2,924	2,959 3,410	2,860 1,583	2,128 2,314	193,622 8,533
27.	Fracture of spine and pelvis	12,274 7,095	12,323 7,364	15,488 8,338	10,016 8,936	8,170 10,378	11,143 10,928	7,550 13,732	6,275 13,840	2,000 12,845	100,223 137,113
28.	Fracture of upper limb	7,524 3,733	4,947 5,633	4,346 6,609	4,817 7,630	3,869 7,739	2,925 10,390	3,463 9,885	2,731 3,210	2,119 1,773	100,723 80,723
29.	Fracture of femur	6,904 6,122	9,920 11,307	8,429 16,000	10,550 21,035	14,818 35,115	21,165 61,406	30,367 86,955	29,860 115,284	33,747 131,041	111,220 311,330

TABLE 6(b) (Cont'd.)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
90.	Other fractures of lower limbs (excluding femur)	3	292	3,032	8,127	11,442	19,418	18,396	13,765	15,549	15,466	17,287
		--	271	2,444	3,749	4,646	5,575	5,438	4,172	5,163	5,758	8,290
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	--	202	913	1,736	3,898	13,402	13,631	13,114	16,437	17,523	15,713
		--	118	865	949	2,606	6,663	5,052	3,906	5,043	6,396	6,253
92.	Internal injury of chest, abdomen and pelvis	--	20	856	2,476	2,392	4,870	4,970	3,807	3,363	2,293	2,941
		--	10	278	1,361	754	1,357	1,271	517	616	630	660
93.	Burns	17	3,370	27,383	13,174	7,577	6,555	7,084	5,540	6,167	5,997	4,946
		911	1,807	19,586	8,810	3,138	3,416	2,589	1,710	2,289	1,856	2,054
94.	Other and unspecified effects of accidents, poisonings and violence	10	3,331	33,034	26,147	28,655	37,085	34,892	25,639	24,735	24,908	25,096
		5	2,806	20,864	15,113	11,787	16,760	13,481	11,442	15,388	14,418	15,016
95.	Medical or special examination (without sickness)	--	240	156	147	115	56	75	59	100	85	169
		--	241	114	169	134	143	133	163	144	121	148
96.	Mature newborn	724,190	--	--	--	--	--	--	--	--	--	--
		656,721	--	--	--	--	--	--	--	--	--	--
97.	Immature newborn	138,122	--	--	--	--	--	--	--	--	--	--
		148,045	--	--	--	--	--	--	--	--	--	--
98.	Other special admissions, examinations, etc.	124	4,192	4,276	4,131	4,452	7,983	7,329	7,794	9,262	7,929	8,006
		406	3,683	2,715	2,763	3,844	5,586	4,605	5,441	6,330	7,036	8,480
TOTAL		918,996	752,158	913,514	634,005	461,081	486,744	456,911	403,990	516,413	620,945	747,540
		845,481	546,366	718,607	515,281	397,169	812,669	1,520,708	1,425,663	1,311,458	1,221,406	1,131,141

TABLE 6(b) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
90.	Fractures of lower limbs (excluding femur)	M. F.	14,456 10,002	16,303 10,638	12,528 10,876	10,440 12,157	8,124 12,518	6,074 11,729	6,070 14,077	3,664 5,960	1,616 5,200	208,314 1,228,923
91.	Dislocation without fracture and sprains and strains of joints and adjacent muscles	M. F.	12,932 6,054	10,669 6,097	7,463 3,930	5,290 3,323	3,728 3,171	2,262 4,415	1,864 2,314	978 1,783	761 1,379	148,324 70,317
92.	Internal injury of chest, abdomen and pelvis	M. F.	2,116 625	1,906 632	1,292 467	1,492 280	1,211 367	634 629	555 116	319 158	107 171	37,016 10,954
93.	Burns	M. F.	5,369 2,531	3,501 2,313	2,177 2,484	2,735 1,680	2,833 1,550	1,226 2,016	2,021 1,594	681 902	1,760 416	110,113 63,652
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	22,633 15,776	23,680 13,506	20,301 12,917	18,249 10,522	14,106 12,567	10,819 11,408	9,671 10,287	8,251 8,286	3,660 6,364	329,904 236,711
95.	Medical or special examination (without sickness)	M. F.	161 136	159 139	131 69	88 58	54 82	65 51	58 35	29 18	5 9	1,952 2,107
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	724,190 656,721
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	138,122 148,045
98.	Other special admissions, examinations, etc.	M. F.	8,139 10,535	11,966 11,184	12,098 15,727	15,606 16,968	13,025 22,906	12,353 28,403	16,011 28,424	9,151 17,501	12,063 14,963	171,212 311,111
TOTAL		M. F.	794,063 1,020,904	970,448 1,052,649	1,086,414 1,074,067	1,196,704 1,090,928	1,213,055 1,217,414	1,313,677 1,385,228	1,294,176 1,459,080	947,166 1,274,189	706,796 1,112,113	15,959,716 21,132,711



TABLE 6(c) AVERAGE STAY OF ALL SEPARATIONS, BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN(1)  
 IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA, (2) 1964

(1) See notes on page 180  
 (2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	-	18.7 17.8	19.9 24.5	16.5 24.0	15.8 17.9	22.4 23.6	15.8 10.9	17.4 14.8	16.9 16.8	15.7 15.3	17.2 19.3
2.	Polymyelitis and encephalitis	- 30.0	31.2 22.4	43.6 52.2	31.6 34.2	25.4 29.7	27.2 32.2	24.0 29.9	55.5 59.7	47.8 17.4	71.0 33.1	71.7 28.2
3.	Infectious hepatitis	-	17.5 33.2	12.0 12.1	11.0 10.8	12.1 11.8	12.6 11.5	13.6 13.1	13.6 13.2	13.7 15.5	14.6 16.4	14.5 16.6
4.	Other diseases attributable to viruses	- 8.0	9.4 9.6	8.8 8.8	7.1 7.3	7.2 7.2	8.2 8.8	9.3 9.5	7.9 7.7	7.8 9.0	7.8 10.6	8.7 10.3
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	10.2 13.1	18.5 18.9	14.4 15.2	10.0 10.1	8.9 7.9	7.3 7.2	8.2 7.8	10.3 7.9	11.1 10.1	12.0 10.4	11.2 10.1
6.	Malignant neoplasm of buccal cavity and pharynx	-	39.0	5.3 27.0	11.6 7.0	23.0 7.0	16.5 19.1	8.1 8.8	6.8 8.3	13.4 18.1	11.4 11.6	21.0 18.5
7.	Malignant neoplasm of stomach	-	-	-	5.0 -	-	22.0 34.0	8.0 21.0	36.5 13.0	22.6 29.2	24.6 26.5	28.7 30.6
8.	Malignant neoplasm of large intestine except rectum	-	-	12.0 -	-	7.0 19.0	11.3 8.0	18.3 28.7	22.2 26.7	26.8 30.9	28.2 25.6	22.4 27.1
9.	Malignant neoplasm of rectum	-	-	-	-	-	-	18.0 23.5	39.7 15.6	29.7 20.6	23.6 31.5	29.2 30.7
10.	Malignant neoplasm of bronchus, trachea and lung, primary, and unspecified as to whether primary or secondary	-	-	69.0 34.0	8.0 -	2.0 -	15.3 22.4	12.4 16.0	26.2 8.0	16.2 17.0	26.6 22.5	25.5 20.0

TABLE 5(c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
1.	Tuberculosis, all forms	M. F. 20.5 14.6	17.8 20.4	25.8 20.2	24.6 19.2	22.9 17.5	16.6 19.4	20.9 20.1	20.1 15.1	23.2 18.3	- -	19.6 18.1
2.	Polomyelitis and encephalitis	M. F. 38.4 53.5	23.5 154.7	20.0 32.7	150.9 28.0	172.2 9.5	19.7 45.5	18.0 1,984.5	1,538.0 66.0	- 2,009.0	- -	37.8 45.9
3.	Infectious hepatitis	M. F. 19.6 22.1	18.9 18.6	14.4 20.5	20.5 27.7	14.3 14.2	30.8 71.8	17.0 21.4	14.4 21.9	16.6 21.8	- -	13.7 14.2
4.	Other diseases attributable to viruses	M. F. 8.5 10.4	9.0 11.6	9.5 11.6	10.6 11.6	12.8 14.5	14.5 17.6	18.9 20.1	16.0 18.4	22.2 21.4	- -	8.7 9.5
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F. 12.7 11.2	21.0 14.3	17.7 28.1	25.6 15.3	59.3 12.8	22.1 12.9	41.0 24.6	18.3 35.2	69.8 86.7	- -	14.9 13.1
6.	Malignant neoplasm of buccal cavity and pharynx	F. M. 24.6 19.2	21.7 20.6	24.9 19.3	23.2 19.0	23.6 27.5	34.9 18.4	24.3 25.8	29.2 30.3	34.0 32.8	- -	25.2 21.5
7.	Malignant neoplasm of stomach	F. M. 25.1 29.3	25.5 25.4	27.3 26.6	25.0 27.9	28.4 31.1	27.4 30.2	29.6 35.6	29.0 32.7	33.9 45.4	- -	27.7 31.4
8.	Malignant neoplasm of large intestine except rectum	F. M. 26.4 32.2	25.9 28.6	26.7 30.4	29.3 31.3	33.0 35.4	33.1 35.5	41.0 45.9	32.5 44.4	34.7 79.3	- -	31.6 37.1
9.	Malignant neoplasm of rectum	F. M. 27.4 28.0	32.7 32.8	34.0 30.1	35.4 33.7	37.2 38.0	35.3 42.5	41.9 54.0	38.2 37.2	56.8 59.8	- -	36.5 36.4
10.	Malignant neoplasm of bronchus, trachea and lung, primary, and unspecified as to whether primary or secondary	M. F. 22.2 28.3	24.6 33.1	25.4 29.3	27.2 25.8	25.6 25.2	30.1 31.2	29.5 31.1	31.0 38.7	30.4 26.7	- -	26.8 26.4

TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
11.	Malignant neoplasm of breast	- 5.0	-	-	-	24.0 8.5	8.0 7.0	- 11.1	- 14.8	18.5 17.8	16.7 19.4	12.1 22.2
12.	Malignant neoplasm of cervix uteri	-	9.0	-	14.0	-	3.0	- 9.7	- 10.9	- 11.9	13.2	14.3
13.	Malignant neoplasm of uterus other than of cervix uteri	-	-	-	-	- 7.0	- 7.7	- 17.2	- 11.7	- 15.4	- 17.0	- 14.9
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	-	-	-	17.5	19.8	19.8	12.4	13.5	22.3	21.4	21.0
15.	Malignant neoplasm of prostate	-	-	29.0	33.0	-	36.0	8.0	-	-	13.7	27.6
16.	Malignant neoplasm of kidney, bladder and other urinary organs	-	34.8	24.0 18.1	13.4 16.0	27.3 22.0	28.0 18.0	16.7 23.5	11.0 19.8	10.0 20.4	11.8 15.3	19.9 26.8
17.	Leukaemia and aleukaemia	-	12.7 20.1	15.1 15.4	12.2 12.9	14.5 13.1	16.3 14.3	20.1 20.8	19.2 18.8	14.7 18.5	23.0 13.7	14.6 20.7
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	36.0	22.4 17.5	23.2 18.2	20.6 21.9	19.5 22.4	26.5 26.2	20.9 18.4	21.6 17.5	21.6 20.5	20.5 21.3	24.6 22.4
19.	Benign neoplasm of uterus	-	-	-	-	-	-	-	-	-	-	-
20.	Benign neoplasm of ovary	-	-	7.0	8.9	8.3	8.5	8.3	9.8	10.5	11.1	12.1

TABLE 5(c) (Cont'd)

Can. Site No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
11.	Malignant neoplasm of breast	M. F. 12.2 20.4	17.6 24.5	17.3 24.4	18.8 27.6	15.8 30.0	23.6 31.6	25.1 34.5	59.2 41.7	172.0 78.9	- -	21.5 27.0
12.	Malignant neoplasm of cervix uteri	M. F. 16.0	18.8	19.2	19.5	24.1	20.6	38.6	42.5	196.7	-	17.5
13.	Malignant neoplasm of uterus other than of cervix uteri	M. F. 16.2	15.8	21.6	18.9	19.6	22.9	28.3	29.6	37.5	-	19.8
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F. 23.8	22.6	27.7	28.9	24.3	31.4	31.0	55.8	25.9	-	26.0
15.	Malignant neoplasm of prostate	M. F. 34.9	26.1	21.8	27.8	31.6	32.2	35.5	35.3	48.5	-	33.9
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F. 18.8 20.5	18.6 24.4	22.2 20.3	19.9 32.3	24.4 26.6	24.3 23.8	25.9 23.3	30.2 23.8	29.8 51.1	-	23.4 25.7
17.	Leukaemia and aleukaemia	M. F. 19.6 18.6	16.1 22.9	19.8 27.1	17.4 20.2	25.4 29.0	23.4 26.3	27.6 36.6	29.1 32.5	24.2 49.6	-	19.4 22.2
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. F. 26.2 27.3	24.1 29.3	26.4 32.1	28.6 29.4	23.1 28.9	28.5 32.2	25.5 34.5	28.4 38.7	43.6 51.5	-	26.7 29.6
19.	Benign neoplasm of uterus	M. F. 11.2	10.6	10.4	10.6	12.2	14.7	14.4	14.8	35.6	-	10.6
20.	Benign neoplasm of ovary	M. F. 12.7	13.8	15.2	16.7	18.1	22.7	17.8	13.3	16.0	-	10.7



TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
21.	Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature	M. 12.0 F. 9.0	12.6 9.8	7.7 7.3	7.8 3.1	7.3 6.9	8.0 6.9	8.3 5.9	8.3 6.3	7.4 6.3	5.4 6.8	8.0 7.2
22.	Asthma	M. 9.0 F. -	9.9 10.0	7.4 7.0	6.2 7.0	6.9 7.1	7.2 7.9	7.7 7.6	7.3 8.1	8.0 9.3	9.2 10.5	11.9 10.3
23.	Other allergic disorders (excluding asthma)	M. 4.0 F. -	12.1 13.3	9.5 8.8	6.8 6.4	6.2 7.3	6.1 6.6	6.4 6.5	6.3 7.8	5.3 5.9	6.6 7.4	6.4 8.5
24.	Diseases of thyroid gland	M. - F. 6.5	17.6 24.5	10.2 15.1	12.3 10.1	9.8 10.1	13.4 8.8	11.0 9.8	8.6 9.0	12.2 12.3	9.0 9.4	10.0 9.9
25.	Diabetes mellitus	M. - F. -	16.9 14.1	16.2 16.6	14.0 14.4	13.1 13.6	11.3 11.0	10.6 10.8	10.8 13.3	13.4 13.0	12.4 10.7	13.0 12.7
26.	Diseases of other endocrine glands	M. 1.0 F. -	17.2 24.2	15.4 11.4	12.6 11.0	14.3 11.6	15.3 12.5	17.4 13.3	11.9 16.7	15.0 11.4	12.6 15.2	16.4 17.0
27.	Avitaminoses and other metabolic diseases	M. 19.0 F. 12.5	18.4 18.8	15.5 19.8	13.8 11.4	11.9 13.1	13.2 13.9	13.2 13.1	11.2 13.7	13.7 12.7	12.6 13.7	12.3 14.3
28.	Diseases of the blood and blood-forming organs	M. 12.3 F. 37.3	12.4 12.2	11.7 13.2	9.0 9.8	9.8 11.4	12.4 10.0	9.9 9.8	8.7 10.0	11.0 10.5	11.7 10.8	14.6 12.7
29.	Psychoses	M. - F. -	35.3 71.0	15.9 39.5	19.6 39.4	21.4 26.5	31.8 28.9	27.2 25.1	18.9 22.4	24.8 23.4	18.5 21.8	17.9 21.3
30.	Psychoneurotic disorders	M. - F. -	8.8 9.9	7.2 10.8	9.2 8.1	10.2 10.1	11.9 12.6	13.9 14.4	13.0 15.8	13.2 16.4	14.7 16.4	14.6 16.9

TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis		45-49	54-59	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
21.	Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature	M. F.	2.2 8.1	11.2 9.3	11.6 10.9	13.6 12.2	14.0 13.4	14.9 17.0	16.9 18.3	15.2 26.6	21.7 31.0	- -	10.1 8.5
22.	Asthma	M. F.	12.6 11.6	11.0 14.2	12.4 16.2	14.9 13.2	18.2 17.5	17.7 18.6	15.6 24.1	31.8 20.3	62.3 23.3	- -	11.5 11.5
23.	Other allergic disorders (excluding asthma)	M. F.	6.8 8.7	7.9 8.2	6.9 8.2	9.5 9.9	8.5 8.6	8.1 7.9	9.3 12.2	15.2 23.4	18.4 14.2	- -	8.1 8.2
24.	Diseases of thyroid gland	M. F.	9.3 11.7	14.0 11.8	26.4 13.3	15.8 14.7	21.2 15.6	18.2 23.5	18.1 20.5	36.4 27.3	24.3 43.9	- -	14.1 11.9
25.	Diabetes mellitus	M. F.	14.5 14.7	14.7 14.7	17.6 18.0	19.3 21.0	24.2 23.9	31.4 28.7	34.4 34.6	34.4 51.9	49.0 68.1	- -	20.8 22.8
26.	Diseases of other endocrine glands	M. F.	16.3 13.8	13.0 15.0	13.1 17.7	16.5 15.8	29.7 19.3	32.5 20.4	16.6 28.2	16.7 30.5	147.3 10.0	- -	16.3 14.7
27.	Avitaminoses and other metabolic diseases	M. F.	14.9 14.8	13.3 15.2	14.9 19.3	14.9 33.7	17.2 20.4	18.2 36.4	22.9 18.2	30.3 38.2	40.6 71.2	- -	15.8 17.4
28.	Diseases of the blood and blood-forming organs	M. F.	15.6 12.8	15.2 15.6	16.6 19.1	17.2 22.0	16.8 19.1	19.2 21.9	19.1 24.1	20.5 24.7	23.2 57.4	- -	13.9 16.2
29.	Psychoses	M. F.	17.3 22.7	23.5 22.8	27.9 26.0	24.1 47.7	45.8 35.8	43.1 34.3	63.2 66.4	69.2 98.3	74.2 167.5	- -	27.3 23.6
30.	Psychoneurotic disorders	M. F.	16.7 16.8	15.4 16.7	17.4 17.6	16.2 12.3	19.3 19.2	17.6 19.8	18.9 15.7	15.0 19.6	62.0 93.3	- -	14.3 16.2

TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
31.	Disorders of character, behaviour and intelligence	M. F. 15.2 18.7	14.1 20.0	19.2 20.1	14.0 10.9	18.2 15.8	23.0 18.5	11.8 16.2	10.1 13.6	8.7 19.8	9.2 12.6	12.9 22.9
32.	Vascular lesions affecting central nervous system	M. F. 27.0 -	25.3 24.9	18.2 26.8	27.5 54.6	17.3 32.4	18.5 32.1	24.6 26.5	21.5 19.3	16.3 21.5	27.0 16.2	20.6 21.0
33.	Inflammatory and other diseases of central nervous system	M. F. - -	22.8 21.4	17.1 16.4	14.6 15.5	13.4 16.3	32.5 18.4	35.3 17.0	25.3 28.4	43.2 30.6	58.8 48.2	67.8 39.4
34.	Diseases of nerves and peripheral ganglia	M. F. - -	12.6 19.0	23.4 12.5	14.8 15.8	15.8 15.3	14.0 9.6	10.5 10.1	8.8 11.1	9.6 10.4	10.2 11.8	10.4 11.2
35.	Diseases and conditions of the eye	M. F. 2.0 18.5	5.1 5.0	3.8 3.6	4.0 3.8	5.7 4.4	7.1 5.1	8.4 6.4	7.3 7.2	8.4 7.1	8.7 7.8	9.6 8.6
36.	Diseases of ear and mastoid process	M. F. 22.0 -	10.5 10.3	9.2 8.8	6.6 6.4	7.3 7.4	8.2 7.2	8.0 6.7	6.6 6.5	6.8 7.1	6.5 6.5	6.8 6.8
37.	Rheumatic fever and chronic rheumatic heart disease	M. F. - -	16.9 27.0	16.6 16.5	18.4 19.4	19.8 18.7	16.5 16.7	15.9 15.5	17.8 17.5	18.8 18.3	19.2 18.3	17.7 21.7
38.	Arteriosclerotic and degenerative heart disease	M. F. - 3.0	10.9 17.1	10.1 9.4	13.2 8.6	12.1 7.6	8.5 12.5	13.8 20.2	15.1 13.4	17.0 12.4	18.2 19.4	18.5 20.1
39.	Other diseases of the heart	M. F. - 3.0	13.3 15.2	20.0 14.2	13.4 21.3	13.4 13.8	10.5 8.7	11.3 10.8	10.3 10.9	13.8 16.0	11.4 11.9	11.7 15.5
40.	Hypertensive heart disease and other hypertensive disease	M. F. - 2.0	5.2 10.0	11.5 25.2	26.6 13.5	7.6 13.2	8.2 12.4	9.6 11.7	10.4 10.1	10.7 11.5	12.0 12.4	12.2 12.1
41.	Diseases of arteries	M. F. - -	6.3 17.8	12.9 8.8	14.3 20.0	39.9 17.2	16.8 18.3	15.8 14.2	15.3 18.1	16.0 23.8	25.8 18.4	21.5 19.2

TABLE 613 (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
31.	Disorders of character, behaviour and intelligence	M. F. 9.9 17.5	9.6 13.4	10.9 90.1	9.9 20.2	10.7 272.6	20.1 22.4	15.1 503.6	19.8 72.5	36.9 114.0	- -	11.8 26.9
32.	Vascular lesions affecting central nervous system	M. F. 28.8 28.8	24.2 30.0	34.9 39.9	39.0 35.3	40.0 49.6	43.8 57.0	46.8 57.4	47.3 90.7	52.1 77.1	- -	40.4 55.6
33.	Inflammatory and other diseases of central nervous system	M. F. 37.7 57.3	62.1 57.4	69.7 100.6	69.4 97.5	83.4 89.6	101.9 119.7	106.9 179.4	158.6 227.6	323.1 436.7	- -	57.4 65.2
34.	Diseases of nerves and peripheral ganglia	M. F. 12.7 13.0	12.6 12.8	13.4 12.6	13.8 15.6	13.4 19.5	27.9 21.0	19.8 18.1	26.5 27.9	29.6 41.8	- -	13.4 13.9
35.	Diseases and conditions of the eye	M. F. 9.6 10.1	10.7 10.8	12.3 11.5	12.0 12.4	13.6 12.3	13.3 13.9	12.9 12.8	13.6 12.8	23.3 26.9	- -	8.9 9.1
36.	Diseases of ear and mastoid process	M. F. 6.4 6.6	6.5 7.1	7.0 7.1	7.5 7.6	7.7 11.3	8.9 8.9	28.4 10.9	12.5 56.9	10.6 135.8	- -	8.3 8.2
37.	Rheumatic fever and chronic rheumatic heart disease	M. F. 18.2 20.7	17.9 24.2	19.8 23.5	20.0 24.3	21.6 26.2	36.7 28.8	18.6 43.6	19.3 60.6	25.9 88.7	- -	18.9 21.3
38.	Arteriosclerotic and degenerative heart disease	M. F. 18.7 17.7	19.0 19.8	19.9 22.1	21.5 22.2	21.5 25.8	24.3 26.9	31.0 35.3	37.8 50.0	49.8 68.0	- -	24.3 31.0
39.	Other diseases of the heart	M. F. 11.9 12.2	13.6 15.1	16.5 16.9	17.5 17.3	17.8 19.1	19.8 24.6	23.8 27.6	23.3 27.9	30.8 42.6	- -	19.2 22.4
40.	Hypertensive heart disease and other hypertensive disease	M. F. 14.2 12.6	14.4 13.1	17.4 14.0	16.5 17.8	20.9 19.5	24.3 21.1	32.1 26.9	37.3 60.0	64.1 88.5	- -	20.4 22.5
41.	Diseases of arteries	M. F. 27.5 20.1	21.5 24.5	24.3 29.8	28.8 25.8	30.2 30.8	41.4 48.6	50.9 80.5	63.1 98.1	98.8 132.6	- -	40.0 58.1



TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
42.	Varicose veins of lower extremities	60.0	8.5 6.0	13.0 10.0	3.3 2.0	8.8 4.5	6.6 7.1	8.3 6.8	8.4 7.4	9.5 7.7	9.4 8.6	11.0 9.5
43.	Haemorrhoids	-	6.5 2.0	6.9 2.6	1.2 5.0	4.8 3.0	6.8 6.9	7.2 7.8	8.0 8.2	8.1 8.4	8.6 8.7	8.9 9.1
44.	Phlebitis and thrombophlebitis	-	- 7.0	13.0 10.0	8.0 6.6	7.0 11.2	12.7 11.4	13.1 11.7	12.4 12.7	13.6 12.6	13.6 12.7	13.4 14.0
45.	Other diseases of the circulatory system	-	9.1 11.2	7.6 7.5	5.6 5.3	5.2 5.4	6.5 6.7	6.9 7.1	8.7 9.0	9.7 9.3	11.4 12.0	12.7 11.0
46.	Acute upper respiratory infections	5.8 21.0	7.5 7.4	5.5 5.7	4.4 4.5	4.5 4.6	4.7 4.5	4.5 4.6	4.5 5.4	5.0 5.5	5.4 6.0	5.7 6.2
47.	Influenza	2.0	8.2 8.0	6.6 6.3	5.3 5.3	5.1 4.7	4.6 5.1	4.8 5.1	4.6 5.8	5.2 6.1	5.1 6.3	6.1 6.5
48.	Pneumonia	13.7 13.7	11.8 11.0	9.9 9.8	8.7 8.9	9.0 9.1	8.5 9.2	8.4 9.0	8.8 9.2	9.3 10.4	10.1 10.4	10.9 10.9
49.	Bronchitis	5.8 9.5	9.0 8.9	7.2 7.2	6.5 6.8	7.1 6.8	6.7 7.5	6.4 7.4	8.3 8.3	7.6 8.9	8.5 8.9	10.2 10.6
50.	Hypertrophy of tonsils and adenoids	3.0 3.0	3.9 4.2	1.9 1.9	1.9 1.9	2.2 2.2	2.9 3.0	3.2 3.3	3.3 3.3	3.3 3.5	3.5 3.5	3.6 3.9
51.	Other diseases of respiratory system	-	14.1 12.2	9.8 9.8	7.9 8.0	5.8 6.4	5.6 6.2	5.9 6.7	6.0 6.8	5.9 7.1	6.8 7.9	7.9 7.6
52.	Diseases of teeth and supporting structure	-	5.1 4.3	2.1 2.2	1.8 1.7	2.3 2.0	2.0 2.0	2.0 2.0	2.1 2.1	2.2 2.1	2.2 2.3	2.3 2.4

TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	45-49	54-59	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
42.	Varicose veins of lower extremities	M. F. 10.9 10.9	12.6 12.4	14.0 15.6	16.2 16.0	20.6 20.6	22.5 39.7	25.1 26.0	27.5 45.5	29.9 38.2	- -	13.8 12.3
43.	Haemorrhoids	M. F. 9.3 9.6	9.5 9.8	10.0 10.5	10.7 10.8	12.2 10.8	11.3 12.3	11.9 13.6	10.3 10.3	13.1 11.9	- -	9.2 9.3
44.	Phlebitis and thrombophlebitis	M. F. 12.8 14.6	14.9 16.3	14.5 15.6	16.7 16.9	16.3 23.9	16.9 20.8	24.2 22.4	19.7 18.7	12.7 56.5	- -	15.6 16.7
45.	Other diseases of the circulatory system	M. F. 13.4 12.7	18.3 13.9	16.1 20.3	19.9 22.4	20.6 19.2	24.6 24.9	20.5 24.7	20.0 25.6	34.9 24.5	- -	10.0 9.6
46.	Acute upper respiratory infections	M. F. 6.3 6.4	6.3 7.5	6.9 7.2	7.7 8.8	8.6 8.3	9.0 9.3	9.8 10.7	9.1 12.2	8.6 13.7	- -	5.8 5.9
47.	Influenza	M. F. 5.7 6.3	6.4 6.6	7.2 7.3	6.9 7.9	9.0 8.8	8.3 9.3	9.2 10.3	10.1 11.6	9.9 12.9	- -	6.5 6.3
48.	Pneumonia	M. F. 12.0 11.8	12.4 13.0	12.8 13.3	14.2 13.7	15.5 15.7	16.7 19.1	17.3 23.1	19.5 19.5	20.9 23.1	- -	11.3 11.3
49.	Bronchitis	M. F. 11.3 10.8	12.5 10.9	14.0 11.6	16.0 13.2	16.3 14.0	17.8 14.5	19.7 14.7	21.2 16.5	20.3 18.4	- -	10.5 9.3
50.	Hypertrophy of tonsils and adenoids	M. F. 4.1 3.8	3.9 3.3	4.6 4.6	4.6 5.0	6.2 4.8	9.3 5.8	13.0 12.9	8.3 7.7	4.3 4.3	- -	2.1 2.2
51.	Other diseases of respiratory system	M. F. 9.2 10.0	10.8 10.5	12.4 12.5	15.2 15.6	19.0 15.6	21.2 16.6	20.9 18.4	23.8 19.5	33.4 20.2	- -	10.7 8.9
52.	Diseases of teeth and supporting structure	M. F. 2.4 2.7	2.3 2.5	2.5 2.6	2.7 3.6	3.4 3.7	4.0 3.1	4.0 4.3	4.3 7.1	5.5 6.6	- -	2.2 2.2

TABLE 5(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
53.	Ulcer of stomach, duodenum and jejunum	M. F.	23.0 2.0	21.4 11.5	7.1 11.8	10.7 5.5	11.2 10.5	10.5 10.5	10.7 11.0	11.2 12.2	11.8 13.2	12.0 13.5
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. F.	7.8	8.7 8.5	4.3 4.5	4.7 5.5	5.1 5.3	5.2 6.7	6.4 7.4	6.6 7.7	7.2 8.3	7.4 7.3
55.	Appendicitis	M. F.	8.0 8.0	8.3 5.3	7.1 7.0	7.0 7.1	7.2 7.0	6.8 7.1	7.2 7.7	7.0 8.4	8.6 9.3	8.6 9.3
56.	Hernia of abdominal cavity	M. F.	11.4 20.7	7.0 7.4	5.1 5.0	6.2 6.5	7.2 5.1	7.3 8.4	7.5 6.7	7.7 10.0	8.2 10.1	7.7 11.4
57.	Intestinal obstruction without mention of hernia	M. F.	15.0 -	5.6 8.9	5.9 6.3	6.6 5.9	8.4 7.4	10.8 9.0	13.4 9.9	8.3 10.6	10.3 11.1	10.0 12.7
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M. F.	4.5 3.3	10.0 9.8	4.5 4.4	4.2 3.9	4.2 4.2	4.3 4.7	4.4 5.5	5.0 6.0	5.0 6.9	6.1 7.7
59.	Chronic enteritis and ulcerative colitis	M. F.	- -	13.3 13.8	13.1 12.4	12.7 9.8	20.4 18.5	25.0 19.9	18.6 20.8	16.2 16.8	17.3 16.4	16.3 13.6
60.	Cirrhosis and other diseases of liver	M. F.	- -	18.5 18.6	12.2 14.2	8.3 11.2	10.3 10.2	10.4 10.5	15.0 11.0	13.7 14.3	14.9 21.6	15.7 19.9
61.	Diseases of gall bladder and pancreas	M. F.	- 10.0	25.3 31.4	13.0 17.8	10.7 10.2	8.9 9.4	10.9 10.5	10.1 10.2	10.7 11.3	11.8 11.8	12.6 12.2
62.	Other diseases of digestive system	M. F.	- 6.8	9.9 11.7	6.0 6.0	6.6 6.5	8.2 7.0	7.1 8.3	7.2 8.5	7.7 8.7	8.7 9.5	9.5 10.1
63.	Hepatitis and nephrosis	M. F.	- -	31.8 23.8	19.6 19.3	20.0 17.0	20.9 16.8	17.9 15.7	12.7 12.9	12.1 12.3	13.5 15.5	9.2 15.3

TABLE 6(c) (Cont'd.)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
53.	Ulcer of stomach, duodenum and jejunum	M. F.	14.3 14.4	15.3 16.6	16.5 16.7	17.3 19.6	18.5 18.1	21.3 21.8	20.8 22.3	33.2 27.5	- -	14.3 15.1
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. F.	8.4 9.2	8.9 11.2	9.8 9.6	10.4 10.0	12.3 10.4	15.8 12.4	15.2 12.9	13.8 18.1	- -	8.0 8.5
55.	Appendicitis	M. F.	11.0 11.8	12.2 13.4	12.9 13.7	13.7 14.6	15.5 15.8	16.3 16.2	22.4 21.6	16.9 16.3	- -	7.8 7.7
56.	Hernia of abdominal cavity	M. F.	9.7 13.0	10.1 14.1	10.6 14.6	11.2 15.3	12.3 17.7	13.1 17.8	14.9 23.1	17.6 27.9	- -	8.3 11.9
57.	Intestinal obstruction without mention of hernia	M. F.	13.1 13.7	14.3 15.5	16.8 17.6	16.3 13.6	15.1 17.2	13.1 18.4	14.4 15.3	12.6 17.3	- -	12.1 13.4
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M. F.	7.2 8.9	6.9 8.3	7.6 8.4	8.6 11.8	10.0 9.8	10.4 11.4	9.2 12.6	11.9 12.3	- -	7.8 7.8
59.	Chronic enteritis and ulcerative colitis	M. F.	14.6 14.5	14.4 14.7	15.4 15.4	15.4 15.5	17.3 16.0	16.0 21.3	15.1 20.4	16.8 24.7	- -	16.1 16.9
60.	Cirrhosis and other diseases of liver	M. F.	20.5 19.2	19.6 26.0	24.3 23.7	27.3 28.7	34.8 24.2	26.6 28.1	23.7 27.5	41.1 25.7	- -	20.6 19.3
61.	Diseases of gall bladder and pancreas	M. F.	14.2 13.7	14.9 14.5	15.7 15.1	17.5 16.7	18.9 17.6	19.6 18.7	17.7 20.5	20.4 26.4	- -	14.9 13.6
62.	Other diseases of digestive system	M. F.	10.7 11.4	11.0 11.8	12.1 14.8	13.3 14.3	13.7 15.3	13.7 14.1	15.9 19.0	17.8 21.5	- -	9.8 10.5
63.	Nephritis and nephrosis	M. F.	14.6 11.9	15.7 17.5	21.1 16.5	20.9 39.7	39.5 32.1	20.7 39.4	22.8 36.8	26.3 35.6	- -	18.4 19.3



TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
64.	Infections of kidney	28.3 27.3	18.8 16.7	13.0 10.1	10.5 8.3	8.3 7.3	9.1 7.6	8.7 7.6	8.6 8.0	9.2 9.5	10.1 9.5	10.1 10.1
65.	Calculi of kidney, ureter and other parts of urinary system	- -	7.0 5.0	30.2 5.0	13.5 9.2	8.9 10.1	8.0 7.2	7.5 8.3	7.4 9.9	7.3 9.3	7.4 9.5	7.5 10.1
66.	Other diseases of urinary system	10.0 17.0	14.4 15.2	11.4 9.0	8.1 7.5	7.7 7.9	10.8 7.1	10.5 7.1	9.0 8.5	10.5 8.7	9.3 8.6	10.4 9.9
67.	Hyperplasia of prostate	- -	5.3 -	2.1 -	2.3 -	5.8 -	2.2 -	10.1 -	8.2 -	7.1 -	9.1 -	9.5 -
68.	Redundant prepuce and phimosis	4.9 -	2.6 -	2.8 -	2.9 -	3.1 -	3.9 -	3.3 -	3.5 -	3.7 -	4.0 -	4.6 -
69.	Diseases of ovary, Fallopian tube and parametrium, and infective disease of uterus, vagina and vulva	- 11.0	- 8.1	- 8.7	- 6.0	- 7.2	- 6.7	- 6.7	- 7.2	- 7.4	- 8.0	- 8.1
70.	Uterovaginal prolapse	- -	- -	- 26.3	- 11.5	- 2.5	- 9.0	- 10.4	- 12.1	- 13.4	- 13.7	- 14.0
71.	Disorders of menstruation	- -	- -	- 11.0	- 6.2	- 4.3	- 4.5	- 4.5	- 4.5	- 4.8	- 4.9	- 4.9
72.	Other diseases of genital organs	- -	6.9 9.2	5.5 5.7	5.7 8.0	6.1 5.1	7.0 4.6	6.5 4.9	6.5 5.2	6.8 5.7	7.4 5.8	7.4 5.9
73.	Complications of pregnancy	- -	- -	- -	- 7.0	- 3.5	- 3.9	- 4.2	- 4.4	- 4.5	- 4.8	- 5.1

TABLE 6(c) (Cont'd)

Can. List No	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
64.	Infections of kidney	M. F.	13.4 12.0	14.4 13.1	19.0 13.6	15.1 18.9	21.1 18.2	24.7 19.0	27.6 22.4	31.3 24.7	- -	14.9 10.5
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	9.2 11.8	10.9 13.1	11.8 12.5	12.3 13.2	14.2 15.0	18.2 14.3	19.8 12.6	33.5 12.5	- -	3.5 10.7
66.	Other diseases of urinary system	M. F.	10.2 9.8	11.6 9.7	13.5 10.8	14.6 12.2	14.9 14.9	15.8 13.1	19.7 18.0	19.0 29.9	- -	12.2 9.7
67.	Hyperplasia of prostate	M. F.	14.1 -	15.6 -	17.3 -	19.3 -	21.3 -	22.3 -	28.1 -	32.5 -	- -	20.7 -
68.	Redundant prepuce and phimosis	M. F.	4.8 -	7.0 -	4.3 -	6.7 -	7.4 -	9.1 -	10.0 -	11.5 -	- -	3.3 -
69.	Diseases of ovary, Fallopian tube and parametrium, and infective disease of uterus, vagina and vulva	M. F.	7.7 8.4	5.4 -	10.5 -	10.7 -	11.2 -	12.2 -	14.3 -	17.7 -	- -	7.6 -
70.	Uterovaginal prolapse	M. F.	14.3 14.5	14.9 -	15.4 -	15.8 -	16.4 -	17.3 -	18.9 -	20.4 -	- -	14.6 -
71.	Disorders of menstruation	M. F.	4.7 4.9	5.5 -	5.3 -	5.6 -	6.9 -	7.0 -	11.5 -	5.3 -	- -	4.2 -
72.	Other diseases of genital organs	M. F.	8.7 6.3	9.2 7.1	10.6 9.1	12.4 9.6	12.7 10.0	13.9 15.8	16.0 10.8	42.6 10.6	- -	7.7 5.7
73.	Complications of pregnancy	M. F.	8.5 5.9	6.5 -	- -	- -	- -	- -	- -	- -	- -	4.4 -

TABLE 2(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
74.	Abortion	M. F.	- -	- -	- -	3.9 3.9	3.8 3.8	3.8 3.8	3.9 3.9	3.9 3.9	4.1 4.1	4.1 4.1
75.	Delivery without mention of complications	M. F.	- -	- -	- -	6.3 6.3	5.8 5.8	5.6 5.6	5.7 5.7	5.8 5.8	5.9 5.9	6.1 6.1
76.	Delivery with specified complications	M. F.	- -	- -	- -	7.9 7.9	7.8 7.8	7.9 7.9	8.4 8.4	8.9 8.9	9.6 9.6	10.3 10.3
77.	Complications of the puerperium	M. F.	- -	- -	- -	5.7 5.7	6.9 6.9	7.6 7.6	7.9 7.9	8.9 8.9	9.5 9.5	10.4 10.4
78.	Infection of skin and subcutaneous tissue	M. F.	11.1 11.2	8.2 8.4	6.3 6.4	5.9 5.8	5.7 5.4	5.6 6.3	5.6 6.1	5.9 6.8	7.3 6.9	7.9 7.8
79.	Other diseases of skin and subcutaneous tissue	M. F.	13.8 13.9	11.0 10.7	9.2 8.5	5.9 6.8	6.4 6.9	7.3 7.9	8.7 8.9	10.3 10.6	11.1 11.2	11.8 11.0
80.	Arthritis and rheumatism, except rheumatic fever	M. F.	20.5 15.9	12.0 17.6	13.8 12.9	13.8 13.2	11.9 10.9	13.1 13.9	12.8 13.3	12.9 13.7	14.5 16.1	15.4 18.1
81.	Displacement of intervertebral disc	M. F.	- -	6.7 11.0	16.3 13.0	22.1 15.1	17.7 14.3	15.1 14.9	15.5 15.8	15.8 16.7	16.4 18.1	16.7 17.9
82.	Other diseases of bones and organs of movement	M. F.	18.9 18.1	15.5 17.4	18.0 14.7	16.2 15.0	12.9 10.9	11.5 10.9	10.4 8.6	12.0 9.7	11.6 10.6	17.5 12.3
83.	Congenital malformations	M. F.	17.6 20.1	15.0 18.1	10.3 14.1	11.5 16.3	12.9 13.6	13.6 9.6	13.4 12.6	14.5 11.2	15.6 13.2	16.2 15.7
84.	Certain diseases of early infancy	M. F.	13.0 13.2	16.7 15.4	9.4 15.2	4.5 14.0	5.0 6.4	- 5.0	8.5 3.0	8.0 8.0	2.0 13.0	- 2.0

TABLE 3 (Contd.)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	Total
66. Abortion	M. F.	4.5	5.9	3.0	-	-	-	-	-	-	-	3.0
67. Delivery without mention of complications	M. F.	6.3	5.5	7.5	-	-	-	-	-	-	-	-
68. Delivery with specified complications	M. F.	10.6	9.0	9.4	-	-	-	-	-	-	-	-
69. Complications of the puerperium	M. F.	10.0	6.0	-	-	-	38.5	-	-	-	-	2.3
70. Infection of skin and subcutaneous tissue	M. F.	8.7 9.3	8.5 9.3	9.9 11.0	11.9 11.4	13.8 12.1	15.0 14.8	13.4 15.2	14.2 17.9	-	-	7.7 5.0
71. Other diseases of skin and subcutaneous tissue	M. F.	12.5 11.7	13.5 15.2	15.4 13.5	14.9 15.8	16.5 16.1	21.9 18.9	17.7 21.6	26.2 33.6	-	-	11.5 11.7
80. Arthritis and rheumatism, except rheumatic fever	M. F.	20.0 17.3	18.0 23.0	23.3 28.2	22.3 27.6	20.0 32.0	26.4 53.0	41.9 47.9	37.3 70.3	-	-	21.6 30.7
81. Displacement of intervertebral disc	M. F.	17.1 18.3	18.0 19.5	17.2 15.3	17.6 18.1	18.6 18.3	21.5 25.8	20.2 21.3	17.3 24.1	-	-	17.0 16.0
82. Other diseases of bones and organs of movement	M. F.	12.3 12.3	12.9 12.5	17.3 15.3	16.9 15.7	24.1 13.3	22.6 24.9	39.1 32.1	28.5 44.6	-	-	15.5 15.2
83. Congenital malformations	M. F.	14.0 15.3	35.6 14.8	15.2 17.7	18.3 18.4	15.5 22.3	18.9 14.6	19.2 13.3	22.6 17.0	-	-	14.6 16.2
84. Certain diseases of early infancy	M. F.	-	1.0	3.0	7.0 41.0	35.0 12.3	14.0	-	-	-	-	12.2 12.2



TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
85.	Symptoms, senility, and ill-defined conditions	M. F.	12.8 14.0	8.8 8.6	6.3 6.3	5.3 5.4	5.2 5.6	5.4 6.0	6.1 6.8	6.0 7.2	6.4 7.8	6.8 8.3
86.	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	M. F.	4.0 6.8	7.8 8.7	5.6 5.6	5.3 5.1	6.1 6.6	6.9 7.1	8.1 7.1	7.7 8.4	9.3 8.4	9.1 8.4
87.	Fracture of spine and trunk	M. F.	- -	45.0 15.0	15.8 16.2	13.6 18.1	22.0 20.7	24.5 19.3	20.4 18.5	26.2 17.2	19.5 20.1	16.6 15.6
88.	Fracture of upper limb	M. F.	- -	7.7 7.9	4.2 4.0	3.5 3.3	4.6 6.2	6.5 6.0	5.9 6.3	6.6 5.6	7.3 5.8	7.0 6.6
89.	Fracture of femur	M. F.	- -	22.4 20.0	29.0 28.1	31.3 31.1	36.2 42.0	39.5 52.9	55.4 30.6	42.5 47.1	45.1 37.2	46.1 42.4
90.	Other fractures of lower limbs (excluding femur)	M. F.	3.0 -	18.3 12.9	7.1 9.0	9.1 7.3	10.7 10.8	13.1 12.0	12.7 11.9	13.4 12.0	13.1 12.8	15.5 14.9
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F.	- -	14.4 8.4	6.1 8.2	4.6 4.2	6.5 6.8	7.1 7.5	7.6 8.0	8.6 8.8	9.5 9.6	9.4 9.7
92.	Internal injury of chest, abdomen and pelvis	M. F.	- -	10.0 5.0	10.8 7.7	11.0 12.2	12.8 14.0	13.8 15.1	15.0 10.6	17.8 12.1	13.9 12.1	15.6 13.2
93.	Burns	M. F.	17.0 19.8	12.0 11.7	14.6 14.8	20.2 20.9	12.8 12.9	13.6 11.8	13.9 12.6	16.2 17.3	18.2 13.4	16.8 16.4

TABLE 6(c) (Cont'd)

Can. Dis- No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
85.	Symptoms, senility, and ill-defined conditions	M. 7.1 F. 9.0	7.4 9.6	8.7 9.4	8.5 12.0	9.5 12.3	11.7 13.4	13.4 25.6	15.0 27.7	30.8 47.2	- -	7.7 1.2
86.	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	M. 10.2 F. 10.5	12.6 10.7	12.4 8.8	12.7 13.4	11.6 11.9	13.6 12.5	12.2 17.9	20.5 13.2	23.2 24.4	- -	1.5 7.5
87.	Fracture of spine and trunk	M. 18.5 F. 19.7	17.3 18.6	22.0 22.1	17.3 23.2	20.7 26.7	25.3 25.1	21.9 29.4	22.8 37.8	25.0 36.5	- -	20.9 23.5
88.	Fracture of upper limb	M. 7.5 F. 6.7	8.1 6.3	9.5 6.3	11.0 7.4	11.7 8.1	12.8 11.0	17.1 12.7	21.0 17.1	19.3 23.5	- -	3.7 1.1
89.	Fracture of femur	M. 39.2 F. 39.0	44.1 45.9	42.1 41.6	50.2 42.4	52.0 48.4	53.1 56.6	62.2 57.3	53.8 67.2	62.6 73.2	- -	45.3 55.8
90.	Other fractures of lower limbs (excluding femur)	M. 15.6 F. 17.5	18.5 12.3	19.3 17.6	19.2 19.1	24.3 24.9	24.1 26.6	31.6 42.6	31.0 44.5	35.2 42.3	- -	13.9 16.9
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. 10.0 F. 10.2	10.2 10.6	10.3 9.5	9.8 10.8	11.4 11.0	10.2 15.7	10.4 10.9	10.4 11.9	14.4 15.2	- -	1.4 3.0
92.	Internal injury of chest, abdomen and pelvis	M. 14.9 F. 19.5	13.7 17.6	12.8 17.3	16.0 10.6	19.2 15.3	12.7 21.7	17.3 9.7	21.3 14.4	10.7 21.4	- -	13.7 13.1
93.	Burns	M. 20.9 F. 20.2	19.0 19.3	16.4 25.1	24.9 23.7	29.5 29.2	19.5 26.2	28.9 29.5	20.6 29.1	42.9 29.7	- -	10.7 23.5

TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
94. Other and unspecified effects of accidents, poisonings and violence	M.	3.3	4.9	4.1	4.9	5.9	5.2	5.3	5.8	6.1	6.7	7.3
	F.	5.0	5.2	3.6	4.4	4.8	4.7	5.1	5.6	7.2	6.9	7.3
95. Medical or special examination (without sickness)	M.	-	4.6	3.1	3.0	3.1	1.8	3.1	2.4	2.4	2.0	3.3
	F.	-	5.7	3.1	3.3	2.9	2.2	2.4	2.7	2.4	2.0	2.1
96. Mature newborn	M.	5.7	-	-	-	-	-	-	-	-	-	-
	F.	5.6	-	-	-	-	-	-	-	-	-	-
97. Immature newborn	M.	18.5	-	-	-	-	-	-	-	-	-	-
	F.	18.2	-	-	-	-	-	-	-	-	-	-
98. Other special admissions, examinations, etc.	M.	4.6	12.0	12.2	10.4	11.9	15.6	16.5	18.8	22.2	16.1	17.6
	F.	14.0	9.8	8.9	10.8	13.2	9.7	5.9	7.5	9.6	12.4	17.3

1 138 1

TABLE 6(c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
94. Other and unspecified effects of accidents, poisonings and violence	M.	8.0	8.5	9.0	10.0	11.0	10.8	12.2	17.3	12.8	-	6.4
	F.	8.9	8.3	10.5	9.8	13.5	12.2	13.9	13.9	15.2	-	6.6
95. Medical or special examination (without sickness)	M.	2.5	2.2	1.9	2.4	2.2	2.6	3.1	2.6	2.5	-	2.7
	F.	2.3	2.5	2.0	1.9	3.0	3.4	2.5	2.6	4.5	-	2.7
96. Mature newborn	M.	-	-	-	-	-	-	-	-	-	-	5.7
	F.	-	-	-	-	-	-	-	-	-	-	5.6
97. Immature newborn	M.	-	-	-	-	-	-	-	-	-	-	18.5
	F.	-	-	-	-	-	-	-	-	-	-	18.2
98. Other special admissions, examinations, etc.	M.	18.2	21.2	20.6	23.9	24.7	25.0	35.5	34.8	103.0	-	21.2
	F.	22.8	22.3	28.5	29.2	34.9	37.8	41.8	39.8	52.9	-	21.8

1  
139  
1



TABLE 6(d) SEPARATION RATES PER 100,000 POPULATION BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP, FOR PROVINCIAL PLAN<sup>(1)</sup>  
IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA(2), 1964.

Can. List No.	Diagnosis	Newborn	Under 1	{1} See notes on page 180 {2} Excludes Nova Scotia							30-34	35-39	40-44
				1-4	5-9	10-14	15-19	20-24	25-29				
1.	Tuberculosis, all forms	--	15.8 9.5	10.1 7.2	7.8 6.7	4.6 4.7	9.9 10.8	15.0 14.8	17.4 19.6	20.1 24.4	21.7 21.6	29.3 21.6	
2.	Poliomylitis and encephalitis	--	17.6 15.2	14.1 12.1	22.7 18.5	35.8 34.7	16.7 18.2	6.8 9.2	8.0 9.5	8.1 8.0	7.4 5.7	6.4 6.1	
3.	Infectious hepatitis	--	10.0 4.7	12.2 10.9	37.5 47.2	46.6 49.2	40.5 41.7	44.2 50.5	44.6 44.8	37.5 42.7	30.1 27.1	24.6 19.2	
4.	Other diseases attributable to viruses	--	441.4 375.9	247.0 219.7	142.1 123.2	55.0 50.7	73.2 83.6	68.1 64.7	43.6 28.6	37.2 24.1	28.8 22.4	20.1 20.4	
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	--	556.3 533.0	164.3 190.2	104.5 116.8	69.6 77.5	54.2 76.2	63.2 69.4	62.7 55.1	52.5 50.7	45.7 39.9	41.8 46.1	
6.	Malignant neoplasm of buccal cavity and pharynx	--	0.5 --	0.3 0.1	0.5 0.1	0.4 0.3	1.0 1.5	1.3 1.8	2.3 2.5	6.1 2.9	7.6 4.5	15.3 5.6	
7.	Malignant neoplasm of stomach	--	--	--	0.1 --	--	0.1 0.1	0.3 0.2	1.1 0.2	2.3 2.2	6.1 5.0	15.3 12.1	
8.	Malignant neoplasm of large intestine except rectum	--	--	0.1 --	--	0.1 0.2	0.4 0.6	1.0 1.4	3.4 3.5	3.0 5.3	8.7 15.9	15.4 22.3	
9.	Malignant neoplasm of rectum	--	--	--	--	--	--	0.6 0.3	1.1 0.9	4.4 2.9	4.8 4.2	9.7 11.9	
10.	Malignant neoplasm of bronchus, trachea and lung, primary and unspecified as to whether primary or secondary	--	--	0.1 0.2	0.1 --	0.1 --	0.4 0.6	0.8 0.8	0.7 0.4	3.3 3.8	9.5 5.3	30.8 10.9	

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
1.	Tuberculosis, all forms	M. F.	29.0 20.5	34.1 20.0	47.0 26.5	51.0 22.8	58.2 30.9	63.6 38.3	62.0 36.0	61.8 41.7	-- --	21.3 16.4
2.	Poliomyelitis and encephalitis	M. F.	5.5 6.7	4.8 5.6	7.9 5.2	5.0 3.0	3.8 1.6	1.6 1.0	3.0 2.7	1.3 2.4	-- 2.0	13.2 12.3
3.	Infectious hepatitis	M. F.	19.6 16.8	15.3 15.7	12.4 11.5	13.3 14.7	15.3 12.1	19.0 9.8	20.2 13.3	17.5 9.5	-- --	30.0 30.6
4.	Other diseases attributable to viruses	M. F.	20.8 21.9	21.9 26.9	29.1 41.2	30.0 48.5	38.6 55.8	69.5 56.5	73.2 99.4	83.3 116.8	-- --	84.6 77.7
5.	Other infective, bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	42.6 45.0	47.2 55.4	58.4 50.8	59.0 50.9	69.2 54.6	76.6 50.1	79.2 54.0	69.9 58.4	-- --	84.7 88.0
6.	Malignant neoplasm of buccal cavity and pharynx	M. F.	18.2 12.0	40.5 16.2	54.7 24.8	75.4 26.8	95.5 28.5	135.3 36.3	149.5 55.4	224.5 69.1	-- --	19.8 8.1
7.	Malignant neoplasm of stomach	M. F.	24.1 14.6	47.9 22.0	80.9 32.5	150.0 56.9	205.1 85.6	245.5 124.8	340.1 169.4	412.6 197.9	-- --	32.9 16.9
8.	Malignant neoplasm of large intestine except rectum	M. F.	30.6 42.7	47.9 67.8	79.5 99.1	131.4 139.2	210.2 208.9	247.7 261.8	300.4 332.2	349.5 356.4	-- --	32.4 39.3
9.	Malignant neoplasm of rectum	M. F.	21.2 20.0	39.6 34.1	62.9 41.2	106.4 70.3	141.8 90.4	179.8 101.7	212.3 134.8	291.7 154.9	-- --	23.9 17.1
10.	Malignant neoplasm of bronchus, trachea and lung, primary and unspecified as to whether primary or secondary	M. F.	53.8 20.9	136.5 32.5	238.6 43.9	349.8 52.2	473.5 58.3	455.7 60.4	375.9 66.0	259.4 73.9	-- --	62.8 12.6

TABLE 6(d) (Cont'd)

Can. List No.	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
11. Malignant neoplasm of breast	M. F.	-- --	-- --	-- --	0.1 0.2	0.1 0.8	-- 2.9	-- 8.5	0.3 35.2	0.5 83.8	1.6 181.6
12. Malignant neoplasm of cervix uteri	M. F.	-- 0.5	-- --	-- 0.1	-- --	-- 0.1	-- 14.5	-- 62.3	-- 124.1	-- 186.4	-- 200.2
13. Malignant neoplasm of uterus other than cervix uteri	M. F.	-- --	-- 0.1	-- --	-- 0.1	-- 0.4	-- 1.9	-- 3.2	-- 9.7	-- 18.6	-- 31.5
14. Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F.	-- --	-- --	-- 0.2	-- 0.6	-- 1.0	-- 4.0	-- 4.6	-- 7.3	-- 16.9	-- 24.2
15. Malignant neoplasm of prostate	M. F.	-- --	0.2 --	0.1 --	-- --	0.2 --	0.2 --	-- --	-- --	0.5 --	2.4 --
16. Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	-- --	4.8 4.9	2.8 0.8	0.3 0.1	0.8 0.3	1.9 0.6	2.8 1.8	4.1 3.1	7.2 3.4	21.0 10.4
17. Leukaemia and aleukaemia	M. F.	-- --	31.9 24.4	23.7 16.9	9.7 5.5	10.8 8.1	6.5 6.1	5.8 6.2	6.8 6.1	7.1 8.8	12.8 9.9
18. Other malignant neo- plasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	-- --	22.4 18.6	15.5 12.4	17.2 14.3	30.1 22.9	35.5 24.6	42.5 35.0	62.7 47.6	83.3 67.9	99.1 106.4
19. Benign neoplasm of uterus	M. F.	-- --	-- --	-- 0.2	-- 0.5	-- 11.0	-- 60.4	-- 160.3	-- 337.3	-- 628.5	-- 1,043.4
20. Benign neoplasm of ovary	M. F.	-- --	-- 0.1	-- 1.7	-- 11.6	-- 101.0	-- 242.2	-- 259.8	-- 239.5	-- 184.0	-- 156.1

TABLE 5(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-85	85+	Unspec.	Total
11.	Malignant neoplasm of breast	M. F. 1.2 251.3	4.4 298.3	2.4 309.2	8.7 340.9	6.8 352.8	7.1 402.8	8.2 422.9	8.1 426.7	2.6 389.9	-- --	1.2 103.7
12.	Malignant neoplasm of cervix uteri	M. F. 173.1	-- 172.2	-- 161.6	-- 154.2	-- 128.2	-- 116.9	-- 108.7	-- 94.2	-- 70.7	-- --	-- 76.7
13.	Malignant neoplasm of uterus other than cervix uteri	M. F. 43.7	-- 87.5	-- 111.1	-- 121.8	-- 150.7	-- 120.3	-- 110.7	-- 104.9	-- 84.8	-- --	-- 29.4
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F. 53.9	-- 62.8	-- 72.6	-- 89.0	-- 82.4	-- 66.8	-- 56.0	-- 62.0	-- 28.3	-- --	-- 21.1
15.	Malignant neoplasm of prostate	M. F. 6.7 --	19.2 --	62.4 --	181.4 --	366.5 --	716.5 --	1,088.2 --	1,369.6 --	1,344.5 --	-- --	65.6 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F. 28.8 16.2	75.7 24.2	116.8 45.2	216.7 64.6	281.5 104.1	374.3 143.9	482.8 150.1	505.4 200.2	480.7 161.6	-- --	47.8 19.0
17.	Leukaemia and aleukaemia	M. F. 15.7 14.0	22.5 22.2	42.3 28.7	76.0 32.5	79.0 57.9	115.7 72.2	165.2 76.0	139.8 76.3	97.7 58.6	-- --	24.7 17.5
18.	Other malignant neo- plasms and neoplasms of lymphatic and haematopoietic tissue	M. F. 160.9 150.3	227.7 217.7	342.0 304.3	509.2 404.5	642.9 517.1	774.0 595.3	846.0 645.8	965.1 753.3	953.7 591.9	-- --	135.4 117.3
19.	Benign neoplasm of uterus	M. F. 1,151.9	-- 694.5	-- 264.2	-- 169.0	-- 120.9	-- 91.8	-- 62.0	-- 54.8	-- 32.3	-- --	-- 266.3
20.	Benign neoplasm of ovary	M. F. 100.6	-- 60.6	-- 39.6	-- 46.5	-- 41.0	-- 35.4	-- 28.0	-- 34.6	-- 16.2	-- --	-- 94.8





TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
21.	Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature	M. F.	204.2 395.1	244.8 359.4	283.8 306.5	338.8 298.1	331.2 336.3	353.1 312.9	379.7 276.9	365.6 282.5	-- --	169.9 255.6
22.	Asthma	M. F.	87.1 128.2	136.3 154.4	198.5 166.2	262.4 197.7	284.1 190.8	301.5 200.4	284.0 174.1	279.6 146.6	-- --	109.8 96.4
23.	Other allergic dis- orders (excluding asthma)	M. F.	21.2 31.6	26.7 39.3	19.0 30.0	24.3 29.4	27.2 25.3	17.2 21.6	26.9 22.0	29.6 15.5	-- --	35.0 36.1
24.	Diseases of thyroid gland	M. F.	34.3 211.6	46.8 221.3	38.6 185.6	36.7 169.0	32.7 143.0	42.4 130.2	26.9 100.7	26.9 64.4	-- --	17.5 98.9
25.	Diabetes mellitus	M. F.	199.3 206.6	294.4 372.4	398.3 571.0	511.8 842.1	655.6 1,044.6	800.7 1,201.9	905.1 1,252.8	943.5 1,152.6	-- --	158.1 218.9
26.	Diseases of other endocrine glands	M. F.	13.9 26.3	12.2 26.5	13.7 20.7	17.0 31.4	12.3 23.7	17.9 17.2	7.5 16.0	12.1 7.2	-- --	10.7 22.5
27.	Avitaminoses and other metabolic diseases	M. F.	46.1 64.8	63.2 66.9	62.1 67.1	65.0 59.9	73.0 62.7	70.6 58.0	87.4 53.4	115.6 57.2	-- --	39.6 48.7
28.	Diseases of the blood and blood-forming organs	M. F.	36.3 121.7	48.3 106.4	84.0 105.6	117.0 150.6	169.4 216.2	262.4 303.0	386.4 406.3	487.9 464.8	-- --	80.6 100.5
29.	Psychoses	M. F.	139.5 194.6	136.5 224.7	143.2 206.9	139.7 195.0	151.6 197.3	129.8 191.6	182.4 185.5	227.2 206.2	-- --	74.2 112.1
30.	Psychoneurotic disorders	M. F.	310.2 613.2	322.8 594.2	283.3 550.5	257.8 491.8	215.3 434.7	168.4 357.1	137.5 286.9	103.5 154.9	-- --	162.9 373.3

TABLE 6(d) (cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
31.	Disorders of character, behaviour and intel- ligence	--	52.0 44.1	47.3 40.5	38.5 22.4	27.2 25.6	42.0 57.5	60.2 54.4	84.0 50.5	143.9 66.1	195.7 63.5	232.4 68.4
32.	Vascular lesions affecting central nervous system	--	45.2 26.6	18.6 16.6	12.7 12.1	13.1 9.2	17.5 10.3	13.5 10.7	10.3 18.0	19.9 20.3	30.2 24.8	54.8 50.6
33.	Inflammatory and other diseases of central nervous system	--	315.7 233.0	136.7 118.9	104.6 91.0	84.7 80.5	81.6 97.2	95.2 100.9	93.5 108.4	100.8 132.0	106.3 129.4	128.4 158.2
34.	Diseases of nerves and peripheral ganglia	--	8.6 6.6	4.3 4.1	7.0 6.3	8.8 12.4	14.4 31.1	32.0 51.7	41.8 67.8	54.3 72.0	78.0 86.9	87.2 102.7
35.	Diseases and conditions of the eye	--	216.6 212.1	325.0 324.9	259.0 236.9	115.8 101.0	92.1 93.3	85.9 76.8	93.5 63.9	86.1 64.7	87.1 75.7	102.9 93.3
36.	Diseases of ear and mastoid process	--	1,232.0 936.4	441.0 349.1	249.3 192.6	132.0 120.7	75.8 89.4	64.6 92.8	81.8 106.3	90.9 114.4	104.7 136.3	114.0 159.2
37.	Rheumatic fever and chronic rheumatic heart disease	--	5.0 2.4	14.4 14.1	53.7 51.6	60.3 65.7	38.7 48.5	25.6 52.1	32.6 62.1	38.4 76.6	49.2 82.7	58.9 92.4
38.	Arteriosclerotic and degenerative heart disease	--	6.8 6.6	3.2 2.3	5.1 3.2	4.1 3.1	6.3 5.5	11.3 10.0	22.7 16.2	86.8 31.2	210.8 74.2	501.7 157.8
39.	Other diseases of the heart	--	31.7 29.4	13.1 10.3	12.8 12.9	10.7 11.0	16.6 15.6	20.0 22.0	27.6 33.2	35.2 39.4	41.2 53.0	66.0 69.1
40.	Hypertensive heart diseases and other hypertensive disease	--	2.3 0.5	1.1 0.6	1.3 0.8	3.1 2.8	9.4 8.1	17.7 19.5	24.1 29.3	44.3 50.2	65.8 72.3	99.1 133.0

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis		50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
31.	Disorders of character, behaviour and intel- ligence	M. F.	271.7 66.2	235.7 48.9	163.4 40.1	132.5 30.9	101.0 16.7	52.3 10.7	41.7 15.5	48.8 16.2	-- --	112.2 17.1
32.	Vascular lesions affecting central nervous system	M. F.	198.8 148.6	334.0 246.2	574.5 422.2	902.8 710.7	1,415.5 1,239.2	2,095.7 2,094.1	3,055.1 2,401.7	3,655.5 3,256.6	-- --	183.5 169.3
33.	Inflammatory and other diseases of central nervous system	M. F.	181.1 175.3	241.8 184.2	323.1 228.2	342.7 312.6	430.2 359.5	563.5 394.9	573.9 452.9	545.0 474.7	-- --	151.3 146.3
34.	Diseases of nerves and peripheral ganglia	M. F.	103.2 109.1	112.6 117.3	117.4 122.4	121.4 124.1	111.4 143.9	124.8 126.8	104.8 138.3	72.0 141.4	-- --	49.3 60.3
35.	Diseases and conditions of the eye	M. F.	203.6 201.8	271.7 288.5	407.5 395.8	584.7 648.1	808.3 917.0	994.8 1,108.7	1,063.2 1,199.0	861.2 963.6	-- --	215.1 217.3
36.	Diseases of ear and mastoid process	M. F.	122.7 174.2	115.8 172.8	127.0 168.3	98.1 140.6	83.6 117.9	84.5 78.7	69.9 69.1	43.7 58.6	-- --	178.2 174.2
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	84.9 151.3	73.7 142.5	70.7 111.7	59.4 99.6	47.3 32.0	47.1 58.0	39.0 51.3	18.0 38.4	-- --	77.2 71.1
38.	Arteriosclerotic and degenerative heart disease	M. F.	1,371.2 569.0	1,935.5 939.4	2,636.5 1,579.5	3,215.7 2,252.3	4,125.5 3,055.5	4,831.8 3,861.9	5,830.6 4,951.1	6,604.1 5,266.7	-- --	640.0 419.5
39.	Other diseases of the heart	M. F.	169.1 138.3	239.2 194.6	419.1 292.1	636.9 464.8	960.3 720.5	1,434.2 1,116.7	1,811.3 1,456.5	2,354.8 1,737.4	-- --	125.1 116.1
40.	Hypertensive heart diseases and other hypertensive disease	M. F.	199.9 334.0	262.7 462.9	373.5 620.3	423.8 754.9	504.6 936.1	539.6 1,132.8	623.7 1,177.6	660.7 985.9	-- --	225.5 163.5



TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	34-39	40-44
41.	Diseases of arteries	--	1.4 1.9	0.9 1.3	0.8 1.1	2.0 2.7	4.2 5.8	7.8 9.9	9.9 13.6	18.8 13.5	28.1 19.1	52.2 29.5
42.	Varicose veins of lower extremities	--	0.9 0.5	0.3 0.1	0.3 0.2	0.6 0.2	3.9 5.2	15.3 66.0	30.3 196.5	49.1 325.2	62.2 382.4	87.2 419.1
43.	Haemorrhoids	--	0.9 0.5	0.8 0.9	0.5 0.7	0.4 0.1	13.1 15.0	63.5 74.3	125.6 122.7	191.2 180.4	227.7 221.9	276.1 237.3
44.	Phlebitis and thrombophlebitis	--	-- 0.5	0.6 0.5	0.2 0.5	1.2 1.1	2.3 8.6	5.9 24.6	9.6 38.0	16.1 41.7	16.4 59.2	37.1 71.7
45.	Other diseases of the circulatory system	--	73.3 58.4	117.7 100.0	180.8 180.5	132.7 131.2	65.2 81.3	44.9 51.0	43.2 45.4	34.1 42.3	34.1 49.9	41.9 43.6
46.	Acute upper respir- atory infections	--	2,573.5 2,106.3	1,242.8 931.5	336.7 310.0	120.8 158.4	105.6 183.0	119.4 147.6	83.3 92.7	72.3 78.9	56.9 59.3	48.5 58.9
47.	Influenza	--	364.5 357.4	134.3 127.7	68.0 70.2	54.6 53.4	53.5 79.2	49.6 82.3	48.5 67.1	44.0 59.9	45.2 57.7	51.0 61.6
48.	Pneumonia	--	5,413.8 4,106.3	1,470.7 1,206.3	417.0 351.1	196.3 172.1	156.8 123.1	125.4 146.5	138.4 175.3	166.0 208.9	183.3 207.2	224.4 238.8
49.	Bronchitis	--	3,356.4 2,391.6	954.7 687.9	200.9 165.0	76.0 72.8	51.8 83.6	51.6 104.0	47.8 111.0	61.3 120.2	80.7 117.0	122.2 122.6
50.	Hypertrophy of tonsils and adenoids	--	131.6 75.0	3,593.3 2,960.9	3,809.2 3,976.4	987.1 1,410.3	449.8 1,058.9	459.3 688.0	364.4 410.9	258.4 275.2	156.1 160.6	82.5 93.8

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
-1.	Diseases of arteries	M. F.	90.8 40.5	163.2 61.5	238.1 93.1	398.8 153.9	518.5 225.4	680.6 400.8	839.3 495.7	1,149.2 880.8	1,766.1 1,137.4	-- --	39.0 57.9
42.	Varicose veins of lower extremities	M. F.	110.8 382.3	125.8 358.2	140.3 339.0	164.4 328.5	133.8 261.1	102.1 246.1	100.1 190.8	104.8 208.6	84.8 159.6	-- --	47.4 171.8
43.	Haemorrhoids	M. F.	269.6 237.7	267.5 223.6	256.1 184.5	221.1 158.6	172.8 124.9	145.0 114.9	130.8 88.1	112.9 72.7	77.1 48.5	-- --	113.8 100.7
44.	Phlebitis and thrombophlebitis	M. F.	36.1 84.6	53.8 90.7	70.3 107.5	84.4 135.5	89.6 144.6	102.1 156.7	120.3 154.1	96.8 131.1	77.1 86.9	-- --	23.1 45.6
45.	Other diseases of the circulatory system	M. F.	49.4 46.0	61.0 56.3	75.6 57.9	105.4 77.3	102.3 83.2	146.1 95.3	165.9 96.7	168.0 91.8	185.1 133.3	-- --	88.6 84.2
46.	Acute upper respir- atory infections	M. F.	45.5 58.3	50.1 73.6	51.0 75.9	57.0 70.3	59.4 67.9	58.7 79.6	74.7 78.7	107.5 77.5	120.8 113.1	-- --	280.7 249.6
47.	Influenza	M. F.	56.5 72.9	70.6 85.7	87.7 96.6	94.4 123.1	106.6 138.6	138.5 155.2	183.9 210.1	279.6 269.4	334.2 327.3	-- --	80.2 92.8
48.	Pneumonia	M. F.	235.2 232.7	343.0 283.7	430.5 335.7	621.5 420.2	737.2 544.0	1,100.5 677.8	1,467.9 895.3	1,958.3 1,336.1	3,156.8 1,977.8	-- --	564.9 460.0
49.	Bronchitis	M. F.	176.8 170.3	260.3 204.9	368.7 247.8	537.5 291.7	690.4 345.9	885.4 352.2	943.2 369.6	997.3 488.7	938.3 499.0	-- --	346.2 259.4
50.	Hypertrophy of tonsils and adenoids	M. F.	45.9 56.9	24.3 40.9	17.4 38.5	10.0 18.7	7.8 8.8	9.8 6.4	6.0 4.7	5.4 7.2	-- 6.1	-- --	1,023.2 1,074.6

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
51.	Other diseases of respiratory system	--	409.8 308.5	175.6 119.1	113.3 86.4	113.2 96.6	287.5 213.7	347.5 232.1	332.0 251.5	311.5 235.6	301.0 212.8	322.2 220.1
52.	Diseases of teeth and supporting structure	--	35.7 20.4	112.0 122.0	170.0 206.1	81.4 111.4	211.3 349.9	264.2 395.4	202.8 312.6	141.0 234.2	126.8 205.4	126.2 184.5
53.	Ulcer of stomach, duodenum and jejunum	--	2.3 1.9	3.2 1.3	6.3 8.5	14.1 10.6	54.6 38.7	193.5 77.5	322.6 106.8	405.1 148.2	505.0 203.6	619.6 257.4
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	--	191.2 138.6	36.6 41.3	39.9 38.9	39.0 39.9	57.2 110.5	121.4 158.2	168.1 178.1	190.7 174.5	221.5 179.1	260.7 199.7
55.	Appendicitis	--	6.8 5.2	74.7 60.6	379.2 378.2	646.8 605.4	543.3 734.5	471.0 465.7	323.5 286.1	251.4 182.5	201.3 127.6	174.4 103.2
56.	Hernia of abdominal cavity	--	1,350.1 383.5	568.6 143.0	288.2 73.5	105.2 21.3	151.3 31.5	281.3 55.5	304.5 95.1	350.1 147.5	418.6 206.8	515.3 263.5
57.	Intestinal obstruction without mention of hernia	--	90.5 54.6	25.4 17.4	22.7 14.2	16.9 10.9	16.6 14.4	17.2 25.5	16.7 28.8	21.1 44.2	21.9 49.3	27.0 62.3
58.	Gastro-enteritis and colitis, except ulcer- ative, age 4 weeks and over	--	4,359.6 3,657.8	783.9 660.5	157.0 152.6	107.3 108.4	79.9 116.8	91.3 148.3	80.6 130.1	74.8 99.9	74.6 101.0	80.8 108.3
59.	Chronic enteritis and ulcerative colitis	--	16.7 13.3	5.9 4.1	3.4 3.3	5.3 4.6	14.8 16.3	20.0 24.6	29.4 38.0	32.6 38.1	38.4 47.0	46.8 60.9
60.	Cirrhosis and other diseases of liver	--	14.9 10.0	4.0 5.5	8.6 10.1	10.8 10.5	8.2 21.6	12.4 23.4	17.0 24.7	30.8 33.3	52.7 38.4	69.0 49.2

1  
150  
1

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
51.	Other diseases of respiratory system	M. F.	412.3 248.3	485.7 250.3	587.9 274.7	678.6 313.4	775.7 334.0	717.5 352.2	723.1 424.3	709.5 404.0	-- --	310.0 202.2
52.	Diseases of teeth and supporting structure	M. F.	99.7 147.7	94.1 118.2	73.7 97.4	56.0 77.9	48.9 45.2	39.6 33.4	30.9 25.0	33.4 16.2	-- --	134.7 191.3
53.	Ulcer of stomach, duodenum and jejunum	M. F.	844.5 340.5	874.2 316.9	891.6 326.5	891.3 324.2	868.5 357.1	813.9 358.2	896.5 379.0	691.5 319.2	-- --	345.5 142.1
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. F.	254.1 205.5	248.7 216.7	254.4 227.8	251.0 240.3	253.7 241.2	291.5 249.5	262.1 292.0	272.5 242.4	-- --	147.6 140.8
55.	Appendicitis	M. F.	142.4 90.0	126.8 68.2	125.7 77.3	105.3 66.3	105.9 76.1	106.1 56.0	87.4 58.4	74.6 46.5	-- --	291.4 269.8
56.	Hernia of abdominal cavity	M. F.	813.2 296.7	970.7 339.8	1,215.7 375.7	1,192.8 426.7	1,272.1 406.7	1,306.4 398.3	1,137.1 393.3	1,059.1 385.9	-- --	506.0 174.5
57.	Intestinal obstruction without mention of hernia	M. F.	59.3 80.1	76.1 90.3	105.7 110.7	143.1 130.6	183.6 181.2	276.5 239.5	345.4 386.2	380.5 452.5	-- --	44.6 53.3
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M. F.	95.1 130.6	105.7 145.7	124.4 182.0	134.6 200.1	174.4 222.5	225.7 292.9	256.7 379.0	442.2 404.0	-- --	272.6 268.2
59.	Chronic enteritis and ulcerative colitis	M. F.	93.6 120.8	109.4 157.5	160.7 224.5	198.7 299.7	261.8 406.7	307.9 471.6	357.5 561.4	341.9 587.9	-- --	50.6 73.6
60.	Cirrhosis and other diseases of liver	M. F.	120.7 79.9	140.1 81.6	162.1 82.3	140.1 77.1	141.8 66.8	124.1 77.4	96.8 76.3	56.6 64.6	-- --	46.3 35.3



TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
61.	Diseases of gall- bladder and pancreas	--	34.8 29.4	8.4 12.6	6.6 6.3	6.4 14.5	15.5 155.6	40.7 574.9	86.1 724.4	165.3 772.8	226.0 804.2	40-44 305.0 875.4
62.	Other diseases of digestive system	--	375.8 240.2	152.3 141.9	87.8 75.0	73.8 72.2	67.3 118.4	107.7 173.2	153.8 179.7	189.5 207.2	204.3 224.7	232.8 242.8
63.	Nephritis and nephrosis	--	16.7 13.3	54.9 44.1	64.7 54.4	47.2 40.0	30.5 33.3	29.4 28.4	41.8 32.0	35.9 42.7	53.2 29.0	53.4 37.8
64.	Infections of kidney	--	78.2 105.4	34.3 145.2	38.2 174.0	38.6 108.0	32.9 179.7	40.6 236.0	45.7 187.6	45.0 181.3	52.7 157.9	53.9 151.0
65.	Calculi of kidney, ureter and other parts of urinary system	--	0.5 0.5	1.0 0.9	2.2 2.7	2.8 4.5	19.8 26.0	75.9 71.4	147.2 93.2	184.1 92.4	212.5 93.7	247.7 97.0
66.	Other diseases of urinary system	--	116.7 86.9	91.8 194.0	96.9 219.4	66.2 92.0	53.4 119.9	74.5 184.0	82.9 201.9	91.2 231.0	110.4 213.6	112.8 246.0
67.	Hyperplasia of prostate	--	1.8 --	1.3 --	0.7 --	0.6 --	0.6 --	2.4 --	2.7 --	7.1 --	9.8 --	25.6 --
68.	Redundant prepuce and phimosis	--	615.1 --	210.4 --	90.9 --	78.0 --	47.8 --	483.4 --	76.2 --	45.1 --	34.9 --	22.7 --
69.	Diseases of ovary, Fallopian tube and parametrium, and in- fective disease of uterus, vagina and vulva	--	3.8 --	10.5 --	14.1 --	34.5 --	318.1 --	896.0 --	975.1 --	919.9 --	784.6 --	651.9 --
70.	Uterovaginal prolapse	--	-- --	-- 0.3	-- 0.4	-- 0.2	-- 3.0	-- 26.3	-- 101.1	-- 216.6	-- 349.2	-- 462.9

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
61.	Diseases of gall- bladder and pancreas	M. F.	448.2 1,121.9	491.3 1,260.6	629.9 1,296.1	654.4 1,311.0	739.3 1,241.2	822.1 1,231.5	803.8 1,246.7	727.5 1,129.3	-- --	191.2 560.7
62.	Other diseases of digestive system	M. F.	243.5 256.4	294.9 271.0	307.1 293.4	332.9 311.8	362.8 345.3	448.4 404.9	496.0 427.9	606.7 541.4	-- --	181.3 189.2
63.	Nephritis and nephrosis	M. F.	48.7 28.4	58.1 31.4	52.0 41.5	49.7 45.8	78.2 55.5	72.5 74.0	87.4 90.6	123.4 34.3	-- --	49.1 39.3
64.	Infections of kidney	M. F.	65.3 133.5	85.1 172.5	98.0 172.6	124.4 175.6	169.5 206.8	209.3 222.1	239.2 280.1	388.2 248.5	-- --	59.1 166.8
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	272.7 93.6	284.6 113.0	292.8 116.4	245.0 104.1	236.3 97.2	198.1 87.4	127.7 71.5	146.5 36.4	-- --	124.3 58.5
66.	Other diseases of urinary system	M. F.	130.3 263.1	218.3 338.4	279.4 363.3	391.9 392.5	566.5 391.9	749.6 398.3	895.2 431.5	1,185.1 438.4	-- --	141.9 221.8
67.	Hyperplasia of prostate	M. F.	55.1 --	420.7 --	927.6 --	1,373.2 --	1,927.2 --	2,270.6 --	2,471.8 --	2,539.8 --	-- --	197.8 --
68.	Redundant prepuce and phimosis	M. F.	23.2 --	26.2 --	32.7 --	30.6 --	41.3 --	38.9 --	55.1 --	48.8 --	-- --	109.3 --
69.	Diseases of ovary, Fallopian tube and parametrium, and in- fective disease of uterus, vagina and vulva	M. F.	474.9 --	168.7 --	131.1 --	121.3 --	86.0 --	79.4 --	76.3 --	40.4 --	-- --	368.4 --
70.	Uterovaginal prolapse	M. F.	508.1 --	574.0 --	624.3 --	647.2 --	535.4 --	388.9 --	214.5 --	99.0 --	-- --	210.5 --



TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
71.	Disorders of menstruation	826.4	515.8	166.5	90.7	61.5	40.8	32.0	25.0	18.2	--	365.9
	M. F.										--	
72.	Other diseases of genital organs	167.5 834.3	209.5 544.3	230.7 227.3	270.8 154.6	313.8 127.4	321.6 107.1	330.3 82.7	336.0 62.0	380.5 40.4	--	135.5 322.1
	M. F.										--	
73.	Complications of pregnancy	58.9	4.9	1.6	--	--	--	--	--	--	--	826.1
	M. F.										--	
74.	Abortion	121.1	7.0	0.3	--	--	--	--	--	--	--	571.7
	M. F.										--	
75.	Delivery without mention of complications	153.5	7.0	0.5	--	--	--	--	--	--	--	4,024.5
	M. F.										--	
76.	Delivery with specified complications	45.8	1.6	0.3	--	--	--	--	--	--	--	695.0
	M. F.										--	
77.	Complications of the puerperium	8.5	0.4	--	--	--	1.0	--	--	--	--	82.5
	M. F.										--	
78.	Infection of skin and subcutaneous tissue	119.3 98.8	127.7 108.4	134.8 104.0	130.0 100.0	127.8 93.6	143.9 104.6	161.4 111.4	170.7 139.5	210.8 137.4	--	172.0 141.0
	M. F.										--	
79.	Other diseases of skin and subcutaneous tissue	137.3 189.1	157.7 212.3	175.2 233.4	186.4 233.9	257.3 220.2	254.2 242.6	316.1 272.8	336.0 289.6	331.6 290.9	--	162.0 178.3
	M. F.										--	
80.	Arthritis and rheumatism, except rheumatic fever	311.2 364.5	400.9 486.0	487.6 585.7	577.2 692.5	595.8 791.1	630.1 902.8	739.9 1,050.7	799.7 1,098.9	802.1 1,127.3	--	188.8 237.7
	M. F.										--	



TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
81.	Displacement of intervertebral disc	--	--	M. F.	0.3 0.5	1.5 1.1	18.0 17.1	63.2 50.1	146.3 96.6	231.2 151.9	278.1 206.7	319.2 231.4
82.	Other diseases of bones and organs of movement	--	158.8 98.2	M. F.	164.4 97.0	180.8 183.6	239.6 211.8	233.6 194.7	237.2 195.6	246.8 206.2	271.7 247.2	273.0 284.8
83.	Congenital mal- formations	--	1,705.6 1,264.4	M. F.	289.2 168.1	189.0 117.1	114.8 117.1	81.0 141.9	65.7 102.2	56.3 83.1	51.6 74.7	48.9 63.3
84.	Certain diseases of early infancy	--	2,318.9 2,008.1	M. F.	0.9 1.6	0.2 0.9	0.1 0.9	-- 0.2	0.4 0.4	0.2 0.3	0.2 0.3	-- 0.2
85.	Symptoms, senility, and ill-defined conditions	--	675.7 558.6	M. F.	308.3 282.9	278.6 289.5	219.7 374.5	243.3 429.4	275.3 395.1	293.4 378.6	312.5 348.4	358.6 373.3
86.	Fracture of or in- volving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	--	226.1 176.1	M. F.	331.3 171.8	283.4 117.0	476.9 173.2	523.7 137.4	330.0 89.7	263.0 85.9	205.0 83.0	203.8 83.6
87.	Fracture of spine and trunk	--	2.7 1.9	M. F.	13.2 7.7	23.7 18.4	85.8 55.2	120.1 53.7	107.0 45.0	102.7 46.8	100.6 43.9	106.4 55.5
88.	Fracture of upper limb	--	24.0 25.2	M. F.	324.1 200.9	386.1 179.0	269.5 63.5	180.9 54.2	136.8 46.4	123.3 48.1	115.1 58.2	118.2 82.4
89.	Fracture of femur	--	52.9 44.6	M. F.	62.3 28.3	41.6 18.3	42.4 16.6	42.0 9.1	31.5 8.1	25.4 5.1	22.5 10.7	26.5 15.8

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
81.	Displacement of intervertebral disc	M. F.	287.0 228.0	279.3 215.3	252.1 175.8	171.7 143.5	121.0 99.2	78.8 80.1	68.0 70.0	52.4 47.7	38.6 38.4	119.8 90.6
82.	Other diseases of bones and organs of movement	M. F.	292.7 349.5	321.5 425.4	316.1 424.9	334.8 430.9	288.3 401.8	257.5 405.2	248.1 439.0	271.5 444.6	236.5 456.6	231.4 236.1
83.	Congenital mal- formations	M. F.	58.5 64.6	42.0 57.9	44.1 52.1	40.0 37.5	42.0 34.2	45.6 28.5	26.2 26.7	16.1 34.6	12.9 20.2	171.9 144.9
84.	Certain diseases of early infancy	M. F.	-- --	-- 0.2	0.5 --	0.7 0.3	0.4 0.4	0.5 --	-- --	-- 1.2	-- --	98.9 77.2
85.	Symptoms, senility, and ill-defined conditions	M. F.	410.0 372.2	454.7 411.4	461.9 388.4	509.5 445.0	538.9 437.1	687.1 498.0	811.7 574.4	1,069.9 792.6	1,385.6 802.0	365.3 377.7
86.	Fracture of or in- volving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	M. F.	177.2 84.9	174.5 90.0	181.8 78.1	186.7 83.0	158.8 74.7	152.1 112.0	181.6 127.4	188.2 143.0	195.4 191.9	288.0 126.3
87.	Fracture of spine and trunk	M. F.	129.9 71.1	156.8 88.7	185.8 103.2	192.4 128.8	169.9 155.9	234.7 213.7	257.8 311.5	297.0 436.2	406.2 674.7	92.2 62.3
88.	Fracture of upper limb	M. F.	118.3 109.8	134.3 202.2	121.0 285.2	146.4 344.3	140.1 384.9	124.4 462.2	151.0 518.3	168.0 573.3	275.1 660.6	189.8 150.5
89.	Fracture of femur	M. F.	34.5 31.0	49.2 64.9	52.9 105.1	70.0 165.9	121.0 291.7	197.7 532.4	364.7 1,012.7	682.8 2,044.1	1,380.5 3,614.1	64.6 103.1

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
90.	Other fractures of lower limbs (excluding femur)	M. F.	7.2 10.0	47.3 31.7	83.8 50.1	152.1 79.3	218.9 65.3	222.9 72.2	191.3 61.8	190.8 73.6	190.5 72.9	193.2 95.0
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F.	6.3 6.6	16.6 12.2	35.0 22.1	82.4 59.0	249.6 123.7	307.6 106.8	306.8 86.7	316.5 98.0	298.1 108.0	289.4 109.8
92.	Internal injury of chest, abdomen and pelvis	M. F.	0.9 0.9	8.8 4.2	21.1 10.9	25.2 5.4	45.9 12.2	57.1 13.4	37.7 9.5	31.1 8.7	26.5 8.4	32.8 8.5
93.	Burns	M. F.	127.1 73.1	208.4 153.3	60.8 41.2	49.4 25.2	62.1 33.4	83.1 34.9	70.5 24.0	62.6 22.5	52.9 22.5	51.1 21.3
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	305.3 253.9	898.9 670.2	501.7 336.1	497.3 260.0	862.2 448.5	1,057.3 423.9	780.5 362.9	665.1 363.1	597.7 338.3	593.2 348.0
95.	Medical or special examination (without sickness)	M. F.	23.5 19.9	5.7 4.3	4.6 5.0	3.8 4.9	3.9 8.3	3.8 8.8	4.4 10.6	6.9 10.1	6.8 10.0	9.0 11.7
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
98.	Other special admissions, examinations, etc.	M. F.	157.4 177.5	38.9 35.6	37.0 25.1	38.0 31.0	62.0 72.6	70.7 125.2	73.5 127.6	68.7 112.2	78.9 91.9	78.7 83.4

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
90.	Other fractures of lower limbs (excluding femur)	M. F.	179.9 113.0	192.5 150.2	172.3 166.8	174.7 209.8	139.3 202.1	136.9 216.6	143.5 231.5	157.3 267.0	118.3 248.5	-- --	155.6 92.0
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F.	253.3 117.5	228.6 128.6	187.6 113.0	180.7 103.0	139.3 115.3	120.0 138.5	133.8 142.1	126.3 178.8	136.2 183.8	-- --	182.4 85.6
92.	Internal injury of chest, abdomen and pelvis	M. F.	27.9 6.3	30.4 8.1	26.7 7.4	31.0 8.7	26.8 9.6	27.2 14.2	23.9 8.0	20.2 13.1	25.7 16.2	-- --	28.9 8.7
93.	Burns	M. F.	50.4 24.7	40.2 26.3	35.1 27.0	36.7 23.8	40.8 21.3	34.2 37.8	52.3 36.0	44.4 36.9	105.4 28.3	-- --	72.2 42.0
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	553.3 349.3	609.1 363.9	595.9 337.1	608.5 360.3	545.6 373.2	546.4 457.8	593.4 493.7	639.8 709.2	735.2 846.5	-- --	664.9 393.2
95.	Medical or special examination (without sickness)	M. F.	12.8 11.9	15.5 12.3	18.5 9.6	12.0 10.0	10.6 10.8	13.6 7.4	14.2 9.3	14.8 8.3	5.1 4.0	-- --	7.8 8.6
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	1,358.0 1,277.2
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	80.1 88.6
98.	Other special admissions, examinations, etc.	M. F.	87.7 91.5	123.4 111.8	154.9 150.4	217.4 194.7	224.2 263.6	268.3 369.4	337.1 453.6	353.5 524.4	313.6 571.7	-- --	89.5 108.7

- 159 -



TABLE 6(e) PATIENT-DAY RATE PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA, (2) 1964

(1) See notes on page 180  
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	--	296	201	128	72	222	237	302	339	340	504
		--	169	177	162	84	256	161	289	409	330	417
2.	Poliomyelitis and encephalitis	--	550	614	716	908	455	164	442	386	525	460
		--	340	631	632	1,031	586	277	569	140	188	173
3.	Infectious hepatitis	--	175	146	411	565	512	601	608	514	439	356
		--	158	132	509	583	478	662	593	663	444	320
4.	Other diseases attributable to viruses	--	4,154	2,172	1,003	394	604	631	344	289	225	175
		--	3,624	1,940	901	363	733	617	221	218	237	210
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	--	10,314	2,369	1,046	622	395	519	644	582	548	467
		--	10,051	2,899	1,177	616	547	541	437	512	415	467
6.	Malignant neoplasm of buccal cavity and pharynx	--	18	2	5	9	16	10	16	81	86	320
		--	--	3	1	2	29	15	20	52	53	106
7.	Malignant neoplasm of stomach	--	--	--	--	--	3	3	39	52	150	437
		--	--	--	--	--	4	3	2	65	133	370
8.	Malignant neoplasm of large intestine except rectum	--	--	1	--	1	4	18	75	80	245	345
		--	--	--	--	4	5	41	94	164	407	605
9.	Malignant neoplasm of rectum	--	--	--	--	--	--	11	42	132	114	284
		--	--	--	--	--	4	7	14	60	133	366

1 160 1

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
1.	Tuberculosis, all forms	M. F.	596 300	606 407	1,215 534	1,255 438	1,330 542	1,056 743	1,294 725	1,245 628	1,671 554	421 297
2.	Polioomyelitis and encephalitis	M. F.	211 360	113 868	158 170	755 84	658 15	32 45	54 5,296	2,067 157	-- 4,059	-- 500 564
3.	Infectious hepatitis	M. F.	385 372	289 292	179 235	273 408	218 171	586 705	343 285	251 209	342 176	410 434
4.	Other diseases attributable to viruses	M. F.	177 228	198 314	275 478	319 562	494 810	1,010 994	1,382 2,002	1,337 2,144	1,828 1,729	-- 739 737
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	540 504	993 795	1,035 1,426	1,512 777	4,103 698	1,693 645	3,247 1,329	1,281 2,055	5,738 5,432	-- 1,260 1,153
6.	Malignant neoplasm of buccal cavity and pharynx	M. F.	450 232	880 333	1,363 480	1,745 507	2,259 785	4,727 669	3,633 1,428	6,551 2,092	7,085 1,986	-- 500 173
7.	Malignant neoplasm of stomach	M. F.	607 428	1,220 558	2,204 864	3,749 1,586	5,818 2,660	6,725 3,762	10,067 6,029	11,977 6,472	10,028 7,986	-- 909 532
8.	Malignant neoplasm of large intestine except rectum	M. F.	807 1,373	1,242 1,942	2,120 3,012	3,849 4,361	6,939 7,398	8,209 9,287	12,307 15,256	11,362 15,838	12,853 24,836	-- 1,024 1,455
9.	Malignant neoplasm of rectum	M. F.	580 559	1,295 1,118	2,139 1,239	3,771 2,367	5,274 3,435	6,340 4,321	8,886 7,283	11,153 5,759	13,728 8,691	-- 874 658

1  
161  
1

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
10.	Malignant neoplasm of bronchus, trachea and lung, primary and un- specified, as to whether primary or secondary	M. F.	-- --	8 8	1 --	-- --	6 14	10 13	19 3	53 64	252 120	796 218
11.	Malignant neoplasm of breast	M. F.	-- --	-- --	-- --	2 2	1 5	-- 32	-- 126	6 626	8 1,627	19 4,032
12.	Malignant neoplasm of cervix uteri	M. F.	-- 4	-- --	-- 1	-- --	-- --	-- 140	-- 677	-- 1,483	-- 2,458	-- 2,864
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- --	-- 1	-- --	-- 1	-- 3	-- 33	-- 37	-- 150	-- 317	-- 469
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F.	-- --	-- --	-- 3	-- 13	-- 20	-- 49	-- 62	-- 164	-- 361	-- 509
15.	Malignant neoplasm of prostate	M. F.	-- --	6 --	3 --	-- --	9 --	1 --	-- --	-- --	7 --	67 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	79 --	114 88	37 13	8 2	24 5	32 15	31 35	41 63	86 52	418 278
17.	Leukaemia and aleukaemia	M. F.	63 95	482 376	290 218	140 73	176 115	131 126	112 116	99 114	163 120	187 205
18.	Other malignant neo- plasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	496 183	521 339	319 272	336 320	799 602	741 451	916 613	1,354 975	1,706 1,445	2,439 2,382

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
10.	Malignant neoplasm of bronchus, trachea and lung, primary and unspecified as to whether primary or secondary	M. F. 1,195 592	3,353 1,078	6,050 1,288	9,521 1,348	12,144 1,468	13,696 1,884	11,083 2,052	8,050 2,862	6,010 1,295	-- --	1,682 358
11.	Malignant neoplasm of breast	M. F. 14 5,129	77 7,319	41 7,550	163 9,404	107 10,582	167 12,744	206 14,576	477 17,806	442 30,764	-- --	29 2,805
12.	Malignant neoplasm of cervix uteri	M. F. 2,772	-- 3,240	-- 3,105	-- 3,000	-- 3,090	-- 2,410	-- 4,198	-- 3,998	-- 13,911	-- --	-- 1,346
13.	Malignant neoplasm of uterus other than cervix uteri	M. F. 705	-- 1,387	-- 2,404	-- 2,297	-- 2,947	-- 2,751	-- 3,137	-- 3,107	-- 3,182	-- --	-- 582
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F. 1,282	-- 1,420	-- 2,009	-- 2,573	-- 2,002	-- 2,100	-- 1,739	-- 3,458	-- 731	-- --	-- 547
15.	Malignant neoplasm of prostate	M. F. 233	503 --	1,362 --	5,049 --	11,592 --	23,039 --	38,580 --	48,386 --	65,193 --	-- --	2,224 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F. 543 331	1,410 591	2,591 921	4,305 2,086	6,873 2,769	9,096 3,424	12,522 3,495	15,257 4,766	14,334 8,261	-- --	1,117 488
17.	Leukaemia and aleukaemia	M. F. 307 261	364 508	836 778	1,324 655	2,008 1,677	2,710 1,897	4,564 2,787	4,066 2,476	2,365 2,903	-- --	480 387
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. F. 4,220 4,104	5,478 6,372	9,044 9,754	14,562 11,885	18,718 14,967	22,096 19,167	21,575 22,271	27,363 29,167	41,622 30,507	-- --	3,613 3,475



TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
19.	Benign neoplasm of uterus	M. F.	-- --	-- --	-- 2	-- 4	-- 60	-- 397	-- 1,335	-- 3,091	-- 6,413	-- 11,440
20.	Benign neoplasm of ovary	M. F.	-- --	-- 1	-- 15	-- 96	-- 856	-- 2,020	-- 2,552	-- 2,506	-- 2,038	-- 1,894
21.	Benign neoplasm (excluding uterus and ovary) and neo- plasm of unspecified nature	M. F.	2,226 2,709	577 652	504 523	516 559	1,021 1,646	2,017 2,077	1,735 2,207	1,266 2,311	1,386 2,490	1,452 2,868
22.	Asthma	M. F.	2,219 1,248	1,466 765	678 499	477 342	302 382	234 475	219 493	282 572	410 868	836 1,111
23.	Other allergic disorders (excluding asthma)	M. F.	2,472 1,721	720 429	225 164	165 164	146 231	165 284	171 317	146 229	160 259	155 327
24.	Diseases of thyroid gland	M. F.	207 384	20 62	34 56	52 167	144 555	135 859	146 1,059	228 1,812	177 1,517	255 1,917
25.	Diabetes mellitus	M. F.	84 93	220 229	415 384	583 753	694 815	538 899	781 1,104	1,116 1,023	1,294 1,154	1,820 1,891
26.	Diseases of other endocrine glands	M. F.	389 380	188 111	85 94	134 144	187 301	133 489	63 702	109 391	146 440	170 429
27.	Avitaminoses and other metabolic diseases	M. F.	3,446 3,083	963 1,195	237 173	194 279	144 494	176 616	156 625	375 612	454 665	466 849
28.	Diseases of the blood and blood-forming organs	M. F.	3,857 2,736	1,641 1,278	775 447	560 379	442 553	321 524	224 652	228 828	230 1,013	429 1,393
29.	Psychoses	M. F.	48 67	18 46	49 54	161 228	1,278 1,675	2,020 3,060	1,141 3,291	3,053 4,334	2,148 4,038	2,433 4,043

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
19.	Benign neoplasm of uterus	M. F.	12,863	7,382	2,736	1,784	1,475	1,348	895	809	1,149	--	2,814
20.	Benign neoplasm of ovary	M. F.	1,280	836	602	775	740	802	499	461	259	--	1,013
21.	Benign neoplasms (excluding uterus and ovary) and neo- plasm of unspeci- fied nature	M. F.	1,886 3,204	2,735 3,338	3,291 3,352	4,615 3,637	4,622 4,518	5,256 5,334	6,426 5,079	5,548 7,502	5,925 5,566	--	1,720 2,175
22.	Asthma	M. F.	1,098 1,484	1,502 2,193	2,466 2,699	3,216 2,609	5,157 3,348	5,334 3,723	4,421 4,193	8,899 2,976	12,003 1,461	--	1,257 1,113
23.	Other allergic dis- orders (excluding asthma)	M. F.	143 275	210 323	131 246	231 292	231 219	146 170	251 268	449 362	236 315	--	284 296
24.	Diseases of thyroid gland	M. F.	318 2,476	655 2,610	1,019 2,465	581 2,485	693 2,225	772 3,065	487 2,061	980 1,756	188 709	--	248 1,177
25.	Diabetes mellitus	M. F.	2,893 3,029	4,324 5,481	6,991 10,297	9,857 17,659	15,834 25,000	25,153 34,472	31,117 43,328	32,480 59,795	37,388 47,176	--	3,282 4,986
26.	Diseases of other endocrine glands	M. F.	227 363	159 397	180 367	281 498	365 457	583 350	124 452	202 218	1,136 61	--	174 330
27.	Avitaminoses and other metabolic diseases	M. F.	689 956	843 1,015	928 1,297	971 2,016	1,254 1,282	1,284 2,112	1,999 973	3,505 2,188	5,008 3,166	--	624 848
28.	Diseases of the blood and blood-forming organs	M. F.	568 1,554	737 1,665	1,397 2,017	2,013 3,306	2,841 4,127	5,036 6,646	7,364 9,809	10,000 11,498	10,416 25,515	--	1,120 1,626
29.	Psychoses	M. F.	2,410 4,424	3,206 5,121	3,996 5,385	3,365 9,310	6,936 7,068	6,373 6,576	11,523 12,318	15,716 20,271	18,494 37,905	--	2,068 3,344

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
30.	Psychoneurotic disorders											
	M.	--	47	51	188	405	1,109	2,573	2,781	3,389	4,135	5,144
	F.	--	52	91	218	808	4,149	7,297	9,924	11,439	10,931	11,324
31.	Disorders of character, behaviour, and intel- ligence											
	M.	--	734	910	537	493	965	712	849	1,248	1,809	2,987
	F.	--	884	813	244	405	1,063	882	688	1,311	800	1,566
32.	Vascular lesions affecting central nervous system											
	M.	--	1,145	338	349	227	324	332	221	325	817	1,128
	F.	--	662	445	662	297	332	283	347	437	401	1,060
33.	Inflammatory and other diseases of central nervous system											
	M.	--	7,207	2,337	1,531	1,132	2,648	3,362	2,366	4,358	6,252	8,708
	F.	--	4,983	1,950	1,415	1,316	1,789	1,721	3,075	4,034	6,236	6,227
34.	Diseases of nerves and peripheral ganglia											
	M.	--	109	101	103	140	202	337	367	523	794	909
	F.	--	126	51	99	189	300	520	756	749	1,022	1,149
35.	Diseases and conditions of the eye											
	M.	--	1,095	1,234	1,042	658	653	724	680	723	762	990
	F.	--	1,067	1,160	893	439	479	491	459	460	588	800
36.	Diseases of ear and mastoid process											
	M.	--	12,921	4,062	1,645	965	620	517	544	622	676	781
	F.	--	9,673	3,060	1,241	891	641	623	695	811	886	1,081
37.	Rheumatic fever and chronic rheumatic heart disease											
	M.	--	84	240	989	1,196	637	407	579	722	943	1,045
	F.	--	64	232	1,000	1,226	811	806	1,087	1,401	1,514	2,002
38.	Arteriosclerotic and degenerative heart disease											
	M.	--	74	33	68	49	53	156	343	1,477	3,833	9,273
	F.	--	114	22	28	23	69	202	218	389	1,439	3,166
39.	Other diseases of the heart											
	M.	--	421	263	172	143	174	227	286	486	469	770
	F.	--	448	146	274	151	136	237	361	632	630	1,075

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
19.	Benign neoplasm of uterus	M. F.	12,863 7,382	2,736 --	1,784 --	1,475 --	1,348 --	895 --	809 --	1,149 --	--	2,814
20.	Benign neoplasm of ovary	M. F.	1,280 --	602 --	775 --	740 --	802 --	499 --	461 --	259 --	--	1,013
21.	Benign neoplasms (excluding uterus and ovary) and neo- plasm of unspeci- fied nature	M. F.	1,886 3,204	3,291 3,352	4,615 3,637	4,622 4,518	5,256 5,334	6,426 5,079	5,548 7,502	5,925 5,566	--	1,720 2,175
22.	Asthma	M. F.	1,098 1,484	2,466 2,699	3,916 2,609	5,157 3,348	5,334 3,723	4,421 4,193	8,899 2,976	12,003 1,461	--	1,257 1,113
23.	Other allergic dis- orders (excluding asthma)	M. F.	143 275	131 246	231 292	231 219	146 170	251 268	449 362	236 315	--	284 296
24.	Diseases of thyroid gland	M. F.	318 2,476	1,019 2,465	581 2,485	693 2,225	772 3,065	487 2,061	980 1,756	188 709	--	248 1,177
25.	Diabetes mellitus	M. F.	2,893 3,029	4,324 5,481	6,991 10,297	9,857 17,659	25,153 34,472	31,117 43,328	32,480 59,795	37,388 47,176	--	3,282 4,986
26.	Diseases of other endocrine glands	M. F.	227 363	159 397	180 367	281 498	365 457	583 350	202 218	1,136 61	--	174 330
27.	Avitaminoses and other metabolic diseases	M. F.	689 956	843 1,015	928 1,297	971 2,016	1,284 2,112	1,999 973	3,505 2,188	5,008 3,166	--	624 848
28.	Diseases of the blood and blood-forming organs	M. F.	568 1,554	737 1,665	1,397 2,017	2,013 3,306	5,036 6,646	7,364 9,809	10,000 11,498	10,416 25,515	--	1,120 1,626
29.	Psychoses	M. F.	2,410. 4,424	3,206 5,121	3,996 5,385	3,365 9,310	6,373 6,576	11,523 12,318	15,716 20,271	18,494 37,905	--	2,068 3,344



TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
30.	Psychoneurotic disorders	--	47 52	51 91	188 218	405 808	1,109 4,149	2,573 7,297	2,781 9,924	3,389 11,439	4,135 10,931	5,144 11,324
31.	Disorders of character, behaviour, and intel- ligence	--	734 884	910 813	537 244	493 405	965 1,063	712 882	849 688	1,248 1,311	1,809 800	2,987 1,568
32.	Vascular lesions affecting central nervous system	--	1,145 662	338 445	349 662	227 297	324 332	332 283	221 347	325 437	817 401	1,128 1,060
33.	Inflammatory and other diseases of central nervous system	--	7,207 4,983	2,337 1,950	1,531 1,415	1,132 1,316	2,648 1,789	3,362 1,721	2,366 3,075	4,358 4,034	6,252 6,236	8,708 6,227
34.	Diseases of nerves and peripheral ganglia	--	109 126	101 51	103 99	140 189	202 300	337 520	367 756	523 749	794 1,022	909 1,149
35.	Diseases and conditions of the eye	--	1,095 1,067	1,234 1,160	1,042 893	658 439	653 479	724 491	680 459	723 460	762 588	990 800
36.	Diseases of ear and mastoid process	--	12,921 9,673	4,062 3,060	1,645 1,241	965 891	620 641	517 623	544 695	622 811	676 886	781 1,081
37.	Rheumatic fever and chronic rheumatic heart disease	--	84 64	240 232	989 1,000	1,196 1,226	637 811	407 806	579 1,087	722 1,401	943 1,514	1,045 2,002
38.	Arteriosclerotic and degenerative heart disease	--	74 114	33 22	68 28	49 23	53 69	156 202	343 218	1,477 389	3,833 1,439	9,273 3,166
39.	Other diseases of the heart	--	421 448	263 146	172 274	143 151	174 136	227 237	286 361	486 632	469 630	770 1,075

1 166 1

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
30.	Psychoneurotic disorders	M. F. 5,180 10,309	4,970 9,940	4,928 9,712	4,164 8,997	4,145 8,358	2,970 7,087	2,596 5,351	1,552 3,042	3,509 6,218	-- --	2,417 6,051
31.	Disorders of character, behaviour, and intel- ligence	M. F. 2,753 1,298	2,600 885	2,570 4,401	1,622 812	1,419 8,435	2,035 374	792 5,375	827 1,124	1,805 1,842	-- --	1,333 1,266
32.	Vascular lesions affecting central nervous system	M. F. 2,919 2,397	4,808 4,463	11,650 9,817	22,435 14,913	36,096 35,249	61,974 70,606	98,058 120,165	144,468 217,845	190,370 251,026	-- --	7,423 9,426
33.	Inflammatory and other diseases of central nervous system	M. F. 5,427 9,365	11,250 10,066	16,952 13,536	22,421 22,247	28,569 28,000	43,845 43,045	60,224 70,839	91,050 103,095	176,087 207,309	-- --	9,274 9,544
34.	Diseases of nerves and peripheral ganglia	M. F. 1,197 1,469	1,300 1,395	1,513 1,486	1,625 1,905	1,633 2,425	3,103 3,025	2,478 2,300	2,780 3,861	2,131 5,913	-- --	658 845
35.	Diseases and conditions of the eye	M. F. 1,376 1,197	2,188 2,172	3,329 3,306	4,881 4,897	7,951 7,963	10,721 12,771	12,848 14,158	14,457 15,303	20,075 25,970	-- --	1,914 1,972
36.	Diseases of ear and mastoid process	M. F. 772 1,090	801 1,238	815 1,221	956 1,276	753 1,589	741 1,052	2,396 855	875 3,934	463 7,954	-- --	1,472 1,432
37.	Rheumatic fever and chronic rheumatic heart disease	M. F. 1,220 2,501	1,521 3,660	1,459 3,345	1,416 2,715	1,286 2,613	1,733 2,363	874 2,532	754 3,105	465 3,406	-- --	893 1,523
38.	Arteriosclerotic and degenerative heart disease	M. F. 16,245 5,246	26,068 11,242	33,591 20,805	56,562 35,140	69,193 58,124	100,109 82,201	149,642 136,153	220,438 247,428	328,982 358,137	-- --	15,554 13,016
39.	Other diseases of the heart	M. F. 1,152 1,062	2,302 2,087	3,947 3,283	7,347 5,056	11,324 8,862	19,028 17,735	34,098 30,829	42,272 40,677	72,581 74,069	-- --	2,595 2,640

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
40.	Hypertensive heart diseases and other hypertensive disease	M. F.	12 5	13 15	35 11	23 37	77 100	169 228	250 295	474 578	792 898	1,210 1,609
41.	Diseases of arteries	M. F.	9 34	11 11	12 22	81 42	71 106	123 141	152 246	301 321	727 351	1,122 564
42.	Varicose veins of lower extremities	M. F.	8 3	4 1	1 --	5 1	26 37	127 451	256 1,459	468 2,492	583 3,290	963 3,962
43.	Haemorrhoids	M. F.	6 1	5 2	1 3	2 --	88 103	457 582	1,002 1,001	1,550 1,520	1,960 1,924	2,450 2,149
44.	Phlebitis and thrombophlebitis	M. F.	-- 3	7 5	1 3	9 12	29 98	77 288	118 481	219 524	224 752	497 1,006
45.	Other diseases of the circulatory system	M. F.	666 654	889 752	1,019 965	694 708	425 547	310 364	374 409	330 394	388 600	531 478
46.	Acute upper respir- atory infections	M. F.	19,372 15,504	6,836 5,308	1,497 1,399	546 735	499 826	536 677	373 505	358 436	310 355	276 363
47.	Influenza	M. F.	2,992 2,849	885 802	357 371	278 252	244 401	239 416	225 391	227 365	232 361	312 400
48.	Pneumonia	M. F.	64,150 45,104	14,605 11,770	3,632 3,126	1,771 1,560	1,335 1,130	1,054 1,324	1,215 1,616	1,535 2,169	1,846 2,153	2,455 2,597
49.	Bronchitis	M. F.	30,147 21,338	6,836 4,947	1,314 1,124	539 495	346 628	328 767	395 921	466 1,066	683 1,044	1,243 1,221
50.	Hypertrophy of tonsils and adenoids	M. F.	516 311	6,809 5,522	7,197 7,541	2,130 3,138	1,293 3,192	1,455 2,255	1,186 1,362	863 967	542 562	295 363

TABLE 6(a) (Cont'd.)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
40.	Hypertensive heart diseases and other hypertensive disease	M. 1,991 F. 2,723	2,888 4,384	4,579 6,469	6,143 11,061	8,346 14,749	12,282 19,786	17,334 30,424	23,277 70,687	42,378 87,244	-- --	1,913 3,689
41.	Diseases of arteries	M. 2,496 F. 814	3,514 1,509	5,796 2,772	11,476 3,967	15,653 6,949	28,148 19,482	42,747 39,909	72,542 86,445	174,488 150,855	-- --	3,962 3,363
42.	Varicose veins of lower extremities	M. 1,207 F. 4,164	1,582 4,451	1,964 5,303	2,665 5,269	2,761 5,382	2,297 9,773	2,516 4,969	2,915 9,485	2,537 6,101	-- --	652 2,154
43.	Haemorrhoids	M. 2,495 F. 2,270	2,530 2,183	2,563 1,941	2,373 1,717	2,113 1,344	1,636 1,419	1,553 1,201	1,168 746	1,013 576	-- --	1,047 939
44.	Phlebitis and thrombophlebitis	M. 460 F. 1,232	802 1,482	1,016 1,677	1,412 2,289	1,461 3,454	1,726 3,261	2,908 3,458	1,909 2,449	977 4,935	-- --	360 763
45.	Other diseases of the circulatory system	M. 662 F. 584	1,118 785	1,217 1,177	2,098 1,734	2,109 1,594	3,600 2,369	3,407 2,392	3,367 2,349	6,455 3,261	-- --	889 808
46.	Acute upper respir- atory infections	M. 287 F. 372	316 553	352 549	441 617	512 567	530 744	732 843	978 943	1,041 1,554	-- --	1,621 1,464
47.	Influenza	M. 322 F. 457	452 564	633 708	647 973	964 1,216	1,149 1,440	1,697 2,171	2,833 3,125	3,321 4,224	-- --	522 633
48.	Pneumonia	M. 2,818 F. 2,750	4,255 3,700	5,536 4,481	9,239 5,765	11,462 8,535	18,375 12,940	25,347 20,674	38,277 26,000	65,843 45,612	-- --	6,665 5,433
49.	Bronchitis	M. 1,993 F. 1,847	3,260 2,229	5,165 2,863	8,592 3,850	11,246 4,838	15,778 5,113	18,617 5,428	21,181 8,073	19,077 9,188	-- --	3,683 2,420
50.	Hypertrophy of tonsils and adenoids	M. 186 F. 215	96 156	80 177	46 93	45 42	91 37	78 60	44 55	-- 26	-- --	2,142 2,360



TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
51.	Other diseases of respiratory system	--	5,768 3,770	1,724 1,174	904 689	685 616	1,610 1,331	2,036 1,554	2,003 1,702	1,849 1,683	2,040 1,691	2,546 1,887
52.	Diseases of teeth and supporting structure	--	180 89	231 266	302 358	191 224	416 689	520 810	423 652	311 491	277 466	290 434
53.	Ulcer of stomach, duodenum and jejunum	--	48 22	23 15	61 69	142 85	610 393	2,030 317	3,445 1,179	4,555 1,804	5,980 2,683	7,821 3,485
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	--	1,660 1,181	178 219	171 175	182 219	348 691	713 1,065	1,032 1,325	1,252 1,347	1,605 1,481	1,928 1,656
55.	Appendicitis	--	56 43	720 550	2,694 2,657	4,527 4,276	3,898 5,174	3,224 3,321	2,314 2,210	1,905 1,524	1,726 1,122	1,496 960
56.	Hernia of abdominal cavity	--	9,499 2,852	2,887 713	1,516 366	649 138	1,095 254	2,051 466	2,277 828	2,685 1,444	3,451 2,063	4,488 3,013
57.	Intestinal obstruction without mention of hernia	--	870 486	175 116	135 89	111 64	139 107	185 230	222 285	185 471	226 547	287 791
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	--	43,579 36,002	5,659 4,610	699 677	453 421	336 496	396 701	356 713	435 604	435 700	489 838
59.	Chronic enteritis and ulcerative colitis	--	223 183	70 42	44 41	67 45	301 301	501 488	546 790	529 640	666 770	763 828

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
51.	Other diseases of respiratory system	M. F. 2,998 2,187	4,453 2,595	5,022 3,142	8,243 4,265	12,920 4,885	17,005 5,534	15,020 6,487	17,210 8,277	23,720 8,173	-- --	3,327 2,001
52.	Diseases of teeth and supporting structure	M. F. 268 420	234 375	233 329	200 355	186 288	196 139	160 143	133 178	185 107	-- --	291 417
53.	Ulcer of stomach, duodenum and jejunum	M. F. 9,676 4,607	12,100 4,915	13,380 5,247	14,742 5,467	15,463 6,322	16,046 6,481	17,319 7,815	13,603 8,467	22,967 8,782	-- --	4,950 2,152
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. F. 2,107 1,818	2,219 1,973	2,210 2,432	2,482 2,190	2,615 2,403	3,108 2,506	4,618 3,093	3,974 3,766	3,769 4,378	-- --	1,184 1,191
55.	Appendicitis	M. F. 1,472 983	1,558 1,564	1,558 915	1,519 1,056	1,438 907	1,646 1,200	1,730 905	1,957 1,261	1,257 760	-- --	2,282 2,089
56.	Hernia of abdominal cavity	M. F. 5,916 3,617	7,875 3,847	9,795 4,786	12,859 5,488	13,321 6,510	15,620 7,201	17,140 7,091	16,903 9,080	18,650 10,752	-- --	4,433 2,071
57.	Intestinal obstruction without mention of hernia	M. F. 503 1,031	777 1,095	1,090 1,401	1,779 1,953	2,327 1,778	2,774 3,112	3,632 4,401	4,988 5,905	4,781 7,818	-- --	541 715
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M. F. 474 917	682 1,164	726 1,207	949 1,533	1,160 2,370	1,739 2,192	2,343 3,335	2,355 4,787	5,278 4,966	-- --	2,134 2,098
59.	Chronic enteritis and ulcerative colitis	M. F. 1,025 1,213	1,367 1,754	1,572 2,309	2,474 3,454	3,056 4,648	4,517 6,507	4,937 10,036	5,382 11,472	5,735 14,523	-- --	815 1,247

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
60.	Cirrhosis and other diseases of liver	M. F.	276 186	63 64	105 143	90 118	85 219	129 245	254 273	420 477	787 831	1,290 981
61.	Diseases of gall-bladder and pancreas	M. F.	881 924	193 258	86 111	68 148	138 1,461	442 6,041	867 7,835	1,775 8,712	2,663 9,529	3,850 10,718
62.	Other diseases of digestive system	M. F.	3,702 2,806	1,254 1,150	529 448	485 471	548 834	764 1,430	1,110 1,530	1,460 1,813	1,787 2,138	2,200 2,460
63.	Nephritis and nephrosis	M. F.	533 317	1,306 988	1,270 1,047	946 681	636 559	526 445	531 413	433 526	720 450	492 577
64.	Infections of kidney	M. F.	1,467 1,763	448 1,461	400 1,437	321 793	298 1,361	351 1,794	391 1,505	415 1,726	531 1,503	530 1,531
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	3 2	30 5	30 25	25 45	158 187	570 593	1,083 926	1,342 857	1,578 887	1,857 979
66.	Other diseases of urinary system	M. F.	1,675 1,323	1,047 1,744	783 1,638	510 727	578 850	780 1,304	746 1,708	959 2,020	1,027 1,834	1,178 2,433
67.	Hyperplasia of prostate	M. F.	9 --	3 --	1 --	4 --	1 --	24 --	22 --	50 --	89 --	244 --
68.	Redundant prepuce and phimosis	M. F.	1,592 --	600 --	261 --	244 --	186 --	1,571 --	269 --	167 --	140 --	105 --
69.	Diseases of ovary, Fallopian tube and parametrium, and infective disease of uterus, vagina and vulva	M. F.	-- 31	-- 91	-- 84	-- 247	-- 2,119	-- 6,022	-- 7,008	-- 6,820	-- 6,285	-- 5,260

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
60.	Cirrhosis and other diseases of liver	M. F. 1,812 1,350	2,477 1,536	2,752 2,126	3,931 1,953	3,828 2,214	4,936 1,617	3,305 2,175	2,292 2,099	2,326 1,661	-- --	955 698
61.	Diseases of gall- bladder and pancreas	M. F. 4,704 12,136	6,377 15,362	7,317 18,271	9,843 19,535	11,464 21,895	13,980 21,795	16,083 23,021	14,226 25,558	14,869 29,853	-- --	2,841 7,620
62.	Other diseases of digestive system	M. F. 2,617 2,765	2,832 3,091	3,240 3,185	3,730 4,353	4,443 4,472	4,957 5,284	6,136 5,702	7,888 8,131	10,810 11,661	-- --	1,780 1,995
63.	Nephritis and nephrosis	M. F. 655 463	821 458	910 548	1,099 686	1,039 1,820	3,090 1,779	1,503 2,916	1,991 3,336	3,247 1,222	-- --	903 758
64.	Infections of kidney	M. F. 706 1,486	1,093 2,026	1,225 2,255	1,859 2,349	1,883 3,218	3,568 3,766	5,176 4,211	6,608 6,281	12,165 6,127	-- --	826 1,745
65.	Calculi of kidney, ureter and other parts of urinary system	M. F. 2,481 1,009	2,809 1,350	3,168 1,484	3,448 1,470	3,144 1,370	3,363 1,454	3,614 1,247	2,532 903	4,902 459	-- --	1,185 629
66.	Other diseases of urinary system	M. F. 1,370 2,542	1,664 3,059	2,528 3,295	3,781 3,859	5,725 4,799	8,467 5,832	11,869 5,202	17,612 7,787	22,532 13,093	-- --	1,737 2,163
67.	Hyperplasia of prostate	M. F. 637 --	2,476 --	6,549 --	16,005 --	26,488 --	41,020 --	51,845 --	69,414 --	83,355 --	-- --	4,095
68.	Redundant prepuce and phimosis	M. F. 133 --	122 --	182 --	141 --	206 --	307 --	355 --	551 --	578 --	-- --	366
69.	Diseases of ovary, Fallopian tube and parametrium, and in- fective disease of uterus, vagina and vulva	M. F. 3,983 --	2,365 --	1,418 --	1,379 --	1,297 --	960 --	965 --	1,087 --	713 --	-- --	2,792



TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
70.	Uterovaginal prolapse	M. F.	-- --	-- 9	-- 4	-- 1	-- 27	-- 273	-- 1,227	-- 2,898	-- 4,771	-- 6,490
71.	Disorders of menstruation	M. F.	-- --	-- 3	-- 4	-- 231	-- 1,377	-- 2,841	-- 3,312	-- 3,824	-- 4,045	-- 4,129
72.	Other diseases of genital organs	M. F.	-- --	599 36	344 71	380 84	615 674	686 2,717	722 3,918	749 3,944	864 3,535	1,114 4,416
73.	Complications of pregnancy	M. F.	-- --	-- --	-- 1	-- 17	-- 4,413	-- 15,351	-- 14,299	-- 10,259	-- 6,537	-- 2,776
74.	Abortion	M. F.	-- --	-- --	-- --	-- 10	-- 1,655	-- 7,534	-- 8,455	-- 7,113	-- 5,534	-- 3,058
75.	Delivery without mention of compli- cations	M. F.	-- --	-- --	-- --	127	25,005	106,324	100,292	65,873	35,188	12,117
76.	Delivery with speci- fied complications	M. F.	-- --	-- --	-- --	28	6,241	23,624	24,568	17,911	11,492	4,603
77.	Complications of the puerperium	M. F.	-- --	-- --	-- --	2	560	2,687	2,490	2,299	1,506	666
78.	Infection of skin and subcutaneous tissue	M. F.	4,293 4,038	2,504 2,589	1,207 1,010	1,023 837	1,121 739	871 671	759 638	708 675	928 608	969 767
79.	Other diseases of skin and subcutaneous tissue	M. F.	11,778 6,637	1,192 1,358	689 767	925 1,013	1,350 1,452	1,051 1,501	1,044 1,459	1,133 1,654	1,248 1,628	1,394 1,822

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
70.	Uterovaginal prolapse	M. F.	7,373	7,427	8,526	9,605	10,235	8,761	6,718	4,062	2,024	--	3,074
71.	Disorders of menstruation	M. F.	4,065	2,426	916	481	344	282	223	288	97	--	1,741
72.	Other diseases of genital organs	M. F.	1,280 4,981	1,813 3,425	2,132 1,618	2,878 1,406	3,901 1,223	4,093 1,076	4,582 1,306	5,371 672	16,226 428	--	1,185 1,923
73.	Complications of pregnancy	M. F.	-- 349	-- 42	-- 11	-- --	-- --	-- --	-- --	-- --	-- --	--	3,614
74.	Abortion	M. F.	-- 548	-- 41	-- 1	-- --	-- --	-- --	-- --	-- --	-- --	--	2,238
75.	Delivery without mention of compli- cations	M. F.	-- 970	-- 38	-- 4	-- --	-- --	-- --	-- --	-- --	-- --	--	23,069
76.	Delivery with speci- fied complications	M. F.	-- 488	-- 14	-- 1	-- --	-- --	-- --	-- --	-- --	-- --	--	5,921
77.	Complications of the puerperium	M. F.	-- 85	-- 3	-- --	-- --	-- --	-- 38	-- --	-- --	-- --	--	683
78.	Infection of skin and subcutaneous tissue	M. F.	1,036 888	1,098 1,067	1,330 1,140	1,547 1,139	1,766 1,133	2,152 1,545	2,157 1,698	2,419 2,503	3,861 2,420	--	1,331 1,130
79.	Other diseases of skin and subcutaneous tissue	M. F.	1,683 2,220	2,099 3,221	2,693 3,158	2,778 3,692	4,253 3,549	5,573 4,580	5,585 5,887	8,804 9,739	9,201 8,162	--	1,871 2,075

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
80.	Arthritis and rheumatism, except rheumatic fever	--	297 203	225 423	480 409	555 611	604 757	1,027 1,354	1,382 1,542	1,993 2,152	2,810 3,407	3,984 5,093
81.	Displacement of inter- vertebral disc	--	--	2 4	5 6	34 16	319 245	952 744	2,261 1,527	3,644 2,543	4,556 3,750	5,327 4,133
82.	Other diseases of bones and organs of movement	--	3,007 1,774	1,999 1,410	2,956 1,422	2,924 2,750	3,089 2,308	2,697 2,120	2,474 1,682	2,956 1,998	3,157 2,623	4,764 3,508
83.	Congenital malform- ations	--	30,087 25,404	5,156 5,526	2,972 2,361	2,168 1,912	1,481 1,595	1,099 1,366	883 1,292	816 935	806 990	790 992
84.	Certain diseases of early infancy	--	30,034 26,438	94 117	9 24	1 12	1 6	-- 1	3 1	1 3	-- 4	-- --
85.	Symptoms, senility, and ill-defined conditions	--	5,969 4,828	2,264 2,036	1,635 1,519	1,521 1,545	1,140 2,110	1,316 2,565	1,669 2,691	1,756 2,708	2,004 2,719	2,441 3,098
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	--	1,756 1,533	1,721 1,215	1,771 881	1,282 546	2,914 1,145	3,597 979	2,660 635	2,035 719	1,908 694	1,862 703
87.	Fracture of spine and trunk	--	122 28	109 85	180 140	374 309	1,887 1,145	2,942 1,039	2,179 831	2,695 803	1,963 882	1,768 866
88.	Fracture of upper limb	--	184 199	455 350	1,145 667	1,287 575	1,250 396	1,181 324	810 294	817 272	838 340	833 548
89.	Fracture of femur	--	1,186 893	1,902 1,013	1,949 877	1,393 553	1,534 700	1,660 481	1,746 248	1,078 241	1,014 398	1,222 671

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
80.	Arthritis and rheumatism, except rheumatic fever	M. F.	6,431 6,482	7,232 11,625	11,382 16,489	12,860 19,130	11,917 25,350	16,626 47,842	31,008 50,320	29,845 77,254	64,663 131,952	-- --	4,082 7,302
81.	Displacement of inter- vertebral disc	M. F.	4,913 4,163	5,016 4,199	4,400 3,213	3,015 2,603	2,255 1,872	1,695 2,064	1,375 1,493	905 1,148	4,136 1,026	-- --	2,032 1,634
82.	Other diseases of bones and organs of movement	M. F.	3,524 4,252	4,135 5,301	5,862 5,740	5,669 6,776	6,956 7,225	5,823 10,095	9,709 14,087	7,749 19,819	15,555 42,576	-- --	3,593 3,598
83.	Congenital malform- ations	M. F.	821 986	1,496 856	808 767	733 690	654 763	864 415	521 368	364 589	121 1,097	-- --	2,508 2,341
84.	Certain diseases of early infancy	M. F.	-- --	-- --	2 --	5 14	15 5	8 --	-- --	-- 12	-- --	-- --	1,206 942
85.	Symptoms, senility and ill-defined conditions	M. F.	2,922 3,334	3,346 3,964	4,022 3,650	4,308 5,332	5,130 5,634	8,041 6,667	10,895 14,712	19,218 21,951	42,728 37,863	-- --	2,822 3,365
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	M. F.	1,811 893	2,191 962	2,249 686	2,378 1,111	1,839 892	2,064 1,436	2,212 2,275	3,849 1,887	5,635 4,675	-- --	2,133 945
87.	Fracture of spine and trunk	M. F.	2,408 1,402	2,711 1,653	4,093 2,276	3,340 2,990	3,469 4,170	6,053 5,367	5,643 9,161	8,569 16,496	10,141 25,949	-- --	1,926 1,464
88.	Fracture of upper limb	M. F.	888 737	1,082 1,266	1,149 1,804	1,606 2,553	1,643 3,109	1,589 5,103	2,588 6,594	3,671 9,785	5,447 15,501	-- --	1,079 1,058
89.	Fracture of femur	M. F.	1,355 1,209	2,170 2,650	2,228 4,367	3,518 7,037	6,292 14,108	11,496 30,160	22,696 58,009	40,161 137,406	86,386 264,729	-- --	2,930 5,755



TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
90.	Other fractures of lower limbs (excluding femur)	M. F.	132 129	759 366	1,164 495	2,350 703	2,927 867	2,438 736	2,560 881	2,486 933	2,996 1,411
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F.	91 56	162 93	397 278	1,622 840	2,169 805	2,323 689	2,707 861	2,817 1,037	2,723 1,065
92.	Internal injury of chest, abdomen and pelvis	M. F.	9 5	231 133	243 80	589 171	791 203	567 101	554 105	369 102	510 112
93.	Burns	M. F.	1,524 858	1,230 861	771 334	793 431	1,127 413	981 302	1,015 391	964 301	857 350
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	1,507 1,332	2,442 1,477	2,915 1,255	4,489 2,113	5,553 2,149	4,542 2,020	4,073 2,627	4,004 2,337	4,349 2,556
95.	Medical or special examination (without sickness)	M. F.	109 114	14 17	12 14	7 18	12 21	10 29	16 25	14 20	29 25
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
98.	Other special admissions, examinations, etc.	M. F.	1,896 1,748	386 270	453 409	966 704	1,166 734	1,381 960	1,525 1,081	1,275 1,141	1,388 1,444

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
90.	Other fractures of lower limbs (excluding femur)	M. F.	2,836 1,976	3,566 2,444	3,311 2,968	3,481 4,067	5,029 4,899	3,299 5,761	4,537 9,391	4,871 11,871	4,159 10,505	-- --	2,169 1,560
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F.	2,537 1,196	2,334 1,369	1,972 1,073	1,764 1,112	1,583 1,274	1,229 2,168	1,393 1,544	1,315 2,125	1,956 2,786	-- --	1,530 767
92.	Internal injury of chest, abdomen and pelvis	M. F.	415 123	417 142	341 127	497 94	514 147	344 309	415 77	429 188	275 345	-- --	397 120
93.	Burns	M. F.	1,053 500	766 519	575 678	912 562	1,203 623	666 990	1,510 1,063	915 1,075	4,524 840	-- --	1,182 695
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	4,440 3,117	5,179 3,032	5,365 3,525	6,085 3,520	5,990 5,049	5,877 5,603	7,228 6,863	11,090 9,878	9,409 12,857	-- --	4,241 2,605
95.	Medical or special examination (without sickness)	M. F.	32 27	35 31	35 19	29 19	23 33	35 25	43 23	39 21	13 18	-- --	21 23
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	7,777 7,167
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	1,483 1,616
98.	Other special admissions, examinations, etc.	M. F.	1,597 2,081	2,617 2,492	3,197 4,292	5,204 5,677	5,531 9,203	6,710 13,950	11,966 18,962	12,300 20,859	32,296 30,222	-- --	1,894 2,373

- 179 -

NOTES: TABLE 6

Hospitalized patients may be classified as PLAN or NON-PLAN according to the responsibility for payment of hospitalization costs. Basically Table 6 presents data from nine provinces (Newfoundland, Prince Edward Island, New Brunswick, Quebec, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia) and two territories (Yukon and Northwest Territories) concerning in-patients separated from general hospitals and chronic hospitals including patients hospitalized out-of-province) who were insured under a provincial or territorial hospital insurance plan. However, Table 6 should not be considered as an exact representation of the combined provincial-plan experience of these provinces and territories because of the inclusion in some provinces of NON-PLAN separations and patient-days and exclusion in some provinces of certain categories of PLAN separations and patient days. Thus the provinces and territories have added to, or deleted from, the basic PLAN data as follows:

1. NEWFOUNDLAND:- Included: PLAN patients only, including separations from chronic facilities. Excluded: All newborns.
2. PRINCE EDWARD ISLAND:- Included: PLAN and NON-PLAN patients from general hospitals and chronic units in general hospitals. Included in the NON-PLAN group were (i) patients who were the responsibility of the Department of Veterans Affairs and the Workmen's Compensation Board (ii) insured residents not the responsibility of the Provincial Plan (iii) non-residents.
3. NEW BRUNSWICK:- Included: PLAN and NON-PLAN patients. Excluded: Non-residents.
4. QUEBEC:- Included: PLAN and NON-PLAN patients from general hospitals and chronic hospitals. Included in the NON-PLAN group were (i) patients who were the responsibility of the Federal Government and the Workmen's Compensation Board (ii) non-residents (iii) uninsured residents.
5. ONTARIO:- Data is based on claims processed Jan. 1 - Dec. 31, 1964. Included: PLAN and NON-PLAN patients from general hospitals and chronic hospitals, including chronic wings of general hospitals, as follows: (i) Ontario residents hospitalized in public and private hospitals as well as those patients in federal hospitals for whom the Ontario Hospital Services Commission was responsible (ii) insured Ontario residents hospitalized in out-of-province hospitals. Excluded: (i) approximately 16,000 separations and 170,000 days of care for out-of-province residents hospitalized in Ontario hospitals (ii) approximately 3,000 separations and 39,000 days of care for whom age was unspecified (iii) newborns. (Note: 1963 Hospital Morbidity Statistics included the separations and days of care for out-of-province residents hospitalized in Ontario, plus all separations with age "unspecified".)

6. MANITOBA:- Included: PLAN and NON-PLAN patients (Manitoba residents) from general hospitals and extended treatment hospitals. Included in the NON-PLAN group were patients who were the responsibility of the Department of Veterans Affairs, and the Workmen's Compensation Board, as well as uninsured residents, and insured residents not the responsibility of the Provincial Plan. Excluded: Non-residents.

7. SASKATCHEWAN:- Included: PLAN patients only. Excluded: PLAN patients from geriatric hospitals in Regina, Saskatoon, Swift and Swift Current.

8. ALBERTA:- Included: PLAN and NON-PLAN patients (Alberta residents) from active treatment hospitals, auxiliary hospitals and contract nursing homes. Table 6 includes approximately 9,357 Alberta residents (adults and children) whose hospitalization was not the responsibility of the Provincial Plan, but of the federal government or the Workmen's Compensation Board. Also included: insured residents not the responsibility of the Provincial Plan. Excluded: Non-residents and newborns who were born out-of-province to Alberta residents.

9. PRAIRIE PROVINCES:- Included: PLAN patients hospitalized only in the province. Excluded: PLAN patients hospitalized outside the province.

10. YUKON:- PLAN patients only.

11. NORTHWEST TERRITORIES:- PLAN patients only.

Additional note concerning newborns: The number of separations and patient-days indicated for No. 96 (mature newborn) and No. 97 (immature newborn) should not be interpreted as the total for Canada, due to incomplete reporting of the categories in Table 6.

Additional note concerning diagnoses 75 and 76: Changes in coding procedures in 1964 as compared to 1963 resulted in more separations coded to (75) "Delivery with specified complications" and fewer separations coded to (75) "Delivery without mention of complications".



TABLE 7(a) NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1964

NO.	DIAGNOSIS	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T
30	Psychoneurotic disorders					20,300							
36	Diseases of ear and mastoid process			3,997	3,483			5,713	5,780	7,488	10,031		177
38	Arteriosclerotic and degenerative heart disease	1,103	873		2,133	24,917	38,284		5,324	6,737	5,040		
46	Acute upper respiratory infections	1,095		4,472	3,554	15,540	30,249	7,504	10,132	11,153	11,575	83	
48	Pneumonia	2,487	1,304	1,972				4,641	6,897	7,553	6,542	260	1,241
49	Bronchitis		460	5,953				8,790	12,313	17,525	19,423	107	120
50	Hypertrophy of tonsils and adenoids	1,704	482			46,228	82,572					72	266
52	Diseases of teeth and supporting structure												113
53	Ulcer of stomach, duodenum and jejunum												
55	Appendicitis		325	2,394			19,967	3,389	3,556			41	
56	Hernia of abdominal cavity		340	1,888		16,245	26,911				5,732		
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	1,164			2,100					6,529	5,166	53	262
	Diseases of gallbladder and pancreas	1,045	332	2,129	2,186	23,147	21,742	3,540	5,060	6,678	5,394		
	Complications of pregnancy	1,400	527	3,180	2,775	19,970	27,038	4,271	5,469	7,082	7,588	132	219
72	Abortion					16,315							110
75	Delivery without mention of complications	12,412	2,793	16,975	13,272	121,730	118,913(2)	19,432	19,693	30,930	29,817	358	834
76	Delivery with specified complications	1,181			1,792		38,226(2)					144	
73	Infection of skin and subcutaneous tissue											77	
85	Symptoms, senility and ill-defined conditions	1,193	606	3,099	2,757	20,436	20,429	5,917	6,254	5,910			151

(1) All of the reporting provinces include Provincial Plan in-patients in Table 7, as well as out-of-province hospitalization of Provincial Plan separations, with the following additions or exceptions: -

- Nfld. :- Includes "non-plan" separations.
- P.E.I. :- Includes "non-plan" separations.
- N.S. :- Excludes Provincial Plan separations who were hospitalized out-of-province and also excludes "non-plan" separations.
- M.B. :- Includes "non-plan" separations, but excludes "non-resident" separations.
- Que. :- Includes "non-plan" separations.
- Ont. :- Includes "non-plan" separations, but excludes all separations, "plan" and "non-plan", from chronic hospitals or chronic units in general hospitals. Also see note (2) below.
- Man. :- Includes "non-plan" separations, but excludes "non-resident" separations.
- Sask. :- Excludes Provincial Plan separations from chronic hospitals in Regina, Saskatoon, Melfort and Swift Current.
- Alta. :- Includes "non-plan" separations, but excludes "non-resident" separations.
- B.C. :- Excludes Provincial Plan separations hospitalized out-of-province.
- Yukon :- Includes Territorial Plan separations only.
- N.W.T. :- Includes Territorial Plan separations only.

(2) Changes in coding procedures in Ontario for 1964, as compared to 1963, resulted in more separations coded to "Delivery with specified complications" and fewer separations coded to "Delivery without mention of complications".

TABLE 7(b) RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES  
AND TWO TERRITORIES, 1964.

NO.	DIAGNOSIS	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					6							6
36	Diseases of ear and mastoid process							5	6	5	4		
38	Arteriosclerotic and degenerative heart disease	8	3	4	4	3	3		8	7	10		
46	Acute upper respiratory infections	9	2	3	8	10	5	3	3	3		6	
48	Pneumonia	2	7	9	3			6	4	4	6	2	1
49	Bronchitis		6	2	2	2	2	2	2	2	2	8	8
50	Hypertrophy of tonsils and adenoids	3											3
52	Diseases of teeth and supporting structure												9
53	Ulcer of stomach, duodenum and jejunum		10										
55	Appendicitis		8	7		9	10	10	10		7	10	
56	Hernia of abdominal cavity			10			7						
58	Gastroenteritis and colitis except ulcerative age 4 weeks and over	7			9			9		9	9	4	
61	Diseases of gallbladder and pancreas		9	8	7	4	8	8	9	8	8		
73	Complications of pregnancy	10	5	5	5	7	6	7	7	6	5	4	5
74	Abortion	4				8							10
75	Delivery without mention of complications	1	1	1	1	1	1	1	1	1	1	1	2
76	Delivery with specified complications	6			10		4					3	
78	Infection of skin and subcutaneous tissue												
85	Symptoms, senility and ill-defined conditions	5	4	6	6	5	9	4	5	10			

TABLE 7(c) PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES,  
FOR TEN PROVINCES AND TWO TERRITORIES(1), 1964.

(1) see footnotes, Table 7(a)

NO.	DIAGNOSIS	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					353,055							1,747
36	Diseases of ear and mastoid process												
38	Arteriosclerotic and degenerative heart disease	22,422	15,546	73,599	69,698	765,080	831,014	114,576	105,793	259,370	180,220		
46	Acute upper respiratory infections	6,538			14,676				31,045	34,545	29,425	397	
48	Pneumonia	25,996	13,155	51,455	43,076	236,996	355,262	73,701	109,151	110,401	130,255	2,396	12,085
49	Bronchitis		3,804	20,227				44,136	54,600	61,893	58,190	656	776
50	Hypertrophy of tonsils and adenoids	6,248	1,504	15,015	17,436	96,026	159,189	17,950	28,934	44,338	44,658	198	831
52	Diseases of teeth and supporting structure												232
53	Ulcer of stomach, duodenum and jejunum		3,929									359	
55	Appendicitis		2,574	21,114			148,187		29,216		53,772		
56	Hernia of abdominal cavity			20,785		170,343	231,673	29,669					
58	Gastroenteritis and colitis except ulcerative, age 4 weeks and over				15,314			20,908		41,857	34,067	348	2,399
61	Diseases of gallbladder and pancreas	12,878	4,022	32,145	27,968	343,180	310,765	49,772	60,831	80,336	74,264		
73	Complications of pregnancy	6,369	1,724	12,017	9,815	93,874	117,035	15,153	22,789	29,008	35,562	449	1,005
74	Abortion	6,150				70,494							530
75	Delivery without mention of complications	66,315	16,829	96,224	73,641	649,609	689,927	112,196	121,163	199,875	185,349	2,274	4,906
76	Delivery with specified complications	10,066			14,045		320,803					994	
78	Infections of skin and subcutaneous tissue											492	
85	Symptoms, senility and ill-defined conditions	7,675	4,391	23,584	21,843	206,784	151,240	40,455	37,331	65,800			1,220





TABLE 7(d) cont'd

		ALL AGES				UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+			
NO.	DIAGNOSIS	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F							
		Patient-days																																			
73	Delivery without mention of complications	66315	-	66315	-	5884	4196	-	-	-	71	-	-	29579	-	36333	-	332	-	1122	-	688	-	440	636	-	564	446	-	-							
73	Pneumonia	25996	14706	11290	-	-	-	-	-	-	1296	601	370	839	198	790	866	-	-	-	-	-	-	-	-	-	-	-	-	-							
50	Hypertrophy of tonsils and adenoids	6248	2804	3444	-	-	3	399	402	1762	2059	445	445	1935	568	610	4060	-	-	-	-	142	-	-	-	-	-	-	-	-							
74	Abortion	6150	-	6150	-	-	-	-	-	-	13	-	-	1935	568	610	4060	-	-	-	-	556	-	160	188	114	134	-	-	-							
82	Symptoms, senility and ill-defined conditions	7675	3430	4245	-	413	408	554	343	679	1064	373	-	4174	-	5853	-	39	-	527	-	39	-	-	-	-	-	-	-	-							
76	Delivery with specified complication	10066	-	10066	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	12878	6544	6334	-	4988	4571	1025	977	136	114	80	156	125	104	169	219	104	169	-	219	88	13	88	13	88	8	105	-	-							
38	Arteriosclerotic and degenerative heart disease	22422	14469	7953	-	1689	976	6	3	457	380	210	11	1051	404	86	4051	404	7103	3270	73	3245	31	31	2442	3059	1828	-	-	-							
46	Acute upper respiratory infections	6538	3661	2877	-	-	-	-	-	-	-	-	-	188	84	-	-	75	-	-	-	-	-	-	-	-	-	-	-	-	-						
73	Complications of pregnancy	6369	-	6369	-	-	-	-	-	-	10	-	2233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
		Patient-days per 1,000 population																																			
75	Delivery without mention of complications	135	-	277	-	764	583	-	-	-	1	-	657	-	746	-	10	-	746	-	30	21	-	50	71	106	84	-	-	-	-	-					
43	Pneumonia	53	58	47	-	-	-	-	-	-	21	13	8	15	18	-	-	-	18	-	18	-	-	-	-	-	-	-	-	-	-	-					
50	Hypertrophy of tonsils and adenoids	13	11	14	-	-	-	-	-	-	33	10	19	4	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-					
74	Abortion	13	-	26	-	-	-	-	-	-	-	-	43	-	83	-	-	-	83	-	-	-	-	-	-	-	-	-	-	-	-	-					
85	Symptoms, senility and ill-defined conditions	16	14	18	-	54	57	19	12	10	17	8	13	11	20	20	14	20	20	14	17	18	21	18	21	22	25	-	-	-	-	-					
76	Delivery with specified complication	20	-	42	-	-	-	-	-	-	-	-	93	-	120	-	1	-	120	-	-	-	-	-	-	-	-	-	-	-	-	-					
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	26	26	26	-	648	635	35	35	2	2	2	3	2	2	2	7	2	2	5	7	1	10	1	10	2	20	-	-	-	-	-					
38	Arteriosclerotic and degenerative heart disease	46	57	33	-	-	1	-	-	-	-	-	-	20	8	-	-	-	8	193	100	2	369	274	274	577	345	-	-	-	-	-					
46	Acute upper respiratory infections	13	15	12	-	219	136	38	40	7	6	5	4	2	2	2	2	2	2	1	1	2	4	2	2	2	2	2	2	2	2	2					
73	Complications of pregnancy	13	-	27	-	-	-	-	-	-	-	-	50	-	83	-	2	2	83	-	-	2	-	-	-	-	-	-	-	-	-	-					
		Average days stay of separations																																			
75	Delivery without mention of complications	5.3	-	5.3	-	10.9	11.2	-	-	-	10.1	-	5.3	-	5.4	-	7.5	-	5.4	-	12.5	11.1	12.2	13.8	14.5	19.4	-	-	-	-	-	-					
43	Pneumonia	10.5	10.4	10.5	-	10.9	11.2	9.2	9.2	9.6	9.3	10.2	9.0	10.1	10.0	-	-	-	10.0	-	12.5	11.1	12.2	13.8	14.5	19.4	-	-	-	-	-	-					
50	Hypertrophy of tonsils and adenoids	3.7	3.6	3.7	-	10.9	11.2	3.2	3.2	3.6	3.5	4.0	4.2	4.8	4.8	-	-	-	4.8	-	12.5	11.1	12.2	13.8	14.5	19.4	-	-	-	-	-	-					
74	Abortion	4.4	-	4.4	-	10.9	11.2	3.2	3.2	3.6	3.5	4.0	4.2	4.8	4.8	-	-	-	4.8	-	12.5	11.1	12.2	13.8	14.5	19.4	-	-	-	-	-	-					
85	Symptoms, senility and ill-defined conditions	6.4	6.1	6.7	-	10.9	11.2	7.0	7.0	7.0	6.5	4.8	4.7	5.5	5.5	-	-	-	5.5	-	6.1	8.1	8.9	10.4	7.6	13.4	-	-	-	-	-	-					
76	Delivery with specified complication	8.5	-	8.5	-	10.9	11.2	-	-	-	-	-	8.4	-	8.6	-	13.0	-	8.6	-	6.1	8.1	8.9	10.4	7.6	13.4	-	-	-	-	-	-					
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	11.1	10.8	11.4	-	13.1	14.5	8.3	8.0	4.4	4.4	4.7	5.8	4.6	4.7	8.0	7.8	4.7	4.7	8.0	7.8	4.3	8.8	2.7	21.0	-	-	-	-	-	-	-	-				
38	Arteriosclerotic and degenerative heart disease	20.3	20.5	20.0	-	7.5	6.0	-	3.0	-	-	5.5	-	19.5	13.5	-	-	-	13.5	-	20.2	18.3	19.0	20.2	24.1	28.1	-	-	-	-	-	-	-				
46	Acute upper respiratory infections	6.0	6.1	5.8	-	7.5	6.4	5.4	6.0	5.2	4.8	5.1	4.8	3.8	4.5	-	-	-	4.5	-	6.1	5.6	15.5	5.7	5.5	10.0	-	-	-	-	-	-	-				
73	Complications of pregnancy	6.1	-	6.1	-	-	-	-	-	-	5.0	-	6.6	-	5.9	-	6.2	-	5.9	-	-	6.2	-	-	-	-	-	-	-	-	-	-	-				

.. Indicates less than 0.50

TABLE 7(e) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS (EXCLUDING NEWBORN)  
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964.

(1) see footnotes Table 7(a)

PRINCE EDWARD ISLAND

ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Separations																	
2793	684	2793	153	134	145	147	118	79	34	1142	55	1636	73	15	52	44	67
1304		620								36		55		58			
373	547	326			1		3			2	29	8	195	102	173	106	146
606	323	283	15	20	37	19	39	39	27	38	41	56	84	54	45	27	35
227		527								199	4	325		3			
482	236	246	3	2	55	52	153	136	19	44	26	14	37	26	19	15	23
460	265	195	93	57	47	47	16	15	4	7	33	26	13	7	1	40	14
340	170	170	1		8	7	59	71	55	59	15	75	27	86	15	11	30
332	72	260			2		1		1	29	62	24	103	31	35	9	14
325	240	85					3	5	23	5							
Separations per 1,000 population																	
26.1	12.5	53.4	109.3	103.1	26.4	28.3	9.5	6.5	3.7	129.8	5.0	157.3	7.5	1.7	15.8	13.8	29.1
12.2		11.9								4.1		5.3		6.4			
8.2	10.0	6.2	10.7	15.4	0.2		0.2			0.2	2.6	0.8	20.1	11.3	52.4	23.1	59.5
5.7	5.9	5.4			6.7	3.7	3.1	3.2	2.9	4.3	3.7	5.4	8.7	6.0	13.6	8.4	16.7
4.9		10.1								22.6		31.2		0.3			
4.5	4.3	4.7	2.1	1.5	10.0	10.0	12.3	11.2	2.0	5.0	0.4	1.0	0.2	0.1	5.8	4.7	11.0
4.3	4.8	3.7	66.4	43.8	8.5	9.0	1.3	1.2	0.4	0.8	2.4	1.3	3.8	2.9	0.3		6.1
3.2	3.1	3.3	0.7		1.5	1.3	4.8	5.9	5.9	6.7	3.0	2.5	1.3	0.8	4.5	12.5	13.9
3.1	1.3	5.0			0.4		0.1	0.1	0.1	3.3	1.4	7.2	2.8	9.6	4.5	2.8	4.3
3.0	4.4	1.6					0.2	0.4	2.5	0.6	5.6	2.3	10.6	3.4	10.5	2.8	4.3

TABLE 7(e) Cont'd

ALL AGES			UNDER 1			1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
NO.	DIAGNOSIS	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Patient-days																			
75	Delivery without mention of complications	16829	-	16829	-	1263	1222	1197	-	979	655	260	-	6,761	-	500	9963	-	105
48	Pneumonia	13155	6936	6219	1556	1263	207	71	-	157	188	110	203	310	546	235	146	440	685
38	Arteriosclerotic and degenerative heart disease	15546	9558	5988	118	135	9	-	25	422	401	71	159	619	13	192	114	1094	11
85	Symptoms, senility and ill-defined conditions	4391	2253	2138	118	135	207	71	-	157	188	110	203	310	546	235	146	440	11
73	Complications of pregnancy	1724	-	1724	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
50	Hypertrophy of tonsils and adenoids	1504	701	803	39	11	139	152	422	401	71	159	619	13	192	114	1094	-	17
49	Bronchitis	3804	2242	1562	774	437	267	310	97	96	20	48	192	310	639	310	310	304	24
55	Appendicitis	2574	1314	1260	6	-	87	75	426	527	411	406	263	406	263	406	263	304	8
61	Diseases of gallbladder and pancreas	4022	878	3144	-	-	10	-	15	-	7	235	122	235	122	235	122	534	1082
53	Ulcer of stomach, duodenum and jejunum	3929	2868	1061	-	-	-	-	13	37	230	65	647	65	647	65	647	117	388
Patient-days per 1,000 population																			
75	Delivery without mention of complications	157	-	322	-	972	222	230	-	79	54	28	-	768	-	45	958	-	12
48	Pneumonia	123	127	119	1111	972	222	230	-	79	54	28	-	35	45	-	42	175	76
38	Arteriosclerotic and degenerative heart disease	145	175	114	84	104	38	14	2	13	16	12	-	1	50	14	14	628	219
85	Symptoms, senility and ill-defined conditions	41	41	41	-	-	-	-	-	-	-	-	-	23	21	30	30	95	53
73	Complications of pregnancy	16	-	33	-	-	25	29	34	33	8	2	70	70	1	105	105	-	1
50	Hypertrophy of tonsils and adenoids	14	13	15	28	8	25	60	8	8	2	5	18	18	1	5	5	8	1
49	Bronchitis	36	41	30	553	336	49	14	34	44	44	44	46	46	24	16	16	57	26
55	Appendicitis	24	24	24	4	-	16	14	1	1	1	1	27	27	11	79	79	2	9
61	Diseases of gallbladder and pancreas	38	16	60	-	-	2	-	-	-	-	-	1	1	11	30	30	167	120
53	Ulcer of stomach, duodenum and jejunum	37	52	20	-	-	-	-	1	1	3	25	7	7	59	121	121	37	43
Average days stay of separations																			
75	Delivery without mention of complications	6.0	-	6.0	-	9.4	8.4	8.1	-	8.3	8.3	7.6	-	5.9	-	9.1	6.1	-	7.0
48	Pneumonia	10.0	10.1	10.0	10.2	9.4	8.4	8.1	-	8.3	8.3	7.6	-	8.6	9.1	-	8.0	12.8	11.8
38	Arteriosclerotic and degenerative heart disease	17.8	17.5	18.4	-	-	9.0	3.7	-	4.0	4.8	4.1	-	5.5	18.8	21.0	21.0	19.0	14.3
85	Symptoms, senility and ill-defined conditions	7.2	7.0	7.6	7.9	6.8	5.6	3.7	-	4.0	4.8	4.1	-	5.3	5.7	7.6	7.6	13.9	9.6
73	Complications of pregnancy	3.3	-	3.3	-	-	-	-	-	-	-	-	-	3.1	-	-	-	11.3	9.6
50	Hypertrophy of tonsils and adenoids	3.1	3.0	3.3	13.0	5.5	2.5	2.9	2.8	2.8	2.9	3.7	3.2	3.6	3.2	8.5	8.5	24.0	-
49	Bronchitis	8.3	8.5	8.0	8.3	7.7	5.7	6.6	6.1	6.1	6.4	5.0	7.4	6.9	7.4	10.6	10.6	12.1	-
55	Appendicitis	7.6	7.7	7.4	6.0	-	9.9	10.7	7.2	7.2	7.4	7.5	8.0	6.9	8.0	8.7	8.7	12.4	-
61	Diseases of gallbladder and pancreas	12.1	12.2	12.1	-	-	5.0	-	15.0	7.0	7.0	7.0	7.5	8.1	7.5	10.9	10.9	15.8	8.0
53	Ulcer of stomach, duodenum and jejunum	12.1	12.0	12.5	-	-	-	-	4.3	7.4	10.0	10.0	10.4	13.0	10.4	11.4	11.4	13.6	12.5



TABLE 7 (f) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN (1) IN-PATIENTS  
(EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, 1964  
(1) see footnotes Table 7(a)

NOVA SCOTIA

NO.	DIAGNOSIS	Separations				Patient-days			Average day stay of separations		
		T		M		T	M	F	T	M	F
		T	M	F	T						
75	Delivery without mention of complications	16975	-	16975	96224	-	-	96224	5.7	-	5.7
50	Hypertrophy of tonsils and adenoids	5953	2786	3167	15015	6895	-	8120	2.5	2.5	2.5
48	Pneumonia	4472	2473	1999	51455	28455	-	23000	11.5	11.5	11.5
38	Arteriosclerotic and degenerative heart disease	3997	2503	1494	73599	44647	-	28952	17.8	17.8	17.8
73	Complications of pregnancy	3180	-	3180	12017	-	-	12017	-	-	-
55	Symptoms, senility and ill-defined conditions	3099	1528	1571	23584	11640	-	11944	7.6	7.6	7.6
55	Appendicitis	2394	1204	1190	21114	10976	-	10138	9.1	9.1	9.1
51	Diseases of gallbladder and pancreas	2129	479	1650	32145	8664	-	23481	15.1	15.1	15.1
50	Bronchitis	1972	1248	724	20227	13424	-	6803	10.3	10.3	10.3
56	Hernia of abdominal cavity	1988	not available	not available	20785	not available	-	not available	11.0	-	-
		Separations per 1,000 pop'n		Patient-days per 1,000 pop'n		Patient-days per 1,000 pop'n		Patient-days per 1,000 pop'n		Patient-days per 1,000 pop'n	
75	Delivery without mention of complications	22.3	-	45.4	127	-	-	257	127	18	257
50	Hypertrophy of tonsils and adenoids	7.8	7.2	8.5	20	18	-	22	20	74	22
48	Pneumonia	5.9	6.4	5.3	68	74	-	61	68	116	61
38	Arteriosclerotic and degenerative heart disease	5.3	6.5	4.0	97	116	-	77	97	-	77
73	Complications of pregnancy	4.2	-	8.5	16	-	-	32	16	30	32
85	Symptoms, senility and ill-defined conditions	4.1	4.0	4.2	31	30	-	32	31	28	32
55	Appendicitis	3.1	3.1	3.2	28	28	-	27	28	22	27
61	Diseases of gallbladder and pancreas	2.8	1.2	4.4	42	22	-	63	42	35	63
49	Bronchitis	2.6	3.2	1.9	27	35	-	18	27	-	18
56	Hernia of abdominal cavity	2.5	-	-	27	-	-	-	27	-	-



TABLE 7(g) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAIN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964.

(1) see footnotes Table. 7(a)

NEW BRUNSWICK

		ALL AGES																55 - 74				75+		
		UNDER 15				15 - 24				25 - 44				45 - 64				65 - 74						
NO.	DIAGNOSIS	T		M		F		M		F		M		F		M		F		M		F		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
Separations																								
75	Delivery without mention of complications	13272	13272	-	13272	-	13272	-	13272	-	13272	-	13272	-	13272	-	13272	-	13272	-	13272	-	-	
50	Hypertrophy of tonsils and adenoids	5350	2735	2345	2735	10	5	667	579	1311	1450	252	550	93	132	11	1	135	139	139	139	134	-	
48	Pneumonia	3554	1929	1625	1625	506	359	489	360	237	201	76	69	156	178	213	113	430	481	481	481	415	-	
38	Arteriosclerotic and degenerative heart disease	3483	2133	1350	1350	-	2	1	1	-	2	3	2	1216	57	910	579	430	481	481	481	415	-	
73	Complications of pregnancy	2775	-	2775	-	-	-	-	-	-	-	-	-	-	1545	-	-	-	-	-	-	-	-	
85	Symptoms, senility and ill-defined conditions	2757	1329	1428	1428	64	46	126	118	226	213	131	234	267	359	293	112	98	110	110	110	97	-	
61	Diseases of gallbladder and pancreas	2186	460	1726	1726	1	1	1	3	2	10	12	133	103	617	201	74	240	66	66	66	136	-	
46	Acute upper respiratory infections	2133	1126	1007	1007	307	196	398	282	176	213	90	109	70	101	54	17	25	14	14	14	20	-	
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	2100	1075	1025	1025	382	290	225	159	147	143	56	93	91	111	100	36	45	38	38	38	58	-	
76	Delivery with specified complications	1792	-	1792	-	-	-	-	-	-	2	-	743	-	1033	-	14	-	-	-	-	-	-	-
Separations per 1,000 population																								
75	Delivery without mention of complications	21.5	43.5	-	43.5	-	0.7	20.9	18.9	17.1	19.7	0.1	111.2	-	111.0	-	0.8	-	-	-	-	-	-	
50	Hypertrophy of tonsils and adenoids	3.2	9.0	7.5	9.0	1.3	0.7	6.2	5.3	3.1	2.7	4.5	10.4	1.4	2.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	-	
48	Pneumonia	5.8	5.3	6.2	5.3	64.9	48.5	15.3	11.8	3.1	2.7	1.4	1.3	2.4	2.7	4.2	3.8	9.0	16.0	16.0	16.0	13.3	-	
38	Arteriosclerotic and degenerative heart disease	5.6	4.4	6.8	4.4	-	0.3	-	-	-	-	0.1	23.0	2.4	0.9	17.7	8.9	28.7	55.3	55.3	55.3	41.1	-	
73	Complications of pregnancy	4.5	9.1	-	9.1	-	-	-	-	-	-	-	-	-	23.3	-	0.3	-	-	-	-	-	-	
85	Symptoms, senility and ill-defined conditions	4.5	4.7	4.3	4.7	8.2	6.2	3.9	3.9	2.9	2.9	2.4	4.4	4.1	5.4	5.7	5.3	6.5	12.6	12.6	12.6	9.6	-	
61	Diseases of gallbladder and pancreas	3.5	5.7	1.5	5.7	0.1	0.1	-	-	-	0.1	0.2	2.5	1.6	9.3	3.9	11.9	16.0	7.6	7.6	7.6	13.5	-	
46	Acute upper respiratory infections	3.5	3.3	3.6	3.3	39.4	26.5	12.5	9.2	2.3	2.9	1.6	2.1	1.1	1.5	1.1	1.2	1.7	1.6	1.6	1.6	2.0	-	
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	3.4	3.4	3.4	3.4	49.0	39.2	7.1	5.2	1.9	1.9	1.0	1.8	1.4	1.7	1.9	2.6	3.0	4.4	4.4	4.4	5.7	-	
76	Delivery with specified complications	2.9	5.9	-	5.9	-	-	-	-	-	-	-	14.1	-	15.6	-	0.3	-	-	-	-	-	-	-

.. Indicates less than 0.50

TABLE 7 (S) Cont'd

ALL AGES		UNDER 1				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+	
NO.	DIAGNOSIS	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
		Patient-days																									
75	Delivery without mention of complications	73641	-	73641	-	-	-	-	-	-	-	-	32485	-	40841	-	240	-	-	-	-	-	-	-			
50	Hypertrophy of tonsils and adenoids	17436	7851	9585	48	22	2232	1885	3943	4493	75	1064	2377	507	710	54	96	3	2	-	-	-	-	-			
48	Pneumonia	43076	23052	20024	5898	4184	5106	3771	2169	2049	686	707	1729	1901	2753	1530	2388	1530	2132	3181	2892	-	-				
38	Arteriosclerotic and degenerative heart disease	69698	43016	26682	-	37	3	10	-	-	14	70	8	2696	860	17214	7742	11662	8463	11371	9548	-	-				
73	Complications of pregnancy	9815	-	9815	-	-	-	-	-	-	2	-	4122	-	5626	-	65	-	-	-	-	-	-				
85	Symptoms, senility and ill-defined conditions	21843	10798	11045	496	535	1002	1017	1463	1275	828	1162	1571	2534	2376	2129	1047	926	2015	1467	-	-					
61	Diseases of gallbladder and pancreas	27968	6054	21914	12	12	12	60	13	138	98	1347	1153	6331	2444	7669	1026	3741	1296	2616	-	-					
46	Acute upper respiratory infections	14676	7470	7206	2494	1597	2538	1944	981	1365	466	632	397	662	355	562	119	262	120	182	-	-					
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	15314	7916	7398	3487	2578	1470	1025	656	649	280	392	586	688	682	973	319	343	436	750	-	-					
76	Delivery with specified complications	14045	-	14045	-	-	-	-	-	12	-	5536	-	8375	-	122	-	-	-	-	-	-					
Patient-days per 1,000 population																											
75	Delivery without mention of complications	119	-	241	-	-	-	-	-	1	-	615	-	617	-	5	-	-	-	-	-	-	-				
50	Hypertrophy of tonsils and adenoids	28	25	31	6	3	70	62	51	61	19	45	8	11	1	2	48	109	142	366	286	-	-				
48	Pneumonia	70	74	66	756	565	160	123	28	28	12	13	26	29	54	109	142	142	366	286	-	-					
38	Arteriosclerotic and degenerative heart disease	113	138	87	-	5	-	-	-	-	1	-	78	41	13	336	157	827	564	1307	945	-	-				
73	Complications of pregnancy	16	-	32	-	-	-	-	-	-	-	-	-	85	-	-	1	-	-	-	-	-					
85	Symptoms, senility and ill-defined conditions	35	35	36	64	72	31	33	19	17	15	22	24	38	46	43	74	62	232	145	-	-					
61	Diseases of gallbladder and pancreas	45	19	72	2	2	-	2	-	2	2	26	17	96	48	156	73	249	149	259	-	-					
46	Acute upper respiratory infections	24	24	24	320	216	80	64	13	19	8	12	6	10	7	11	8	17	14	18	-	-					
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	25	25	24	447	348	46	33	9	9	5	7	9	10	13	20	23	23	50	74	-	-					
76	Delivery with specified complications	23	-	46	-	-	-	-	-	-	-	105	-	127	-	2	-	-	-	-	-	-					
Average days stay of separations																											
75	Delivery without mention of complications	5.5	-	5.5	-	-	-	-	-	6.8	-	5.5	-	5.6	-	6.3	-	-	-	-	-	-	-				
50	Hypertrophy of tonsils and adenoids	3.4	3.3	3.5	4.8	4.4	3.3	3.3	3.0	3.1	4.2	4.3	5.5	5.4	4.9	5.1	3.0	2.0	-	-	-	-					
48	Pneumonia	12.1	12.0	12.3	11.7	11.7	10.4	10.5	9.2	10.2	9.0	10.2	11.1	10.7	12.9	12.6	13.5	15.8	22.9	21.6	-	-					
38	Arteriosclerotic and degenerative heart disease	20.0	20.2	19.8	-	18.5	3.0	10.0	-	7.0	23.3	4.0	17.0	15.1	18.9	17.6	20.1	19.7	23.6	23.0	-	-					
73	Complications of pregnancy	3.5	-	3.5	-	-	-	-	-	2.0	-	3.4	-	3.6	-	5.0	-	-	-	-	-	-					
85	Symptoms, senility and ill-defined conditions	7.9	8.1	7.7	7.8	11.6	8.0	8.6	6.5	6.0	6.3	5.0	5.9	7.1	8.1	8.1	9.3	9.4	18.3	15.1	-	-					
61	Diseases of gallbladder and pancreas	12.8	13.2	12.7	12.0	12.0	12.0	20.0	6.5	13.8	8.2	10.1	11.2	10.3	12.2	13.1	13.9	15.6	19.6	19.2	-	-					
46	Acute upper respiratory infections	6.9	6.6	7.2	8.1	8.1	6.4	6.9	5.6	6.4	5.2	5.8	5.7	6.6	6.6	9.2	7.0	10.5	8.6	9.1	-	-					
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	7.3	7.4	7.2	9.1	8.9	6.5	6.4	4.5	4.5	5.0	4.2	6.4	6.2	6.8	7.7	8.9	7.6	11.5	12.9	-	-					
76	Delivery with specified complications	7.8	-	7.8	-	-	-	-	-	6.0	-	7.5	-	8.1	-	8.7	-	-	-	-	-	-					

.. Indicates less than 0.50

TABLE 7(h) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964.

(1) see footnotes Table 7(a)

QUEBEC

[illegible]

... indicates less than 0.05







TABLE 7(1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964.

(1) see footnotes Table 7(a)

ONTARIO

NO. DIAGNOSIS	ALL AGES																75+																
	UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+				
	T*	M*	F*	M	F	M	F	M	F	M	F	M	F	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	T	M	F	M	
<u>Separations</u>																																	
(2)																																	
75 Delivery without mention of complications	118913		118913	87	41	15787	12479	20229	21413	66	49151	2392	69232	201	271	202																	
50 Hypertrophy of tonsils and adenoids	82572	41216	41356								4667	2456																					
38 Arteriosclerotic and degenerative heart disease	38284	23167	15117	14	10	18	13	59	40	52	42	2070	596	10395	4825	5888	4563	4522	4947														
76 Delivery with specified complications (2)	38226		38226						20	20	15725		22343		107																		
48 Pneumonia	30249	16885	13364	3454	2448	4385	3318	2105	1720	557	522	1311	1457	2207	1668	1314	902	1515	1297														
73 Complications of pregnancy	27038		27038						20		11796		15059		95																		
56 Hernia of abdominal cavity	26911	20320	6591	1161	292	2152	521	1630	334	1201	232	4343	1756	6462	2187	2194	802	1114	448														
61 Diseases of gallbladder and pancreas	21742	5841	15901	23	23	31	27	41	54	99	1361	1539	5602	2540	5673	928	1940	609	1165														
85 Symptoms, senility and ill-defined conditions	20429	10284	10145	445	341	1072	916	1845	1693	988	1550	2348	2657	2282	1906	707	570	571	476														
55 Appendicitis	19967	10261	9706	5	9	246	183	3681	3574	2733	3319	2341	1772	947	590	194	157	89	78														
<u>Separations per 1,000 population</u>																																	
(2)																																	
75 Delivery without mention of complications	18.1		36.2	1.1	0.6	50.5	41.8	29.0	32.3	0.1	105.3	2.7	79.0	0.3	0.4	0.3																	
50 Hypertrophy of tonsils and adenoids	12.5	12.5	12.6								10.0		2.8																				
38 Arteriosclerotic and degenerative heart disease	5.8	7.0	4.6	0.2	0.1	0.1	..	0.1	0.1	0.1	0.1	2.4	0.7	16.9	7.9	37.5	25.2	52.9	42.9														
76 Delivery with specified complications (2)	5.8		11.6						..	..	33.7		25.5		0.2																		
48 Pneumonia	4.6	5.1	4.1	44.7	33.2	14.0	11.1	3.0	2.6	1.2	1.1	1.5	1.7	3.6	2.7	8.4	5.0	17.7	11.3														
73 Complications of pregnancy	4.1		8.2						..	..	25.3		17.2		0.2																		
56 Hernia of abdominal cavity	4.1	6.2	2.0	15.0	4.0	6.9	1.7	2.3	0.5	2.5	0.5	4.9	2.0	10.5	3.6	14.0	4.4	13.0	3.9														
61 Diseases of gallbladder and pancreas	3.3	1.8	4.8	0.3	0.3	0.1	0.1	0.1	0.1	0.2	2.9	1.7	6.4	4.1	9.3	5.9	10.7	7.1	10.1														
85 Symptoms, senility and ill-defined conditions	3.1	3.1	3.1	5.8	4.6	3.4	3.1	2.6	2.6	2.1	3.3	2.7	3.0	3.7	3.1	4.5	3.2	6.7	4.1														
55 Appendicitis	3.0	3.1	3.0	0.1	0.1	0.8	0.6	5.3	5.4	5.7	7.1	2.7	2.0	1.5	1.0	1.2	0.9	1.0	0.7														

.. indicates less than 0.05

(2) Changes in coding procedures in Ontario for 1964 as compared to 1963 resulted in more separations coded to "Delivery with specified complications" and fewer separations added to "Delivery without mention of complications".

TABLE 7(1) Cont'd

.. indicates less than 0.50

(\*) Totals also include separations with age group not specified.

TABLE 7(j) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN<sup>(1)</sup> INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964. (EXCLUDING NEWBORN) IN-PATIENTS (EXCLUDING NEWBORN)

(1) see footnotes Table 7(a)

MANITOBA

NO. DIAGNOSIS	ALL AGES				UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F						
Separations																																	
75 Delivery without mention of complications	19432	-	19432	-	1	4	-	1212	918	-	18	8343	-	11029	-	42	-	-	-	-	-	-	-	-	-	-	-	-					
50 Hypertrophy of tonsils and adenoids	8790	4339	4451	1051	802	947	364	700	258	258	258	700	258	258	258	258	258	258	258	258	258	258	258	258	258	258	258						
48 Pneumonia	7504	4079	3425	122	94	239	164	154	274	274	274	154	274	274	274	274	274	274	274	274	274	274	274	274	274	274	274						
85 Symptoms, senility and ill-defined conditions	5917	2776	3141	122	94	239	227	490	494	494	494	490	494	494	494	494	494	494	494	494	494	494	494	494	494	494							
38 Arteriosclerotic and degenerative heart disease	5713	3518	2195	627	439	701	5	79	198	198	198	3	198	198	198	198	198	198	198	198	198	198	198	198	198	198							
49 Bronchitis	4641	2731	1910	-	-	-	47	1789	100	100	100	194	100	100	100	100	100	100	100	100	100	100	100	100	100	100							
73 Complications of pregnancy	4271	-	4271	-	-	-	6	327	230	230	230	327	230	230	230	230	230	230	230	230	230	230	230	230	230	230							
61 Diseases of gallbladder and pancreas	4266	1152	3114	-	3	1	16	1789	230	230	230	327	230	230	230	230	230	230	230	230	230	230	230	230	230	230							
58 Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	3540	1699	1841	638	567	438	88	141	90	90	90	141	90	90	90	90	90	90	90	90	90	90	90	90	90	90							
56 Hernia of abdominal cavity	3389	2556	833	121	36	285	163	17	421	421	421	17	421	421	421	421	421	421	421	421	421	421	421	421	421	421							
Separations per 1,000 population																																	
75 Delivery without mention of complications	20.3	-	41.1	-	0.1	0.4	-	116.7	-	-	0.2	-	94.8	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-						
50 Hypertrophy of tonsils and adenoids	9.2	8.9	9.4	95.5	75.0	21.0	4.9	9.8	2.2	2.2	26.2	4.9	2.0	2.0	0.3	-	-	-	-	-	-	-	-	-	-	-	-						
48 Pneumonia	7.8	8.4	7.2	11.1	8.8	5.3	2.2	2.2	2.2	2.2	3.8	2.2	2.9	2.9	4.1	-	-	-	-	-	-	-	-	-	-	-	-						
85 Symptoms, senility and ill-defined conditions	6.2	5.7	6.6	11.1	8.8	3.8	3.0	6.9	4.2	4.2	4.5	3.0	6.0	6.0	7.1	-	-	-	-	-	-	-	-	-	-	-	-						
38 Arteriosclerotic and degenerative heart disease	6.0	5.6	4.6	-	-	0.1	0.1	-	1.7	1.7	0.1	0.1	0.6	0.6	6.6	-	-	-	-	-	-	-	-	-	-	-	-						
49 Bronchitis	4.8	5.6	4.0	57.0	41.0	15.5	0.6	1.1	0.9	0.9	1.7	0.6	1.1	1.7	2.9	-	-	-	-	-	-	-	-	-	-	-	-						
73 Complications of pregnancy	4.5	-	9.0	-	-	-	-	25.0	-	-	0.1	-	21.1	21.1	0.2	-	-	-	-	-	-	-	-	-	-	-	-						
61 Diseases of gallbladder and pancreas	4.5	2.4	6.6	0.3	0.1	..	0.2	4.6	2.0	2.0	0.1	0.2	8.3	8.3	13.0	-	-	-	-	-	-	-	-	-	-	-	-						
58 Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	3.7	3.5	3.9	58.0	53.0	9.7	1.2	2.0	0.8	0.8	2.2	1.2	1.5	1.5	2.2	-	-	-	-	-	-	-	-	-	-	-	-						
56 Hernia of abdominal cavity	3.5	5.3	1.8	11.0	3.4	6.3	2.2	0.2	3.6	3.6	0.5	2.2	1.8	1.8	2.7	-	-	-	-	-	-	-	-	-	-	-	-						

... indicates less than 0.05







TABLE 7(k) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964.

(1) see footnotes Table 7(a)

SASKATCHEWAN

NO.	DIAGNOSIS	ALL AGES				UNDER 1				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F						
Separations																														
75	Delivery without mention of complications	19693	-	19593	-	6	3	1716	1291	-	14	-	8521	-	11090	-	68	-	2	-	3	-	2	-	3					
50	Hypertrophy of tonsils and adenoids	12313	5942	6371	1119	885	1426	1054	701	594	278	825	294	254	554	409	42	2	278	574	3	409	278	574	3					
48	Pneumonia	10132	5604	4528	1064	723	1055	819	377	292	93	231	450	554	554	383	565	198	414	414	367	383	414	367	367					
49	Bronchitis	6897	3897	3000	113	105	260	231	658	588	287	511	438	606	606	312	610	260	403	403	315	312	403	315	315					
85	Symptoms, senility and ill-defined conditions	6254	3028	3226	1	-	5	5	11	8	15	15	200	84	84	964	558	752	1133	1133	858	964	752	1133	858					
38	Arteriosclerotic and degenerative heart disease	5780	3500	2280	5469	717	1115	849	498	499	2	2383	134	3064	3064	20	20	40	34	34	38	31	40	34	38					
73	Complications of pregnancy	5469	2780	2544	717	572	1115	849	498	499	2	2383	134	3064	3064	20	20	40	34	34	38	31	40	34	38					
46	Acute upper respiratory infections	5324	2780	2544	717	572	1115	849	498	499	2	2383	134	3064	3064	20	20	40	34	34	38	31	40	34	38					
61	Diseases of gallbladder and pancreas	5060	1401	3659	4	2	11	3	6	11	1136	309	248	1136	215	300	1318	505	275	275	375	300	505	275	375					
55	Appendicitis	3556	1780	1776	2	-	46	43	718	808	808	455	594	321	215	33	84	14	28	28	18	33	14	28	18					
Separations per 1,000 population																														
75	Delivery without mention of complications	20.9	-	43.1	-	0.5	0.3	37.1	28.9	-	0.1	121.0	-	105.7	-	0.8	-	0.1	0.1	0.2	-	-	0.1	0.1	0.2					
50	Hypertrophy of tonsils and adenoids	13.1	12.2	13.9	0.5	80.5	30.9	23.6	6.6	38.6	5.9	11.7	2.7	2.4	2.7	0.5	0.5	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2					
48	Pneumonia	10.7	11.5	9.9	97.3	65.7	22.8	18.4	3.5	5.8	3.8	3.3	4.1	5.3	4.1	6.8	4.0	15.0	11.3	28.8	22.5	15.0	11.3	28.8	22.5					
49	Bronchitis	7.3	8.0	6.6	92.5	65.7	22.8	18.4	3.5	2.9	1.3	2.1	1.1	2.5	1.1	4.3	4.0	14.0	8.1	20.8	13.8	14.0	8.1	20.8	13.8					
85	Symptoms, senility and ill-defined conditions	6.6	6.2	7.1	9.8	9.5	5.6	5.2	6.1	5.7	3.9	7.3	4.0	5.8	4.0	6.2	7.3	11.4	10.6	20.3	19.3	11.4	10.6	20.3	19.3					
38	Arteriosclerotic and degenerative heart disease	6.1	38	5.0	0.1	-	0.1	0.1	0.1	0.1	0.1	0.2	1.8	0.8	0.8	35.3	6.7	30.7	56.9	56.9	52.6	35.3	30.7	56.9	52.6					
73	Complications of pregnancy	5.8	7.2	12.0	62.3	52.0	24.1	19.0	4.7	4.9	4.9	33.8	1.2	29.2	29.2	0.2	0.2	-	-	-	-	-	-	-	-					
46	Acute upper respiratory infections	5.6	5.7	5.6	0.3	0.2	0.2	0.1	0.1	0.1	0.1	3.4	1.2	1.6	1.6	1.0	1.8	1.1	1.7	1.7	2.3	1.1	1.6	1.7	2.3					
61	Diseases of gallbladder and pancreas	5.4	2.9	8.0	0.3	0.2	0.2	0.2	0.1	0.1	0.1	4.4	2.2	10.8	10.8	5.9	15.8	11.0	20.6	13.8	23.0	11.0	20.6	13.8	23.0					
55	Appendicitis	3.8	3.7	3.9	0.2	-	1.0	1.0	6.7	7.9	7.9	8.4	2.9	2.0	2.0	1.2	1.0	1.2	0.6	1.4	1.1	1.2	0.6	1.4	1.1					

.. indicates less than 0.05

TABLE 7(k) Cont'd

NO.	DIAGNOSIS	ALL AGES												AGES												75+	
		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74													
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F							
		Patient-days																									
	Delivery without mention of complications	121163	-	121163	-	7	3758	2858	7838	9150	84	51667	-	68990	-	422	-	7	-	9							
	Hypertrophy of tonsils and adenoids	28934	13821	15113	21	14149	10167	5429	4534	1877	1767	4087	4878	701	128	149	582	4411	2101	2708							
	Etiology	109151	60723	48428	13050	9423	6666	5068	2002	1576	503	860	857	1905	3556	2958	4599	2101	2708	2626							
	Bronchitis	54600	31371	23229	8165	5753	1068	947	2399	1971	954	1837	1991	3281	3541	4354	2651	2708	2708	4709							
	Symptoms, senility and ill-defined conditions	37331	17970	19361	567	695	54	67	195	84	116	267	3039	1063	20060	9526	16739	13079	13079	22326							
	Arteriosclerotic and degenerative heart disease	105793	62533	43260	4	-	54	67	195	84	116	267	3039	1063	20060	9526	16739	13079	13079	22326							
	Complications of pregnancy	22789	15805	15240	4662	3933	6328	5364	2408	2365	5	9676	-	12987	-	121	-	257	297	333							
	Acute upper respiratory infections	31045	15805	15240	4662	3933	6328	5364	2408	2365	5	9676	-	12987	-	121	-	257	297	333							
	Diseases of gallbladder and pancreas	60331	15291	15291	75	3	525	43	45	82	199	2553	2285	10499	501	910	4547	297	297	4689							
	Appendicitis	29216	15295	13921	13	-	452	388	5345	6028	3408	4248	2736	1740	2076	954	471	225	225	794							
		Patient-days per 1,000 population																									
	Delivery without mention of complications	128	28	265	2	1	81	64	73	89	1	734	-	658	-	5	-	-	-	-							
	Hypertrophy of tonsils and adenoids	31	125	106	1135	857	306	228	51	19	15	32	37	47	77	2	204	180	180	484							
	Pneumonia	58	65	51	710	523	144	114	19	12	7	12	18	18	39	36	168	86	86	252							
	Bronchitis	40	37	42	49	63	23	21	22	19	13	26	26	31	39	52	97	112	112	241							
	Symptoms, senility and ill-defined conditions	112	129	95	..	-	1	2	2	1	2	4	28	10	222	114	613	534	534	1122							
	Arteriosclerotic and degenerative heart disease	24	33	50	405	358	137	120	23	23	..	137	-	124	-	1	-	-	-	17							
	Complications of pregnancy	33	40	33	7	1	12	1	..	1	3	15	5	8	6	11	167	12	12	17							
	Acute upper respiratory infections	65	31	91	1	-	10	9	50	59	47	36	21	100	76	184	296	296	296	236							
	Diseases of gallbladder and pancreas	31	31	30	1	-	10	9	50	59	47	60	25	17	23	11	17	9	9	40							
	Appendicitis																										
		Average days stay of separations																									
	Delivery without mention of complications	6.2	2.3	2.4	3.5	2.3	2.2	2.2	2.3	2.3	6.0	6.1	-	6.2	-	6.2	-	3.5	4.5	4.5							
	Hypertrophy of tonsils and adenoids	2.3	10.8	10.7	11.7	10.6	9.9	9.6	7.7	7.6	2.7	2.7	3.0	2.8	3.5	3.5	13.6	15.9	15.9	16.8							
	Pneumonia	7.9	2.1	7.1	7.7	8.0	8.3	6.2	5.3	5.4	5.4	5.3	7.0	7.4	10.7	11.3	12.3	12.3	12.3	16.8							
	Bronchitis	6.0	5.9	6.0	5.0	6.6	4.1	4.1	3.6	3.4	3.3	3.6	4.5	5.4	6.4	7.1	8.5	10.6	10.6	11.9							
	Symptoms, senility and ill-defined conditions	18.3	17.9	19.0	4.0	-	10.8	13.4	17.7	10.5	10.5	17.8	15.2	12.7	17.1	17.1	17.4	17.4	17.4	19.7							
	Arteriosclerotic and degenerative heart disease	4.2	5.7	4.2	6.5	6.9	5.7	6.3	4.8	2.5	4.7	4.1	4.5	4.2	5.8	6.1	8.3	7.4	7.4	9.8							
	Complications of pregnancy	5.8	13.8	6.0	19.0	4.0	50.5	16.0	7.5	7.5	7.7	8.3	9.2	5.3	13.0	6.2	15.2	14.4	14.4	17.0							
	Acute upper respiratory infections	12.0	8.6	7.8	6.5	-	9.8	9.0	7.4	7.5	7.5	7.5	8.5	8.1	11.7	11.4	14.3	16.1	16.1	28.4							
	Diseases of gallbladder and pancreas																										
	Appendicitis																										

.. indicates less than 0.50

TABLE 7(1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964.

(1) see footnotes table 7(a)

ALBERTA

NO.	DIAGNOSIS	ALL AGES										UNDER 1										5 - 14										15 - 24										25 - 44										45 - 64										65 - 74										75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

.. indicates less than 0.05



TABLE 7(1) Cont'd

ALL AGES																			
UNDER 1																			
1 - 4																			
5 - 14																			
15 - 24																			
25 - 44																			
45 - 64																			
65 - 74																			
75+																			
NO. DIAGNOSIS																			
T M F M F M F M F M F M F M F																			
Patient-days																			
199875	21852	199875	49	43	142	142	89231	109976	526	36	11	34	36	11	34	36	11	34	36
44338	22486	22486	13303	9060	13079	13079	3176	1287	202	6326	5614	8334	6326	5614	8334	6326	5614	8334	5614
110401	61746	48655	6449	4889	14707	11221	1977	3993	6219	5732	2482	7943	5732	2482	7943	5732	2482	7943	3120
61893	37519	24374	-	-	7224	4785	1804	1193	2888	6287	3961	84619	6287	3961	84619	6287	3961	84619	76373
259370	149586	109784	-	-	-	-	218	5234	98	31560	10720	27894	31560	10720	27894	31560	10720	27894	27894
29008	29008	29008	-	-	61	61	13028	15865	1345	561	566	563	561	566	563	561	566	563	575
34545	17826	16719	4369	3568	7149	5730	2382	946	1152	833	1345	4668	833	1345	4668	833	1345	4668	8777
80336	25125	55211	37	35	156	425	412	4120	15743	9185	18743	6093	9185	18743	6093	9185	18743	6093	8777
41857	21158	20699	9542	7990	6068	4791	1331	1018	1632	1052	1632	963	1052	1632	963	1052	1632	963	1339
65800	25524	40276	580	307	924	848	2080	2497	3903	2828	3903	14349	2828	3903	14349	2828	3903	14349	25977
Patient-days per 1,000 population																			
140	30	288	-	-	85	64	1	855	5	1	2	2	1	2	2	1	2	2	2
31	84	32	3	2	191	151	28	30	55	66	55	405	197	198	405	197	198	405	314
77	51	70	693	501	94	64	12	18	35	51	35	386	179	87	386	179	87	386	173
43	203	158	-	-	-	-	..	1	95	254	95	4108	254	95	4108	254	95	4108	4243
181	20	42	-	-	-	-	..	125	1	7	12	32	7	12	32	7	12	32	32
20	24	24	228	197	93	77	14	12	6	74	166	27	17	20	27	17	20	27	488
24	34	79	2	2	2	6	2	40	86	21	166	227	190	247	227	190	247	227	488
56	29	30	497	441	79	65	8	9	5	8	14	47	21	37	47	21	37	47	74
29	35	58	30	17	12	11	13	20	13	17	35	697	41	76	697	41	76	697	1443
Average days stay of separations																			
6.5	2.5	6.5	-	-	2.5	2.3	7.1	6.4	7.7	4.7	7.7	17.0	7.2	5.5	17.0	7.2	5.5	17.0	3.0
2.5	9.9	2.5	6.1	8.6	2.5	2.3	2.4	3.3	3.6	4.7	4.2	14.9	7.2	16.9	14.9	7.2	16.9	14.9	15.7
9.9	9.9	9.9	10.6	9.9	8.9	8.5	7.1	7.6	8.3	10.8	10.2	20.6	12.1	11.8	20.6	12.1	11.8	20.6	14.4
8.2	8.8	7.4	7.2	7.7	6.0	5.6	5.2	5.4	6.5	10.7	8.6	61.1	11.8	11.2	61.1	11.8	11.2	61.1	69.5
34.6	31.0	41.1	-	-	-	-	10.2	13.6	14.0	17.3	15.8	26.6	21.6	26.6	21.6	21.6	26.6	21.6	69.5
4.1	5.1	4.1	6.1	6.1	4.9	5.1	4.1	4.1	4.2	6.1	5.2	9.1	8.5	7.3	9.1	8.5	7.3	9.1	9.9
5.1	5.1	5.1	9.2	11.7	39.0	28.3	14.2	8.5	9.4	12.1	11.1	20.5	17.3	13.8	20.5	17.3	13.8	20.5	23.5
12.0	13.6	11.4	8.5	8.8	7.1	6.7	3.2	3.3	4.1	4.8	5.3	8.7	5.7	7.1	8.7	5.7	7.1	8.7	9.8
6.4	6.5	6.4	6.3	4.4	4.0	3.9	3.7	3.0	4.0	4.5	7.8	52.3	5.9	13.3	52.3	5.9	13.3	52.3	123.7
11.1	8.7	13.6	6.3	4.4	4.0	3.9	3.7	3.0	4.0	4.5	7.8	52.3	5.9	13.3	52.3	5.9	13.3	52.3	123.7

.. indicates less than 0.50



TABLE 7(m) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN<sup>(1)</sup> INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964. (EXCLUDING NEWBORN)

(1) see footnotes Table 7(a)

BRITISH COLUMBIA

[illegible]

.. indicates less than 0.05

TABLE 7(m) Cont'd

[illegible]

... indicates less than 0.50

TABLE 7(n) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN (1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964

(1) see footnotes Table 7(a)

YUKON

		ALL AGES										UNDER 1										1 - 4										5 - 14										15 - 24										25 - 44										45 - 64										65 - 74										75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		T		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M	

TABLE 7(n) Cont'd

[illegible]



TABLE 7(o) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1964.

(1) see footnotes table 7(a)

NORTHWEST TERRITORIES

		ALL AGES																					
		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+							
NO.	DIAGNOSIS	T		M		F		M		F		M		F		M		F		M		F	
		Separations																					
48	Pneumonia	1241	654	587	228	180	221	185	84	59	22	25	40	62	33	38	12	23	14	15			
75	Delivery without mention of complications	834	-	834	-	-	-	-	-	-	-	354	-	475	-	5	-	-	-	-	-	-	
50	Hypertrophy of tonsils and adenoids	266	140	126	2	3	27	21	93	88	13	11	5	3	-	-	-	-	-	-	-	-	
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	262	142	120	88	67	33	26	13	10	1	4	7	10	-	1	-	1	-	1	-	-	
73	Complications of pregnancy	219	-	219	-	-	-	-	-	-	-	92	-	127	-	-	-	-	-	-	-	-	
36	Diseases of ear and mastoid process	177	96	81	24	31	38	21	25	16	3	7	4	4	2	1	-	-	-	1	-	-	
78	Infection of skin and subcutaneous tissue	151	91	60	7	3	20	9	11	18	12	11	24	12	13	5	3	1	1	1	-	-	
49	Bronchitis	120	63	57	23	19	27	18	5	5	1	-	4	9	1	1	-	1	2	-	-	-	
52	Diseases of teeth and supporting structure	113	43	70	-	-	18	25	16	28	3	11	5	5	1	1	-	-	-	-	-	-	
74	Abortion	110	-	110	-	-	-	-	-	-	-	27	-	81	-	2	-	-	-	-	-	-	
		Separations per 1,000 population																					
48	Pneumonia	49.6	47.7	51.9	456.0	360.0	116.3	102.8	27.1	19.7	11.0	13.9	9.8	22.1	19.4	31.7	40.0	115.0	140.0	POP:N NOT AVAILABLE			
75	Delivery without mention of complications	33.4	-	73.8	-	-	-	-	-	-	-	196.7	-	169.6	-	4.2	-	-	-	-	-	-	
50	Hypertrophy of tonsils and adenoids	10.6	10.2	11.2	4.0	6.0	14.2	11.7	30.0	29.3	6.5	6.1	1.2	1.1	-	-	-	-	-	-	-	-	
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	10.5	10.4	10.6	176.0	134.0	17.4	14.4	4.2	3.3	0.5	2.2	1.7	3.6	-	0.8	-	5.0	-	-	-	-	
73	Complications of pregnancy	8.8	-	19.4	-	-	-	-	-	-	-	51.1	-	45.4	-	-	-	-	-	-	-	-	
36	Diseases of ear and mastoid process	7.1	7.0	7.2	48.0	62.0	20.0	11.7	8.1	5.3	1.5	3.9	1.0	1.4	1.2	0.8	-	-	-	-	-	-	
78	Infection of skin and subcutaneous tissue	6.0	6.6	5.3	14.0	6.0	10.5	5.0	3.5	6.0	6.0	6.1	5.9	4.3	7.6	4.2	10.0	5.0	10.0	-	-	-	
49	Bronchitis	4.8	4.6	5.0	46.0	38.0	14.2	10.0	1.6	1.7	0.5	-	1.0	3.2	0.6	4.2	-	5.0	20.0	-	-	-	
52	Diseases of teeth and supporting structure	4.5	3.1	6.2	-	-	9.5	13.9	5.2	9.3	1.5	6.1	1.2	1.8	0.6	0.8	-	-	-	-	-	-	
74	Abortion	4.4	-	9.7	-	-	-	-	-	-	-	15.0	-	28.9	-	1.7	-	-	-	-	-	-	

TABLE 7(o) Cont'd

TOP: IN NOT AVAILABLE

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), NEWFOUNDLAND, 1964.

Rank	U.K. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	777	Delivery, spontaneous	11,773	4,921.8	195.4
2	261	Tonsillectomy with adenoidectomy	1,292	263.1	21.4
3	778	Delivery, low forceps	1,193	498.7	19.8
4	441	Appendectomy	1,047	213.2	17.4
5	789	Dilatation and curettage, obstetrical	941	393.4	15.6
6	732	Curettage of uterus	821	343.2	13.6
7	804	Closed reduction of fracture	678	138.1	11.3
8	765	Caesarean section, without mention of hysterectomy	509	212.8	8.4
9	402	Hernioplasty, inguinal	505	102.9	8.4
10	262	Tonsillectomy without adenoidectomy	403	82.1	6.7
11	938	Suture of superficial wounds	366	74.5	6.1
12	521	Cholecystectomy	358	72.9	5.9
13	682	Circumcision	350	139.0	5.8
14	649	Cystoscopy	339	69.0	5.6
15	722	Hysterectomy, total	279	116.6	4.6
16	404	Hernioplasty	243	49.5	4.0
17	930	Incision and drainage, superficial	237	48.3	3.9
18	806	Reduction of fracture with fixation	226	46.0	3.8
19	423	Gastrectomy, partial	221	45.0	3.7
20	749	Other operations on vagina	211	88.2	3.5
21	942	Skin graft (except of face)	199	40.5	3.3
22	483	Hemorrhoidectomy	193	39.3	3.2
23	467	Sigmoidoscopy	181	36.9	3.0
24	724	Hysterectomy, vaginal	163	68.1	2.7
25	934	Excision of other skin	156	31.8	2.6

1) Table 8 Newfoundland is based on (U.K.) Code only  
2) Population: T: 491,000 M: 251,800 F: 239,200  
3) Based on male population  
4) Based on female population  
5) Separations: T: 60,257 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),  
PRINCE EDWARD ISLAND, 1964

U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
27.2	Tonsillectomy with adenoidectomy	384	358.9	21.6
75.1	Appendectomy	302	282.2	17.0
73.8	Dilatation and curettage of uterus	298	569.8 (4)	16.8
77.1	Dilatation and curettage of uterus after abortion	245	468.5 (4)	13.8
41.0	Repair of inguinal hernia	196	183.2	11.0
97.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	187	174.8	13.5
53.5	Cholecystectomy	167	156.1	9.7
39.3	Incision of skin and subcutaneous tissue	132	123.4	7.4
39.2	Excision and destruction of lesion of skin and subcutaneous tissue	127	118.7	7.1
22.3	Closed reduction of fracture of extremity of long bone	125	116.8	7.0
78.4	Caesarean section, not otherwise specified	96	183.6 (4)	5.4
39.4	Suture of skin and subcutaneous tissue	91	85.0	5.1
39.2	Circumcision	77	140.8 (3)	4.3
38.4	Excision and ligation of varicose veins	73	68.2	1.1
40.1	Exploratory laparotomy or celiotomy	66	61.7	3.7
24.2	Surgical removal of tooth	66	61.7	3.7
27.1	Tonsillectomy without adenoidectomy	61	57.0	3.4
72.6	Hysterectomy, vaginal	59	112.8 (4)	3.3
38.8	Biopsy of breast	56	52.3	3.2
90.5	Proctoscopy without effect upon tissue or lesion	47	43.9	2.6
49.3	Haemorrhoidectomy	43	40.2	2.4
64.5	Dilatation of urethra	41	38.3	2.3
64.3	Prostatectomy	38	69.5 (3)	2.1
82.5	Open reduction of fracture of extremity of long bone with fixation	37	34.6	2.1
38.1	Partial mastectomy	35	32.7	2.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification, U.S.  
Department of Health, Education and Welfare, Public Health Service, 1959  
(2) Population: T: 107,000 M: 54,700 F: 52,300 (3) Based on male population  
(4) Based on female population (5) Separation: T: 17,768 (excluding newborn)



TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)  
NOVA SCOTIA, 1964

Rank	U.S. Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2, 27.1	Tonsillectomy with and without adenoidectomy	5,846	769.2	53.9
2	76.3	Episiotomy (includes that with and without forceps)	3,726	996.3	34.3
3	69.2	Circumcision	2,666	690.7	24.6
4	72.8	Dilatation and curettage of uterus (includes endometrial biopsy, therapeutic abortion and after delivery or abortion)			
5	45.1	Appendectomy (includes that with or without drainage)	2,433	650.5	22.4
6	41.0	Repair of inguinal hernia except recurrent	2,249	295.9	20.7
7	53.5	Cholecystectomy (includes resection of gallbladder)	1,224	161.1	11.3
8	72.4	Abdominal hysterectomy (complete or total)	1,162	152.9	10.7
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	887	237.2	8.2
10	78.4	Caesarean section (classical, low cervical, extrape- ritoneal, vaginal, and type unspecified)	859	113.0	7.9
			757	202.4	7.0

(1) Population: T: 760,000 M: 386,000 F: 374,000  
(2) Based on male population  
(3) Based on female population  
(4) Separations: T: 108,478 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),  
NEW BRUNSWICK, 1964.

U.K. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
777	Delivery, spontaneous	14,471	4,743.0	145.6
261	Tonsillectomy with adenoidectomy	4,210	682.3	42.4
441	Appendectomy	1,755	284.4	17.7
251	Extraction of tooth, simple	1,600	259.3	16.1
789	Dilatation and curettage, obstetrical	1,467	480.8	14.8
804	Closed reduction of fracture	1,315	213.1	13.2
732	Curettage of uterus	1,098	359.9	11.0
402	Hernioplasty, inguinal	1,051	170.3	10.6
521	Cholecystectomy	1,040	168.6	10.5
938	Suture of superficial wounds	976	158.2	9.8
722	Hysterectomy, total	923	302.5	9.3
262	Tonsillectomy without adenoidectomy	781	126.6	7.7
649	Cystoscopy	560	90.8	5.6
930	Incision and drainage, superficial	547	88.7	5.5
765	Caesarean section, without mention of hysterectomy	518	169.8	5.2
433	Hemorrhoidectomy	459	74.4	4.6
682	Circumcision	454	145.6	4.6
934	Excision of other skin	440	71.3	4.4
749	Other operations on vagina	376	123.2	3.8
404	Hernioplasty	369	59.8	3.7
668	Urinary system, not specified	361	58.5	3.6
724	Hysterectomy, vaginal	341	111.8	3.4
619	Other operations on kidney	328	53.2	3.3
806	Reduction of fracture with fixation	319	51.7	3.2
467	Sigmoidoscopy	303	49.1	3.0
936	Removal of nail	303	49.1	3.0

1) Table 8 New Brunswick is based on the U.K. code only  
 2) Population: T: 617,000 M: 311,900 F: 305,100  
 3) Based on male population  
 4) Based on female population  
 5) Separations: T: 99,383 (excluding newborns)

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),  
 QUEBEC, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.1, 27.2	Tonsillectomy with or without adenoidectomy	48,439	870.9	60.5
2	77.1	Dilatation and curettage after delivery or abortion	15,230	547.7	19.0
3	69.2	Circumcision (including newborns)	15,097	542.8	18.9
4	53.5	Cholecystectomy	14,823	266.5	18.5
5	45.1	Appendectomy	13,818	248.4	17.3
6	40.0	Repair of inguinal hernia (except recurrent)	10,646	191.4	13.3
7	72.8	Dilatation and curettage of uterus	8,934	321.3	11.2
8	24.1	Extraction of tooth (simple)	7,803	140.3	9.8
9	72.4	Hysterectomy, complete or total	7,779	279.8	9.7
10	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	7,155	128.6	8.9
11	76.3	Episiotomy without low forceps	6,757	243.0	8.4
12	49.3	Hemorrhoidectomy	5,248	94.4	6.6
13	81.8	Traction or fixation without reduction	4,752	85.4	5.9
14	73.1	Local excision and destruction of lesion of cervix	4,147	149.1	5.2
15	89.4	Suture of wounds (skin and subcutaneous tissue)	4,003	72.0	5.0
16	89.0	Incision of skin and subcutaneous tissue	3,791	68.2	4.7
17	82.0	Closed reduction of fracture of shaft of long bone	3,232	58.1	4.0
18	88.4	Excision and ligation of varicose veins	3,088	55.5	3.9
19	82.3	Closed reduction of fracture of extremity of long bone	2,979	53.6	3.7
20	38.1	Partial mastectomy	2,760	49.6	3.4
21	17.4	Extraction of lens, intracapsular	2,643	47.5	3.3
22	21.1	Operations on nasal septum	2,553	45.9	3.2
23	78.4	Caesarean section, not otherwise specified	2,546	91.6	3.2
24	76.5	Delivery by low forceps without episiotomy	2,500	89.9	3.1
25	76.4	Delivery by low forceps with episiotomy	2,293	82.5	2.9

(1) Population: T: 5,562,000 M: 2,781,500 F: 2,780,500  
 (2) Based on male population  
 (3) Based on female population  
 (4) Separations: T: 800,059 (excluding newborn)  
 (5) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations (1962 edition)

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),  
ONTARIO, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	64,363	984.9	62.1
2	72.8	Dilatation and curettage of uterus	25,432	776.2	24.4
3	45.1	Appendectomy	19,272	292.6	18.4
4	77.1	Dilatation and curettage after delivery or abortion	18,555	565.2	17.8
5	40.0	Repair of inguinal hernia except recurrent	17,860	271.2	17.1
6	27.1	Tonsillectomy without adenoidectomy	16,829	255.5	16.1
7	53.5	Cholecystectomy	12,993	197.3	12.4
8	76.3	Episiotomy without low forceps	11,568	352.4	11.1
9	76.5	Delivery by low forceps without episiotomy	10,488	319.5	10.0
10	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	8,696	132.0	3.3
11	24.1	Extraction of tooth (simple)	7,647	116.1	7.3
12	88.4	Excision and ligation of varicose veins	7,581	115.1	7.3
13	49.3	Hemorrhoidectomy	7,017	106.5	6.7
14	76.4	Delivery by low forceps with episiotomy	6,982	212.7	6.7
15	72.4	Hysterectomy, complete or total	6,436	196.0	6.2
16	89.4	Suture	5,468	83.0	5.2
17	66.2	Prostatectomy, transurethral	4,936	149.4	4.7
18	78.4	Caesarean section, type unspecified	4,911	149.6	4.7
19	82.0	Closed reduction of fracture of shaft of long bone	4,035	61.3	3.9
20	89.0	Incision of skin and subcutaneous tissue	3,963	60.2	3.8
21	33.1	Partial mastectomy	3,762	57.1	3.6
22	21.1	Operations on nasal septum	3,651	55.4	3.5
23	32.3	Closed reduction of fracture of extremity of long bone	3,626	55.1	3.5
24	33.5	Excision of semilunar cartilage of knee joint	3,368	51.1	3.2
25	69.2	Circumcision	3,313	100.3	3.2

1) Population: T: 6,586,000 M: 3,303,000 F: 3,283,000  
2) Based on male population  
3) Based on female population  
4) Separations: T: 1,044,520 (excluding newborn)  
5) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.



TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),  
MANITOBA, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	6,992	729.9	41.4
2	45.1	Appendectomy, with or without drainage	2,330	243.2	13.8
3	72.8	Dilatation and curettage of uterus	2,304	487.2	13.7
4	24.1	Extraction of tooth (simple)	2,261	236.0	13.4
5	53.5	Cholecystectomy	2,229	232.7	13.2
6	41.0	Repair of inguinal hernia, except recurrent	2,195	229.1	13.0
7	27.1	Tonsillectomy without adenoidectomy	1,480	154.5	8.8
8	82.3	Closed reduction of fracture of extremity of long bone	957	99.9	5.7
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue			
10	49.3	Hemorrhoidectomy	789	82.4	4.7
11	88.4	Excision and ligation of varicose veins	786	82.0	4.7
12	89.4	Suture of skin and subcutaneous tissue	774	80.8	4.6
13	17.4	Extraction of lens, intracapsular	764	79.7	4.5
14	66.2	Prostatectomy, transurethral	722	75.4	4.3
15	21.1	Operations on nasal septum	654	134.8	3.9
16	72.4	Hysterectomy, complete or total	651	68.0	3.9
17	82.0	Closed reduction of fracture of shaft of long bone	615	130.0	3.6
18	89.0	Incision of skin and subcutaneous tissue	585	61.1	3.5
19	82.5	Open reduction of fracture of extremity of long bone with fixation	529	55.2	3.1
20	38.1	Partial mastectomy	477	49.8	2.8
21	74.4	Repair of cystocele and/or rectocele	465	48.5	2.8
22	11.3	Advancement or recession of eye muscle	455	96.2	2.7
23	69.2	Circumcision	410	42.8	2.4
24	72.5	Hysterectomy, radical	387	79.8	2.3
25	38.8	Biopsy of breast	321	67.9	1.9
			307	32.0	1.8

(1) Population: T: 958,000 M: 485,100 F: 472,900  
 (2) Based on male population  
 (3) Based on female population  
 (4) Separations: T: 168,727 (excluding newborn)  
 (5) International Classification of Diseases, Adapted for Indexing of Hospital Records and Operation Classification, 1959 edition

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),  
SASKATCHEWAN, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	10,397	1,102.5	50.1
2	72.8	Dilatation and curettage of uterus	4,059	887.6	19.6
3	45.1	Appendectomy	3,103	329.1	15.0
4	24.1	Extraction of tooth (simple)	2,803	297.2	13.5
5	76.3	Episiotomy without low forceps	2,387	522.0	11.5
6	77.1	Dilatation and curettage after delivery or abortion	2,209	483.1	10.6
7	40.0	Repair of inguinal hernia except recurrent	2,078	220.4	10.0
8	53.5	Cholecystectomy	2,003	212.4	9.7
9	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,742	184.7	8.4
10	27.1	Tonsillectomy without adenoidectomy	1,725	182.9	3.3
11	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	1,277	135.4	6.2
12	81.9	Traction or fixation without reduction	1,235	131.0	6.0
13	72.4	Hysterectomy, complete or total	1,226	268.1	5.9
14	49.3	Hemorrhoidectomy	973	103.2	4.7
15	66.2	Prostatectomy, transurethral	973	200.3	4.7
16	89.0	Incision of skin and subcutaneous tissue	918	97.3	4.4
17	88.4	Excision and ligation of varicose veins	910	96.5	4.4
18	93.2	Retrograde pyelography	812	86.1	3.9
19	89.4	Suture	786	83.4	3.8
20	77.3	Repair of other obstetrical laceration	729	159.4	3.5
21	74.4	Repair of cystocele and/or rectocele	722	157.9	3.5
22	21.1	Operations on nasal septum	717	76.0	3.5
23	82.0	Closed reduction of fracture of shaft of long bone	714	75.7	3.4
24	93.2	Intravenous pyelography	681	72.2	3.3
25	38.1	Partial mastectomy	675	147.6	3.3

(1) Population: T: 943,000 M: 485,700 F: 457,300

(2) Based on male population (3) Based on female population

(4) Separations: T: 207,427 (excluding newborn)

(5) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), ALBERTA, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	14,794	1,033.1	51.1
2	72.8	Dilatation and curettage of uterus	4,703	676.6	16.2
3	45.1	Appendectomy	4,441	310.1	15.3
4	41.0	Incision of abdominal wall and umbilicus	3,568	249.2	12.3
5	77.1	Dilatation and curettage after delivery or abortion	3,556	511.6	12.3
6	53.5	Cholecystectomy	3,240	226.3	11.2
7	24.1	Extraction of tooth (simple)	3,146	219.7	10.9
8	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,351	164.2	8.1
9	27.1	Tonsillectomy without adenoidectomy	2,158	150.7	7.4
10	72.4	Hysterectomy, complete or total	1,914	275.4	6.6
11	88.4	Excision and ligation of varicose veins	1,811	126.5	6.3
12	89.4	Suture	1,680	117.3	5.8
13	89.0	Incision of skin and subcutaneous tissue	1,635	114.2	5.6
14	82.3	Closed reduction of fracture of extremity of long bone with fixation	1,626	113.5	5.6
15	49.3	Hemorrhoidectomy	1,481	103.4	5.1
16	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,284	89.7	4.4
17	66.2	Prostatectomy, transurethral	1,251	169.8	4.3
18	82.0	Closed reduction of fracture of shaft of long bone	1,160	81.0	4.0
19	21.1	Operations on nasal septum	1,029	71.9	3.6
20	93.2	Pyelography	998	69.7	3.4
21	78.1	Caesarean section, low cervical	963	138.5	3.3
22	17.4	Extraction of lens, intracapsular	811	56.6	2.8
23	83.5	Excision of semilunar cartilage of knee joint	790	55.2	2.7
24	72.6	Hysterectomy, vaginal	716	103.0	2.5
25	38.8	Biopsy of breast	697	48.7	2.4

1) Population: T: 1,432,000 M: 736,900 F: 695,100 (2) Based on male population (3) Based on female population  
 4) Separations: T: 289,713 (excluding newborn)  
 5) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition



TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORNS),  
BRITISH COLUMBIA, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	16,181	931.0	56.1
2	72.8	Dilatation and curettage of uterus	5,957	693.7	20.6
3	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion			
4	40.0	Repair of inguinal hernia except recurrent	5,032	289.5	17.4
5	45.1	Appendectomy	3,785	217.8	13.1
6	24.1	Extraction of tooth (simple)	3,511	202.0	12.2
7	77.1	Dilatation and curettage after delivery or abortion	3,250	187.0	11.3
8	27.1	Tonsillectomy without adenoidectomy	3,177	370.0	11.0
9	53.5	Cholecystectomy	2,909	167.4	10.1
10	72.4	Hysterectomy, complete or total	2,902	167.0	10.1
11	88.4	Excision and ligation of varicose veins	2,442	284.4	8.5
12	66.2	Prostatectomy, transurethral	2,298	132.2	8.0
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,266	257.7	7.9
14	49.3	Hemorrhoidectomy	1,995	114.8	6.9
15	82.3	Closed reduction of fracture of extremity of long bone	1,744	100.3	6.0
16	89.4	Suture	1,532	88.1	5.3
17	17.4	Extraction of lens, intracapsular	1,445	83.1	5.0
18	38.1	Partial mastectomy	1,261	72.6	4.4
19	20.4	Operations on tympanum	1,226	142.8	4.2
20	44.2	Partial or subtotal gastrectomy	1,099	63.2	3.8
21	76.3	Episiotomy without low forceps	1,089	62.7	3.8
22	89.0	Incision of skin and subcutaneous tissue	1,025	119.4	3.6
23	82.5	Open reduction of fracture of extremity of long bone with internal fixation	1,001	57.6	3.5
24	82.0	Closed reduction of fracture of shaft of long bone	936	53.9	3.2
25	21.1	Operations on nasal septum	933	53.7	3.2
			905	52.1	3.1

Population: T: 1,738,000 M: 879,300 F: 858,700 (2) Based on male population (3) Based on female population  
 Separations: T: 288,605 (excluding newborn)  
 International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.



TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),  
YUKON, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	76.3	Episiotomy without low forceps	91	1,263.9	32.8
2	27.2	Tonsillectomy with adenoidectomy	78	487.5	28.1
3	77.1	Dilatation and curettage after delivery or abortion	50	694.4	18.0
4	76.4	Delivery by low forceps with episiotomy	43	597.2	15.5
5	72.8	Dilatation and curettage of uterus	39	541.7	14.1
6	45.1	Appendectomy	35	218.8	12.6
7	40.0	Repair of inguinal hernia except recurrent	30	187.5	10.8
8	89.0	Incision of skin and subcutaneous tissue	24	150.0	8.6
8	89.4	Suture	24	150.0	8.6
8	24.1	Extraction of tooth (simple)	24	150.0	8.6
11	76.0	Artificial rupture of membranes	21	291.7	7.6
12	03.3	Spinal puncture	18	112.5	6.5
13	27.1	Tonsillectomy without adenoidectomy	17	106.2	6.1
13	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	17	106.2	6.1
15	82.0	Closed reduction of fracture of shaft of long bone	16	100.0	5.8
16	82.3	Closed reduction of fracture of extremity of long bone	14	87.5	5.0
16	49.3	Hemorrhoidectomy	14	87.5	5.0
16	38.8	Biopsy of breast	14	87.5	5.0
19	88.4	Excision and ligation of varicose veins	13	81.2	4.7
20	78.0	Caesarean section, classical	12	166.7	4.3
21	53.5	Cholecystectomy	11	68.8	4.0
22	77.3	Repair of other obstetrical laceration	9	125.0	3.2
23	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	8	50.0	2.9
23	73.3	Repair and plastic operations on uterus and cervix	8	111.1	2.9
23	90.3	Bronchoscopy without effect upon tissue or lesion	8	50.0	2.9

(1) Population: T: 16,000 M: 8,800 F: 7,200 (2) Based on male population (3) Based on female population  
(4) Separations: T: 2,775 (excluding newborn)  
(5) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1964

Rank	U.S. Code	Operation or Treatment (5)	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	259	1,036.0	41.4
2	76.3	Episiotomy without low forceps	78	690.3	12.5
3	72.8	Dilatation and curettage of uterus	73	646.0	11.7
4	45.1	Appendectomy	65	260.0	10.4
5	24.2	Surgical removal of tooth	62	248.0	9.9
6	24.1	Extraction of tooth (simple)	54	216.0	8.6
7	77.1	Dilatation and curettage after delivery or abortion	47	415.9	7.5
8	82.0	Closed reduction of fracture of shaft of long bone	43	172.0	6.9
9	40.0	Repair of inguinal hernia except recurrent	33	132.0	5.3
10	03.3	Spinal puncture	29	116.0	4.6
11	69.2	Circumcision	23	167.9	3.7
12	89.4	Suture	23	92.0	3.7
13	89.0	Incision of skin and subcutaneous tissue	18	72.0	2.9
14	72.4	Hysterectomy, complete or total	17	150.4	2.7
15	27.3	Adenoidectomy without tonsillectomy	17	68.0	2.7
16	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	16	64.0	2.6
17	53.5	Cholecystectomy	16	64.0	2.6
18	76.5	Delivery by low forceps without episiotomy	16	141.6	2.6
19	77.3	Repair of other obstetrical laceration	13	115.0	2.1
20	89.6	Skin graft except of lip and mouth	12	48.0	1.9
21	76.0	Artificial rupture of membranes	12	106.2	1.9
22	49.3	Hemorrhoidectomy	11	44.0	1.8
23	77.0	Removal of retained placenta	11	97.3	1.8
24	82.6	Closed reduction of other bones (except nasal and skull)	11	44.0	1.8
25	88.4	Excision and ligation of varicose veins	10	40.0	1.6

(1) Population: T: 25,000 M: 13,700 F: 11,300 (2) Based on male population (3) Based on female population  
 (4) Separations: T: 6,249 (excluding newborn)  
 (5) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

TABIE 3 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), PRINCE EDWARD ISLAND, 1964

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	20 5	389 54	0.4 0.1
		Residual	15	335	0.3
08-09 08.2	2 2(i)	Operations on endocrine system Total thyroidectomy	26 10	279 150	0.6 0.2
		Residual	16	129	0.4
10-18 17.0 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Removal of cataracts Operations on eye muscles Operations on lens	64 (15) 11 15	503 (236) 42 236	1.4 0.2 0.3
		Residual	38	225	0.9
20-22 20.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Excision of external ear Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	78 (12) 21 44 (8)	607 (79) 235 229 (41)	1.8 0.5 1.0
		Residual	13	143	0.3

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
24-28	5	Operations on buccal cavity and esophagus	577	1,807	13.0	3.6
27.2	5(i)	Tonsillectomy and adenoidectomy	(384)	(1,125)		
24.1-24.3	5(ii)	Extraction of tooth and root resection	66	186	1.5	0.4
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	478	1,502	10.7	3.0
27.2	5(iv)	Tonsillectomy and adenoidectomy	(384)	(1,125)		
		Residual	33	119	0.7	0.2
30-31	6	Operations on heart and great vessels	-	-	-	-
		Residual	-	-	-	-
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	8	113	0.2	0.2
34.1	7(i)	Thoracentesis and pleuracentesis	3	84	0.1	0.2
		Residual	5	29	0.1	0.1
38	8	Operations on breast	112	964	2.5	1.9
38.8	8(i)	Biopsy of breast	56	354	1.3	0.7
38.1-38.3	8(ii)	Mastectomy	53	583	1.2	1.2
		Residual	3	27	0.1	0.1
40-49	9	Operations on gastrointestinal tract	804	10,377	18.1	20.7
45.1	9(i)	Appendectomy	(302)	(2,685)		
40.1	9(ii)	Exploratory laparotomy or celiotomy	66	1,442	1.5	2.9
41	9(iii)	Repair of hernia	236	2,308	5.3	4.6
44.2-44.3	9(iv)	Gastrectomy	27	882	0.6	1.8
45	9(v)	Operations on appendix	305	2,722	6.8	5.4
49.3	9(vi)	Hemorrhoidectomy	43	445	1.0	0.9
		Residual	127	2,578	2.9	5.1



PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
51-56	10	Operations on liver, biliary tract, pancreas and spleen			
53.5	10(i)	Cholecystectomy	180 (167)	2,775 (2,575)	5.5
53.5	10(ii)	Cholecystectomy	167	2,575	5.1
		Residual	13	200	0.4
60-64	11	Operations on urinary system	85	1,106	2.2
64.5	11(i)	Dilatation of urethra	41	469	0.9
		Residual	44	637	1.3
66-69	12	Operations on male genital system			
69.2	12(i)	Circumcision	172 (77)	2,328 (379)	4.6
66.1-66.3	12(ii)	Prostatectomy	64	1,623	3.2
69.2	12(iii)	Circumcision	77	379	0.8
		Residual	31	326	0.6
70-75	13	Operations on female genital organs excluding obstetrical			
72.8	13(i)	Dilatation and curettage of uterus	592 (298)	4,904 (1,619)	9.8
70.2-70.5	13(ii)	Oophorectomy	14	231	0.5
72.3-72.6	13(iii)	Hysterectomy	110	1,479	2.9
72.8	13(iv)	Dilatation and curettage of uterus	298	1,619	3.2
74.3	13(v)	Colporrhaphy	34	502	1.0
74.4	13(vi)	Repair of cystocele and/or rectocele	9	103	0.2
		Residual	127	970	1.9

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percentage of Cases	Distribution of Days
76-78 77.1	14 14(i)	Obstetrical procedures Dilatation and curettage after delivery or abortion	389 (245)	2,219 (796)	8.7	4.4
76.3-76.4 77.1	14(ii) 14(iii)	Episiotomy Dilatation and curettage after delivery or abortion	245 97	796 1,125	5.5 2.2	1.6 2.2
73.0-78.4	14(iv)	Caesarean section	47	298	1.1	0.6
80-87 82.3	15 15(i)	Operations on musculoskeletal system Closed reduction of fracture of extremity of long bone	561 (125) 247 (158) 41	14,191 (1,018) 3,413 (1,384) 814	12.6	28.3
82 82.0, 82.3-82.6 87.0-87.9	15(ii) 15(iii) 15(iv)	Reduction of fracture Closed reduction of fracture Amputation and disarticulation of extremities	273	9,964	6.1	19.9
85 85.4 85.4	16 16(i) 16(ii)	Operations on peripheral blood vessels and lymphatic system Excision and ligation of varicose veins Excision and ligation of varicose veins	79 (73) 73	755 (714) 714	1.8	1.5
85 85.0 85.0 85.1	17 17(i) 17(ii) 17(iii)	Operations on skin and subcutaneous tissue Incision of skin and subcutaneous tissue Incision of skin and subcutaneous tissue Excision and destruction of lesion of skin and subcutaneous tissue	6 408 (132) 132	41 3,410 (1,181) 1,181	0.1	0.1
89.2 89.4	17(iv) 17(v)	Removal of nail Suture	127 25 91	945 96 488	2.9 0.6 2.0	1.9 0.2 1.0
		Residual	33	700	0.7	1.4

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain nonsurgical procedures	298	3,413	6.7	6.8
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(187)	(2,254)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	47	451	1.1	0.9
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	187	2,254	4.2	4.5
92.0	18(iv)	Encephalography and ventriculography	-	-	-	-
93.0	18(v)	Pyelography	-	-	-	-
99.3	18(vi)	Exchange transfusion	2	14	-	-
Residual			62	694	1.4	1.4
Total			4,453	50,140	100.0	100.0

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations,  
1959 edition.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), QUEBEC, 1964.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (2)	Days (2)	Cases Days
01-06 01.0	1 1(i)	Operations on nervous system Craniotomy	4046 466	100785 13770	1.2 0.1 2.9 0.4
		Residual	3580	87015	1.1 2.5
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	1253 805	20115 12276	0.4 0.2 0.6 0.4
		Residual	448	7839	0.1 0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	9042 (2643) 3109 2896	89296 (40690) 12360 48369	2.7 0.9 0.9 1.4
		Residual	3037	28567	0.9 0.8
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	13928 (2553) 5475 6963 (2553)	118691 (14444) 44748 44824 (14444)	4.1 1.6 2.1 1.3 1.3
		Residual	1490	29119	0.4 0.8
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	60547 (37505) 8030 49941 (37505)	155873 (69972) 14494 107658 (69972)	18.0 2.4 14.8 3.1 1.0
		Residual	2576	33721	0.8 1.0



U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (2)	Days (2)	Cases Days
30-31	6	Operations on heart and great vessels	1774	40160	0.5 1.1
30.4	6(i)	Catheterization of the right heart	712	10085	0.2 0.3
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	482	15074	0.1 0.4
		Residual	580	15001	0.2 0.4
33-35	7	Operations on bronchus, lung, pleura, chest-wall, and mediastinum	1585	47602	0.5 1.4
34.0	7(i)	Thoracotomy and pleurotomy	428	11538	0.1 0.3
		Residual	1157	36064	0.3 1.0
38	8	Operations on breast	5790	56106	1.7 1.6
38.1	8(i)	Partial mastectomy	(2760)	(17627)	
38.1-38.3	8(ii)	Mastectomy	4140	44382	1.2 1.3
		Residual	1650	11724	0.5 0.3
40-49	9	Operations on gastrointestinal tract	46951	601182	13.9 17.2
45.1	9(i)	Appendectomy	(13818)	(116893)	
41.1	9(ii)	Exploratory laparotomy or celiotomy	706	17193	0.2 0.5
41	9(iii)	Repair of hernia	14689	153090	4.4 4.4
44.2-44.3	9(iv)	Gastrectomy	1966	50125	0.6 1.4
45	9(v)	Operations on appendix	13877	117797	4.1 3.4
45.3	9(vi)	Hemorrhoidectomy	5248	53274	1.6 1.5
		Residual	10465	207903	3.1 6.0
51-56	10	Operations on liver, biliary tract, pancreas and spleen	16217	296665	4.8 8.5
53.5	10(i)	Cholecystectomy	(14823)	(256889)	
53.5	10(ii)	Cholecystectomy	14823	256889	4.4 7.3
		Residual	1394	39776	0.4 1.1

QUEBEC (Cont'd)

U. S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases(2)	Days(2)	Cases Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	5900 985	114119 10723	1.7 0.3
66-69 69.2	12 12(i)	Residual	4915	103396	1.5
66.1-66.3 69.2	12 12(ii) 12(iii)	Operations on male genital system Circumcision (including newborns) Prostatectomy Circumcision (including newborns)	21300(2) (15097)(2) 2953 15097(2)	191004(2) (80116)(2) 76599 80116(2)	6.3(2)  0.9(2) 4.5
70-75	13	Residual	3250	34289	1.0
72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	33787 (8934) 1713 10196 8934 1148 622	372382 (58269) 24314 170097 58269 18369 10356	10.0  0.5 3.0 2.6 0.3 0.2
76-78 77.1	14 14(i)	Residual	11174	90977	3.3
76.3-76.4 77.1	14 14(ii) 14(iii)	Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion	34041 (15230) 9050	199156 (66001) 56424	10.1  2.7
78.0-78.4	14(iv)	Caesarean section	15230 3838	66001 40277	4.5 1.1
		Residual	5923	36454	1.8
					1.0

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (2)	Days (2)	Cases
80-87	15	Operations on musculoskeletal system	35432	528838	10.8
81.8	15(i)	Traction or fixation without reduction	4752	60770	1.4
82	15(ii)	Reduction of fracture	11211	146052	3.3
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(6765)	(57575)	
78.0-78.4	15(iv)	Amputation and disarticulation of extremities	702	6422	0.2
		Residual	19767	315594	5.9
88	16	Operations on peripheral blood vessels and lymphatic system			9.0
88.1	16(i)	Excision and ligation of varicose veins	5411	85256	1.6
88.4	16(ii)	Excision and ligation of varicose veins	(3088)	(40001)	
			3088	40001	0.9
		Residual	2323	45255	0.7
89	17	Operations on skin and subcutaneous tissue			1.3
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	19177	172315	5.7
89.0	17(ii)	Incision of skin and subcutaneous tissue	(7155)	(60838)	
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	3791	27676	1.1
89.2	17(iv)	Removal of nail	7155	60838	2.1
89.4	17(v)	Suture	2068	9566	0.6
			4003	19060	1.2
		Residual	2160	55175	0.6
					1.6

QUEBEC (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (2)	Days (2)	Cases Days
90-99	18	Certain nonsurgical procedures	20125	307023	6.0 8.8
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(4832)	(52028)	
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	3256	38523	1.0 1.1
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	4832	52028	1.4 1.5
92.0	18(iv)	Encephalography and ventriculography	1065	20683	0.3 0.6
93.1-93.2	18(v)	Pyelography	1561	19320	0.5 0.6
99.3	18(vi)	Exchange transfusion	415	6844	0.1 0.2
		Residual	8996	169625	2.7 4.9
		Total	337,306(2)	3,496,568(2)	100.0(2) 100.0(2)

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(2) Total cases and days include circumcision of newborn males. This should be noted in making comparisons with data from other provinces.



TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(2), (EXCLUDING NEWBORNS), ONTARIO, 1964.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (3)	Days (3)	Cases Days
01-06 01.0	1 1(i)	Operations on nervous system Craniotomy	5663 1013	139002 32580	1.3 0.2 3.2 0.8
08-09 08.1	2 2(i)	Residual Operations on endocrine system Partial or subtotal thyroidectomy	4650 1936 1407	106422 23249 15154	1.0 0.4 0.3 2.5 0.5 0.4
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Residual Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	529 14668 (2411) 4990 5000	8095 124858 (32466) 14134 67384	0.1 3.3 1.1 1.1 0.2 2.9 0.3 1.6
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Residual Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	4678 16120 (3651) 5799 7805 (3651)	43340 110935 (15952) 34000 47037 (15952)	1.0 3.6 1.3 1.7 0.8 1.1 0.7

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of			
			Cases (3)	Days (3)	Cases Days	
24-28	5	Operations on buccal cavity and esophagus	93899	229771	20.9	5.4
27.2	5(i)	Tonsillectomy with adenoidectomy	(64863)	(121361)		
24.1-24.3	5(ii)	Extraction of tooth and root resection	7712	28232	1.7	0.7
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	82984	168090	18.5	3.9
27.2	5(iv)	Tonsillectomy with adenoidectomy	(64863)	(121361)		
		Residual	3203	33449	0.7	0.8
30-32	6	Operations on heart and intrathoracic vessels	1710	42011	0.4	1.0
30.3	6(i)	Operations on valves of heart	(462)	(14757)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	537	17133	0.1	0.4
		Residual	1173	24878	0.3	0.6
33-35	7	Operations on bronchi, lung, pleura, chest-wall and mediastinum	1952	49264	0.4	1.2
35.2	7(i)	Partial lobectomy	414	11411	0.1	0.3
		Residual	1538	37853	0.3	0.9
38	8	Operations on breast	7751	69005	1.7	1.6
38.1	8(i)	Partial mastectomy	(3762)	(18506)		
38.1-38.3	8(ii)	Mastectomy	5849	58250	1.3	1.4
		Residual	1902	10755	0.4	0.3
40-49	9	Operations on gastrointestinal tract	69290	842380	15.5	19.7
45.1	9(i)	Appendectomy	(19272)	(151023)		
40	9(ii)	Repair of hernia	24296	208584	5.4	4.9
41.1	9(iii)	Exploratory laparotomy or celiotomy	1842	40484	0.4	0.9
44.2-44.3	9(iv)	Gastrectomy	2611	66954	0.6	1.6
45	9(v)	Operations on appendix	19447	153886	4.3	3.6
49.3	9(vi)	Hemorrhoidectomy	7017	69335	1.6	1.6
		Residual	14077	303137	3.1	7.1

ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (3)	Days (3)	Cases
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	14543 (12993)	262773 (216887)	3.2
53.5	10(i)	Cholecystectomy	12993	216887	2.9
53.5	10(ii)	Cholecystectomy			5.1
60-64	11	Residual	1550	45886	0.3
64.5	11(i)	Operations on urinary system Dilatation of urethra	10450 2002	166867 18843	2.3 0.4
66-69	12	Residual	8448	148024	1.9
66.2	12(i)	Operations on male genital system	13506 (4936)	193800 (105415)	3.0
66.1-66.3	12(ii)	Prostatectomy, transurethral	6121	139437	1.4
69.2	12(iii)	Prostatectomy Circumcision	3313	12443	0.7
70-75	13	Residual	4072	41920	0.9
72.8	13(i)	Operations on female genital organs excluding obstetrical	57802 (25482)	502776 (115233)	12.9
70.2-70.5	13(ii)	Dilatation and curettage of uterus	1988	25183	0.4
72.3-72.6	13(iii)	Oophorectomy	12726	190058	2.8
72.8	13(iv)	Hysterectomy	25482	115233	5.7
74.3	13(v)	Dilatation and curettage of uterus	2104	29923	0.5
74.4	13(vi)	Colporrhaphy	1473	20217	0.3
		Repair of cystocele and/or rectocele			
		Residual	14029	122162	3.1
					2.9

# ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (3)	Days (3)	Cases
76-78 77.1	14 14(i)	Obstetrical procedures Dilatation and curettage after delivery or abortion	60027 (18555) 18550	373922 (66857) 120513	13.4
76.3-76.4 77.1	14(ii) 14(iii)	Episiotomy Dilatation and curettage after delivery or abortion	18555 7232	66857 83917	4.1
78.0-78.4	14(iv)	Caesarean section	15690	102635	4.1
		Residual			1.6
80-87 82.3	15 15(i)	Operations on musculoskeletal system Closed reduction of fracture of extremity of long bone	43568 (4035) 14736	775878 (39167) 289442	3.5
82 82.0, 82.3, 82.6 87.0-87.4	15(ii) 15(iii) 15(iv)	Reduction of fracture Closed reduction of fracture Amputation and disarticulation of extremities	(8471) 1028	(82585) 9464	9.7
		Residual	27804	476972	3.3
88 88.4 88.4	16 16(i) 16(ii)	Operations on peripheral blood vessels and lymphatic system Excision and ligation of varicose veins Excision and ligation of varicose veins	10012 (7581) 7581	120385 (72802) 72802	0.2
		Residual	2431	47583	6.2
					11.1
					2.2
					1.7
					1.1

1 233 1



ONTARIO (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases (3)	Days (3)	Cases Days
89	17	Operations on skin and subcutaneous tissue	25321	253164	5.6
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(8696) 3963	(69205) 36028	0.9
89.0	17(ii)	Incision of skin and subcutaneous tissue	8696	69205	1.9
89-1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2771 5468	15027 36364	0.6 1.2
89.2	17(iv)	Removal of nail			
89.4	17(v)	Suture			
		Residual	4423	96540	1.0
90-99	18	Not coded in Ontario			
		Total (17 groups)	448218(3)	4280040(3)	100.0
					234

- (1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
- (2) Ontario Hospital Services Commission claims processed January - December 1964.
- (3) The total number of cases and days excludes Group 18 - "Certain Non-surgical Procedures". This should be noted in making comparisons with data from other provinces.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS(2), (EXCLUDING NEWBORNS), MANITOBA, 1964.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06 01.0	1 1(i)	Operations on nervous system Craniotomy	474	9938	2.4
			109	3499	0.8
08-09 08.1	2 2(i)	Residual Operations on endocrine system Complete or total thyroidectomy	365	6439	1.5
			328 159	3083 1396	0.7 0.3
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Residual Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	169	1687	0.4
			2158 (722)	17253 (9959)	4.1
			731	1890	0.5
			794	10510	2.5
			633	4853	1.2
20-22 21.1 20 21, 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Residual Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	2227 (651)	10110 (2450)	2.4
			815	3641	0.9
			1363	5670	1.4
			(651)	(2450)	
			49	799	0.1
		Residual			0.2

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	11543	25291	6.1
27.2	5(i)	Tonsillectomy with adenoidectomy	(6992)	(13997)	
24.1-24.3	5(ii)	Extractions of tooth and root resection	2327	4444	4.8
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	8793	17884	18.1
27.2	5(iv)	Tonsillectomy with adenoidectomy	(6992)	(13997)	
		Residual	423	2963	0.9
30-31	6	Operations on heart and great vessels	169	4483	0.3
30.3	6(i)	Catheterization of heart	(67)	(2302)	
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	107	3044	0.2
		Residual	62	1439	0.2
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	128	3045	0.3
35.3	7(i)	Complete lobectomy	38	1247	0.1
		Residual	90	1798	0.2
38	8	Operations on breast	1164	8689	2.4
38.1	8(i)	Partial mastectomy	(465)	(1581)	
38.1-38.3	8(ii)	Mastectomy	780	7077	1.6
		Residual	384	1612	0.8
40-49	9	Operations on gastrointestinal tract	8517	94336	17.5
45.1	9(i)	Appendectomy	(2330)	(17425)	
40.1	9(ii)	Exploratory laparotomy or celiotomy	279	5124	0.6
41	9(iii)	Repair of hernia	3068	25704	6.3
44.2-44.3	9(iv)	Gastrectomy	364	8659	0.7
45	9(v)	Operations on appendix	2355	17924	4.8
49.3	9(vi)	Hemorrhoidectomy	786	6513	1.6
		Residual	1665	30412	3.4
					7.3

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
51-56	10	Operations on liver, biliary tract, pancreas and spleen	2400	37380	
53.5	10(i)	Cholecystectomy	(2229)	(33010)	4.9
53.5	10(ii)	Cholecystectomy	2229	33010	4.6
		Residual	171	4370	0.4
60-64	11	Operations on urinary system	850	13340	1.7
63.1	11(i)	Complete nephrectomy	125	1936	0.3
		Residual	725	11404	1.5
66-69	12	Operations on male genital system	1754	26939	3.6
66.2	12(i)	Prostatectomy, transurethral	(654)	(15152)	1.9
66.1-66.3	12(ii)	Prostatectomy	903	22233	0.8
69.2	12(iii)	Circumcision	387	1040	0.2
		Residual	464	3666	1.0
70-75	13	Operations on female genital organs excluding obstetrical	5821	43774	12.0
72.8	13(i)	Dilatation and curettage of uterus	(2304)	(6905)	0.4
70.2-70.5	13(ii)	Oophorectomy	182	2171	2.5
72.3-72.6	13(iii)	Hysterectomy	1226	17055	4.7
72.8	13(iv)	Dilatation and curettage of uterus	2304	6905	0.3
74.3	13(v)	Colporrhaphy	147	2058	0.9
74.4	13(vi)	Repair of cystocele and/or rectocele	455	5548	3.1
		Residual	1507	10037	2.4

1 237 1



MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
76-78	14	Obstetrical procedures	446	4742	1.1
78.1	14(i)	Caesarian section, low cervical	(221)	(2439)	
76.3-76.4	14(ii)	Episiotomy	-	-	
77.1	14(iii)	Dilatation and curettage after delivery or abortion	7	38	0.0
78.0-78.4	14(iv)	Caesarian section	341	3830	0.9
		Residual	98	874	0.2
80-87	15	Operations on musculoskeletal system	5983	83259	20.0
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(957)	(5883)	
82	15(ii)	Reduction of fracture	2494	35831	8.6
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(1726)	(13505)	1
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	210	4515	3
		Residual	3729	42913	8
88	16	Operations on peripheral blood vessels and lymphatic system	993	8740	2.1
88.4	16(i)	Excision and ligation of varicose veins	(774)	(5466)	
88.4	16(ii)	Excision and ligation of varicose veins	774	5466	1.3
		Residual	219	3274	0.8
89	17	Operations on skin and subcutaneous tissue	2814	19193	4.6
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(789)	(5169)	
89.0	17(ii)	Incision of skin and subcutaneous tissue	529	2557	0.6
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	789	5169	1.2
89.2	17(iv)	Removal of nail	238	925	0.2
89.4	17(v)	Suture	764	3818	0.9
		Residual	494	6724	1.6

MANITOBA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
90-99	18	Certain nonsurgical procedures	849	3256	1.7
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(270)	(830)	0.8
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	14	41	0.0
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	270	830	0.6
92.0	18(iv)	Encephalography and ventriculography	13	66	0.0
93.0	18(v)	Cholangiography	-	-	0.0
99.3	18(vi)	Exchange transfusion	-	-	0.0
Residual			552	2319	1.1
Total			48618	416851	100.0

- 239 -

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1959 edition.

(2) M.H.C. Hospital Admission - Discharge Record forms for adult and child separations. This table includes only those cases where the reason for admission was believed to be for surgical intervention in the treatment of the primary disease.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(2), (EXCLUDING NEWBORNS), SASKATCHEWAN, 1964.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	624 149	14442 1787	0.9 0.2 2.1 0.3
		Residual	475	12655	0.7 1.8
05-09 05.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	380 306	5255 3662	0.5 0.4 0.7 0.5
		Residual	74	1593	0.1 0.2 0.2 1
10-18 17.4 17 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular muscle) Operations on lens	2029 (606) 480 683	18227 (8317) 2193 9155	2.8 2.6 0.3 1.3
		Residual	866	6879	1.2 1.0
20-22 21.1 21 21	4 4(i) 4(ii) 4(iii)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses	2803 (717) 1004 1655	19428 (2775) 6573 8160	3.9 2.8 1.4 2.3 0.9 1.2
		Residual	144	4695	0.2 0.7

SASKATCHEWAN (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	15721	44219	6.3
27.2	5(i)	Tonsillectomy with adenoidectomy	(10397)	(25320)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	2823	7061	1.0
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	12383	31826	4.5
		Residual	515	5332	0.8
30-32	6	Operations on heart and intrathoracic vessels	233	4271	0.6
30.5	6(i)	Catheterization of the left heart	98	1192	0.2
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	33	1058	0.2
		Residual	102	2021	0.3
33-35	7	Operations on bronchi, lung, pleura, chest-wall and mediastinum	270	7220	1.0
34.1	7(i)	Thoracentesis or Pleuracentesis	76	1813	0.3
		Residual	194	5407	0.8
38	8	Operations on breast	1286	12078	1.7
38.1	8(i)	Partial mastectomy	(675)	(3322)	
38.1-38.3	8(ii)	Mastectomy	976	10181	1.4
		Residual	310	1897	0.3



## SASKATCHEWAN (Cont'd)

- 242 -

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
40-57	9	Operations on gastrointestinal tract and related organs and tissues	11889 (3103)	167671 (29142)	16.5	23.9
45.1	9(i)	Appendectomy	241	5601	0.3	0.8
41.1	9(ii)	Exploratory laparotomy or celiotomy	3006	32341	4.2	4.6
40	9(iii)	Repair of hernia	401	10292	0.6	1.5
44.2-44.3	9(iv)	Gastrectomy, partial and complete	3125	27180	4.3	3.9
45	9(v)	Operations on appendix	973	10422	1.3	1.5
49.3	9(vi)	Haemorrhoidectomy				
51.0-57.0	9(vii)	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	2240 (2003)	41756 (34404)	3.1	5.9
53.5	9(viii)	Cholecystectomy	1903	40079	2.6	5.7
60-69	10	Operations on urinary and male genital system	3862 (973)	70861 (28299)	5.3	10.1
66.2	10(i)	Prostatectomy (transurethral)	2501	47141	3.5	6.7
66-69	10(ii)	Operations on male genital system	(1274)	(38406)		
66.1-66.3	10(iii)	Prostatectomy, perineal, transurethral and other	(665)	(2723)		
69.2	10(iv)	Circumcision	1361	23720	1.9	3.4
70-75	11	Operations on female genital organs, excluding obstetrical	8337 4059	69172 14844	11.5	9.8
72.8	11(i)	Dilatation and curettage of uterus	153	2089	5.6	2.1
70.2-70.5	11(ii)	Oophorectomy	1737	28119	0.2	0.3
72.3-72.6	11(iii)	Hysterectomy	44	772	2.4	4.0
74.3	11(iv)	Colporrhaphy	722	10345	0.1	0.1
74.4	11(v)	Repair of cystocele and/or rectocele	1622	13003	1.0	1.5
		Residual			2.2	1.8

## SASKATCHEWAN (Cont'd)

		Group	(1) Operation or Treatment	Percent Distribution of		
				Cases	Days	Days
76-78		12	Obstetrical procedures	7262	44408	5.3
76.3		12(i)	Episiotomy without low forceps	(2387)	(14233)	
76.3-76.4		12(ii)	Episiotomy with and without low forceps	2889	17673	2.5
77.1		12(iii)	Dilatation and curettage after delivery			
			or abortion	2209	7883	1.1
78.0-78.4		12(iv)	Caesarean section	618	8297	1.2
			Residual	1546	10555	1.5
80-87		13	Operations on musculoskeletal system	6971	111024	15.8
81.8		13(i)	Traction or fixation without reduction	1235	18647	1.7
82		13(ii)	Reduction of fracture	2107	31030	2.9
82.0, 82.3, 82.6		13(iii)	Closed reduction of fracture	(1576)	(13792)	
87.0-87.4		13(iv)	Amputation and disarticulation of extremities	136	1325	0.2
			Residual	3493	60022	8.5
88		14	Operations on peripheral blood vessels and lymphatic system	1279	16346	2.3
88.4		14(i)	Excision and ligation of varicose veins	910	9359	1.3
			Residual	369	6987	1.0
89		15	Operations on skin and subcutaneous tissue	3726	34846	5.0
89.1		15(i)	Excision and destruction of lesion of skin and subcutaneous tissue	1277	14736	1.8
89.0		15(ii)	Incision of skin and subcutaneous tissue	918	5738	1.3
89.2		15(iii)	Removal of nail	400	2424	0.6
89.4		15(iv)	Suture	786	4674	1.1
			Residual	345	7274	0.5
						1.0

- 243 -

SASKATCHEWAN (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	16	Certain nonsurgical procedures	5584	63284	7.7	9.0
90.6	16(i)	Cystoscopy and urethroscopy without effect on tissue or lesion	1742	17587	2.4	2.5
90.5	16(ii)	Proctoscopy without effect upon tissue or lesion	612	6974	0.8	1.0
92.0	16(iii)	Encephalography and ventriculography	73	936	0.1	0.1
93.1-93.2	16(iv)	Pyelography, intravenous and retrograde	1493	17649	2.1	2.5
99.3	16(v)	Exchange transfusion	24	288	0.0	0.0
		Residual	1640	19850	2.3	2.8
		Total	72256	702752	100.0	100.0

- 244 -

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations,  
1962 edition.

(2) Includes out-of-province hospitalization.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORNS), ALBERTA, 1964.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	1,085 131	25,448 993	0.9 0.1
		Residual	954	24,455	0.8
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	557 413	6,594 4,181	0.5 0.3
		Residual	144	2,413	0.1
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	3,116 (811) 942 915	29,223 (13,057) 3,377 14,262	2.6 0.8 0.8
		Residual	1,259	11,584	1.1
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	4,222 (1,029) 1,323 2,654 (1,029)	21,030 (3,178) 6,660 10,425 (3,178)	3.5 1.1 2.2
		Residual	245	3,945	0.2
					0.4



## ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	21,431	63,170	5.9
27.2	5(i)	Tonsillectomy with adenoidectomy	(14,794)	(36,543)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	3,221	10,652	1.3
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	17,395	44,789	1.2
27.2	5(iv)	Tonsillectomy with adenoidectomy	(14,794)	(36,543)	
		Residual	815	7,729	0.7
30-31	6	Operations on heart and great vessels	538	7,731	1.7
30.4	6(i)	Catheterization of heart	213	1,141	1.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	102	2,079	0.2
		Residual	223	4,511	1.1
33-35	7	Operations on bronchi, lung, pleura, chest-wall and mediastinum	733	11,513	1.1
34.0	7(i)	Thoracotomy and pleurotomy	89	2,285	1.1
		Residual	364	9,228	0.9
36	8	Operations on breast	1,693	11,526	1.1
38.8	8(i)	Biopsy of breast	697	2,636	0.2
38.1-38.3	8(ii)	Mastectomy	893	8,257	0.6
		Residual	103	633	0.1
40-49	9	Operations on gastrointestinal tract	14,653	167,469	15.6
45.1	9(i)	Appendectomy	(4,441)	(37,538)	
40	9(ii)	Incision and excision of abdominal wall and peritoneum	4,770	41,731	4.0
41.1	9(iii)	Exploratory laparotomy or celiotomy	262	4,427	0.4
44.2-44.3	9(iv)	Gastrectomy	646	14,833	1.4
45.1	9(v)	Appendectomy	4,441	37,538	3.5
49.3	9(vi)	Hemorrhoidectomy	1,481	13,880	1.3
		Residual	3,053	55,060	5.1
					2.6

## ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
51-57	10	Operations on liver, biliary tract, pancreas and spleen	3,646	61,125	5.7
53.5	10(i)	Cholecystectomy	(3,240)	(50,505)	
53.5	10(ii)	Cholecystectomy	3,240	50,505	4.7
		Residual	406	10,620	1.0
60-64	11	Operations on urinary system	1,829	28,605	2.7
64.5	11(i)	Dilatation of urethra	476	4,108	0.4
		Residual	1,353	24,497	2.3
66-69	12	Operations on male genital system	3,286	49,104	4.6
66.2	12(i)	Prostatectomy, transurethral	(1,251)	(29,090)	
66.1-66.3	12(ii)	Prostatectomy	1,497	35,088	3.3
69.2	12(iii)	Circumcision	827	3,186	0.3
		Residual	962	10,830	1.0
70-75	13	Operations on female genital organs except obstetrical	11,497	96,125	9.0
72.8	13(i)	Dilatation and curettage of uterus	(4,703)	(18,378)	
70.2-70.5	13(ii)	Oophorectomy	485	6,015	0.6
72.3-72.6	13(iii)	Hysterectomy	2,705	38,507	3.6
72.8	13(iv)	Dilatation and curettage of uterus	4,703	18,378	1.7
74.3	13(v)	Colporrhaphy	63	859	0.1
74.4	13(vi)	Repair of cystocele and/or rectocele	694	9,350	0.9
		Residual	2,847	23,016	2.1

- 247 -

## ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
76-78	14	Obstetrical procedures	22,031	139,374	13.0
76.3	14(i)	Episiotomy without low forceps	(8,770)	(54,778)	
76.3-76.4	14(ii)	Episiotomy	12,260	78,759	7.3
77.1	14(iii)	Dilatation and curettage after delivery or abortion	3,556	12,103	1.1
78.0-78.4	14(iv)	Caesarean section	1,117	14,443	1.3
		Residual	5,098	34,069	3.2
80-87	15	Operations on musculoskeletal system	13,566	202,167	18.8
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(1,626)	(11,807)	
82	15(ii)	Reduction of fracture	4,169	55,409	5.2
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(3,013)	(23,614)	
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	450	12,786	1.2
		Residual	8,947	133,972	12.5
88	16	Operations on peripheral blood vessels and lymphatic system	2,595	29,307	2.7
88.4	16(i)	Excision and ligation of varicose veins	(1,811)	(15,987)	
88.4	16(ii)	Excision and ligation of varicose veins	1,811	15,987	1.5
		Residual	784	13,320	1.2
89	17	Operations on skin and subcutaneous tissue	7,244	64,302	6.0
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(2,351)	(22,407)	
89.0	17(ii)	Incision of skin and subcutaneous tissue	1,635	11,107	1.0
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2,351	22,407	2.1
89.2	17(iv)	Removal of nail	671	3,314	0.3
89.4	17(v)	Suture	1,680	9,847	0.9
		Residual	907	17,627	1.7

ALBERTA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
90-99	18	Certain nonsurgical procedures	5,780	59,960	4.8
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(1,284)	(12,193)	
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	628	5,766	0.5
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,284	12,193	1.1
92.0	18(iv)	Encephalography and ventriculography	148	2,487	0.1
93.0	18(v)	Cholangiography	2	37	-
99.3	18(vi)	Exchange transfusion	-	-	-
		Residual	3,718	39,477	3.1
		Total	119,222	1,073,773	100.0
					249
					100.0

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations,  
1962 edition.



TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS, (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), BRITISH COLUMBIA, 1964

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06 03.0	1 1(i)	Operations on nervous system Laminotomy	1768 380	37939 11231	1.4 0.3 3.2 3.3
		Residual	1388	26708	1.1 2.2
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	652 460	6548 4136	0.5 0.4 0.5 0.3
		Residual	192	2412	0.2 0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	4357 (1261) 1338 1400	33751 (14884) 4328 15949	3.5 1.1 1.1 1.3
		Residual	1619	13474	1.3 1.1
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	5714 (1099) 2130 3128 (905)	32475 (4618) 10755 15814 (4028)	4.7 1.7 2.5 0.9 1.3
		Residual	456	5906	0.4 0.5

## BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	24476	72095	6.0
27.2	5(i)	Tonsillectomy with adenoidectomy	(16181)	(38394)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	3331	11090	0.9
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids(a)	19761	49219	4.1
27.2	5(iv)	Tonsillectomy with adenoidectomy	(16181)	(38394)	
		Residual	1384	11786	1.0
30-32	6	Operations on heart and intrathoracic vessels	822	15244	1.3
30.4-30.5	6(i)	Catheterization of heart	413	3583	0.3
30.2-30.3-30.6	6(ii)	Repair of heart and pericardium and operation on valves	216	6987	0.6
		Residual	193	4674	0.4
33-35	7	Operations on bronchi, lung, pleura, chest-wall and mediastinum	583	13803	0.5
34.0	7(i)	Thoracotomy and pleurotomy	114	2755	0.1
		Residual	469	11048	0.9
38	8	Operations on breast	2535	17495	1.5
38.1	8(i)	Partial mastectomy	(1226)	(5020)	
38.1-38.3	8(ii)	Mastectomy	1716	13933	1.2
		Residual	819	3562	0.3
40-49	9	Operations on gastrointestinal tract(b)	16393	217394	18.2
40.0	9(i)	Repair of inguinal hernia except recurrent	(3785)	(32564)	
41.1	9(ii)	Exploratory laparotomy or celiotomy	464	9634	0.4
40	9(iii)	Repair of hernia	5166	49674	4.2
44.2-44.3	9(iv)	Gastrectomy	1123	26358	2.2
45	9(v)	Operations on appendix	3539	29920	2.5
49.3	9(vi)	Hemorrhoidectomy	1744	15860	1.3
		Residual	4357	85948	7.2

## BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	3454 (2902)	64284 (49032)	2.8
53.5	10(i)	Cholecystectomy	2902	49032	5.4
53.5	10(ii)	Cholecystectomy			2.4
		Residual	552	15252	0.4
60-64	11	Operations on urinary system	3478	53229	2.8
63.1	11(i)	Local excision and destruction of lesion of bladder	712	8580	0.6
		Residual	2766	44649	2.3
66-69	12	Operations on male genital system	4712	76423	3.8
66.2	12(i)	Prostatectomy, transurethral	(2266)	(47740)	3.7
66.1-66.3	12(ii)	Prostatectomy	2712	61167	2.2
69.2	12(iii)	Circumcision	735	3029	0.6
		Residual	1265	12227	1.0
70-75	13	Operations on female genital organs, excluding obstetrical	14524 (5957)	113202 (19961)	11.8
72.8	13(i)	Dilatation and curettage of uterus	511	6318	0.4
70.2-70.5	13(ii)	Oophorectomy	3298	44280	2.7
72.3-72.6	13(iii)	Hysterectomy	5957	19961	4.9
72.8	13(iv)	Dilatation and curettage of uterus	669	8894	0.5
74.3	13(v)	Colporrhaphy	531	6675	0.4
74.4	13(vi)	Repair of cystocele and/or rectocele			0.6
		Residual	3558	27074	2.9
					2.3

## BRITISH COLUMBIA (Cont'd)

		Percent Distribution of			
U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Cases
76-78	14	Obstetrical procedures	7322	49190	6.0
77.1	14(i)	Dilatation and curettage after delivery or abortion	(3177) 1231	(11722) 8319	1.0
76.3-76.4	14(ii)	Episiotomy	3177	11722	2.6
77.1	14(iii)	Dilatation and curettage after delivery or abortion	1348	16829	1.1
78.0-78.4	14(iv)	Caesarean section(c)	1566	12320	1.3
		Residual			1.0
80-87	15	Operations on musculoskeletal system	12709	200505	10.4
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(1532) 4019	(11251) 74074	3.3
82	15(ii)	Reduction of fracture	(2634)	(23011)	0.1
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	105	998	0.1
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	8585	125433	7.0
		Residual			10.5
88	16	Operations on peripheral blood vessels and lymphatic system	3163	37377	2.6
88.4	16(i)	Excision and ligation of varicose veins	(2298)	(21862)	3.1
88.4	16(ii)	Excision and ligation of varicose veins	2298	21862	1.9
		Residual	865	15515	0.7
89	17	Operations on skin and subcutaneous tissue	6193	61825	5.0
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(1995)	(15072)	0.8
89.0	17(ii)	Incision of skin and subcutaneous tissue	1001	8507	0.7
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	1995	15072	1.6
89.2	17(iv)	Removal of nail	493	2620	0.4
89.4	17(v)	Suture	1445	8743	1.2
		Residual	1259	26883	1.0
					2.3



BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
90-99	18	Certain nonsurgical procedures	9894	90809	8.1
90.0	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(5032)	(38973)	7.6
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	736	7215	0.6
91.0	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	5032	38973	4.1
92.0	18(iv)	Encephalography and ventriculography.	350	5986	0.3
93.0	18(v)	Cholangiography	3	51	0.0
99.3	18(vi)	Exchange transfusion	26	274	0.0
		Residual	3747	38310	3.1
		Total	122749	1193538	100.0

- (1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.
- (a) "Arrest of haemorrhage", "excision of lesion", "ligation", and "removal of foreign body" are INCLUDED. "Incision and drainage of peritonsillar abscess" and "biopsy" are EXCLUDED.
- (b) "Abdominal wall and peritoneum" are INCLUDED. "Repair of rectocele", and "Repair of rectocele and cystocele" are EXCLUDED.
- (c) "Caesarean section with hysterectomy" is in group 14(iv).

TABLE 2 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS(2) (EXCLUDING NEWBORNS), YUKON, 1964

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	24 18	227 124	2.5 1.9	2.7 1.5
		Residual	6	103	0.6	1.2
08-09 08.4	2 2(i)	Operations on endocrine system Excision of thyroglossal duct or tract	1 1	12 12	0.1 0.1	0.1 0.1
		Residual	-	-	-	255
10-18 14.5 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Keratoplasty Operations on eye (ocular) muscles Operations on lens	19 2 7 4	179 37 46 38	2.0 0.2 0.7 0.4	2.1 0.4 0.5 0.4
		Residual	6	58	0.6	0.7
20-22 22.5 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Tracheotomy Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	16 3 2 10 (3)	105 41 16 39 (9)	1.7 0.3 0.2 1.0	1.2 0.5 0.2 0.5
		Residual	1	9	0.1	0.1

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
24-28	5	Operations on buccal cavity and esophagus	140	468	14.5	5.5
27.2	5(i)	Tonsillectomy with adenoidectomy	(78)	(283)		
24.1-24.3	5(ii)	Extraction of tooth and root resection	28	58	2.9	0.7
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	99	353	10.3	4.2
		Residual	13	57	1.3	0.7
30-31	6	Operations on heart and great vessels	11	161	1.1	1.9
30.3	6(i)	Operations on valves of heart	(6)	(137)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	6	137	0.6	1.6
		Residual	5	24	0.5	0.3
33-35	7	Operations on bronchus, lung, pleura, chest- wall and mediastinum	5	148	0.5	1.7
34.1	7(i)	Thoracentesis and pleuracentesis	3	107	0.3	1.3
		Residual	2	41	0.2	0.5
38	8	Operations on breast	34	211	3.5	2.5
38.8	8(i)	Biopsy of breast	14	56	1.4	0.7
38.1-38.3	8(ii)	Mastectomy	11	88	1.1	1.0
		Residual	9	67	0.9	0.8
40-49	9	Operations on gastrointestinal tract	109	1,201	11.3	14.2
45.1	9(i)	Appendectomy	(35)	(272)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	-	-	-	-
41	9(iii)	Repair of hernia	8	113	0.8	1.3
44.2-44.3	9(iv)	Gastrectomy	3	53	0.3	0.6
45	9(v)	Operations on appendix	36	284	3.7	3.4
49.3	9(vi)	Hemorrhoidectomy	14	109	1.4	1.3
		Residual	48	642	5.0	7.6

## YUKON (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
51-56	10	Operations on liver, biliary tract, pancreas and spleen	13	153	1.8
53.5	10(i)	Cholecystectomy	11	131	1.1
		Residual	2	22	0.3
60-64	11	Operations on urinary system	15	284	1.6
63.3	11(i)	Cystostomy	3	65	0.3
		Residual	12	219	1.2
65-69	12	Operations on male genital system	11	103	1.1
66.2	12(i)	Circumcision	3	12	0.3
66.1-66.3	12(ii)	Prostatectomy	2	53	0.2
		Residual	6	38	0.6
70-75	13	Operations on female genital organs excluding obstetrical	93	630	9.6
72.8	13(i)	Dilatation and curettage of uterus	39	143	4.0
70.2-70.5	13(ii)	Oophorectomy	3	40	0.3
72.3-72.6	13(iii)	Hysterectomy	8	95	0.8
74.3	13(iv)	Colporrhaphy	1	23	0.1
74.4	13(v)	Repair of cystocele and/or rectocele	1	25	0.1
		Residual	41	304	4.2
					3.6



U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
76-78	14	Obstetrical procedures	246	1,597	18.8
76.3	14(i)	Episiotomy without low forceps	(91)	(501)	
76.3-76.4	14(ii)	Episiotomy	134	801	9.5
77.1	14(iii)	Dilatation and curettage after delivery or abortion	50	179	2.1
78.0-78.4	14(iv)	Caesarean section	2	19	0.2
		Residual	60	598	7.1
80-87	15	Operations on musculoskeletal system.	93	1,656	19.5
82.0	15(i)	Closed reduction of fracture of shaft of long bone	(16)	(231)	
82	15(ii)	Reduction of fracture	41	626	7.4
82.0-82.3, 82.6	15(iii)	Closed reduction of fracture	(31)	(287)	
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	3	41	0.5
		Residual	49	989	11.7
88	16	Operations on peripheral blood vessels and lymphatic system	14	130	1.5
88.4	16(i)	Excision and ligation of varicose veins	13	118	1.4
		Residual	1	12	0.1
89	17	Operations on skin and subcutaneous tissue	64	596	7.0
89.4	17(i)	Suture	24	198	2.3
89.0	17(ii)	Incision of skin and subcutaneous tissue	24	182	2.1
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	8	43	0.5
89.2	17(iv)	Removal of nail	1	13	0.2
		Residual	7	160	1.9

YUKON (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-29	18	Certain nonsurgical procedures	57	612	5.9	7.2
90.5	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	17	126	1.8	1.5
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	5	17	0.5	0.2
92.0	18(iii)	Encephalography and ventriculography	-	-	-	-
93.0	18(iv)	Pyelography	1	13	0.1	0.2
99.3	18(v)	Exchange transfusion	7	92	0.7	1.1
		Residual	27	364	2.8	4.3
		Total	965	8,473	100.0	100.0

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(2) Includes out-of-Yukon hospitalization.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS(2) (EXCLUDING NEWBORNS), NORTHWEST TERRITORIES, 1964.

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	42 29	809 414	5.3 2.7
08-09 08.1	2 2(i)	Residual Operations on endocrine system Partial or subtotal thyroidectomy	13 6 2	395 104 18	2.6 0.7 0.1
10-18 10.9 11 17	3 3(i) 3(ii) 3(iii)	Residual Operations on eye Other operations on orbit and eyeball Operations on eye (ocular) muscles Operations on lens	4 40 5 5 11	86 473 79 18 173	0.6 3.1 0.5 0.1 1.1
20-22 21.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Residual Operations on ear, nose, and throat Rhinoplasty and repair of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	19 30 (4) 13 14 (2)	203 450 (92) 281 149 (10)	1.3 3.0 1.8 1.0
		Residual	3	20	0.1

260

## Northwest Territories (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus.	410	1583	10.4
27.2	5(i)	Tonsillectomy with adenoidectomy	(259)	(882)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	116	297	2.0
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	285	1011	6.6
		Residual	9	276	1.8
30-31	6	Operations on heart and great vessels	15	327	2.1
30.4	6(i)	Catheterization of the right heart	5	13	0.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	-	-	-
		Residual	10	314	2.1
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	19	631	4.1
35.0	7(i)	Pneumonotomy	9	396	2.6
		Residual	10	235	1.5
38	8	Operations on breast	13	121	0.8
38.0	8(i)	Mastectomy	5	45	0.3
38.1-38.3	8(ii)	Mastectomy	2	9	0.1
		Residual	6	67	0.4
40-49	9	Operations on gastrointestinal tract	154	2131	14.0
45.1	9(i)	Appendectomy	(65)	(711)	
41.1	9(ii)	Exploratory laparotomy or celiotomy	1	10	0.1
41	9(iii)	Repair of hernia	14	351	2.3
44.2-44.3	9(iv)	Gastrectomy	2	28	0.2
45	9(v)	Operations on appendix	67	733	4.8
49.3	9(vi)	Haemorrhoidectomy	11	79	0.5
		Residual	59	930	6.1



## Northwest Territories (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
51-56	10	Operations on liver, biliary tract, pancreas and spleen	20	327	1.4	2.1
53.5	10(i)	Cholecystectomy	16	235	1.1	1.5
		Residual	4	92	0.3	0.6
60-64	11	Operations on urinary system	16	319	1.1	2.1
64.5	11(i)	Dilatation of urethra	4	81	0.3	0.5
		Residual	12	238	0.9	1.6
65-69	12	Operations on male genital system	31	335	2.2	2.2
69.2	12(i)	Circumcision	23	214	1.6	1.4
66.1-66.3	12(ii)	Prostatectomy	1	30	0.1	0.2
		Residual	7	91	0.5	0.6
70-75	13	Operations on female genital organs excluding obstetrical	141	1135	10.0	7.5
72.8	13(i)	Dilatation and curettage of uterus	73	365	5.2	2.4
70.2-70.5	13(ii)	Oophorectomy	4	56	0.3	0.4
72.3-72.6	13(iii)	Hysterectomy	20	266	1.4	1.7
74.3	13(iv)	Colporrhaphy	5	57	0.4	0.4
74.4	13(v)	Repair of cystocele and/or rectocele	2	16	0.1	0.1
		Residual	37	375	2.6	2.5
76-78	14	Obstetrical procedures	209	1501	14.9	9.9
76.3	14(i)	Episiotomy without low forceps	(78)	(527)		
76.3-76.4	14(ii)	Episiotomy	87	604	6.2	4.0
77.1	14(iii)	Dilatation and curettage after delivery or abortion	47	216	3.3	1.4
		Caesarean section	17	242	1.2	1.6
78.0-78.4	14(iv)	Residual	58	439	4.1	2.9

# Northwest Territories (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
80-87 82.0	15 15(i)	Operations on musculoskeletal system Closed reduction of fracture of shaft of long bone	131	2581	17.0
82 82.0, 82.3, 82.6 87.0-87.4	15(ii) 15(iii) 15(iv)	Reduction of fracture Closed reduction of fracture Amputation and disarticulation of extremities	(43) 74 (57) 1	(631) 1188 (685) 64	7.8 0.4
		Residual	56	1329	8.7
88 88.4	16 16(i)	Operations on peripheral blood vessels and lymphatic system Excision and ligation of varicose veins	13 10	178 84	1.2 0.6
		Residual	3	94	0.6
89 89.4 89.0 89.1 89.2	17 17(i) 17(ii) 17(iii) 17(iv)	Operations on skin and subcutaneous tissue Suture Incision of skin and subcutaneous tissue Excision and destruction of lesion of skin and subcutaneous tissue Removal of nail	74 23 18 16 5	1056 116 208 384 23	6.9 0.3 1.4 2.5 0.2
		Residual	12	325	2.1

Northwest Territories (Cont'd)

U.S. Code	Group	(1) Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain nonsurgical procedures	41	1151	2.9	7.6
90.3	18(i)	Bronchoscopy without effect upon tissue or lesion	9	566	0.6	3.7
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	4	23	0.3	0.2
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	2	39	0.1	0.3
92.0	18(iv)	Encephalography and ventriculography	3	37	0.2	0.2
93.0	18(v)	Pyelography	-	-	-	-
99.3	18(vi)	Exchange transfusion	-	-	-	-
		Residual	23	486	1.6	3.2
		Total	1405	15212	100.0	100.0

264

(1) International Classification of Diseases Adapted for Indexing Hospital Records by Diseases and Operations, 1962 edition.

(2) Includes out-of-territories hospitalization.

TABLE 10 - SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE, WHO ARE PROVINCIAL PLAN<sup>(1)</sup> IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR SEVEN PROVINCES AND TWO TERRITORIES, 1964.

(1) See page 275

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS		
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Total
		M	F	M	F	M	F	M	F	M	F	M	F	
470-475	Acute upper respiratory infections													
	Nfld.	2	2	226	152	382	17	64	976	1,695		2,752		
	N.B.	1	-	307	196	504	4	-	1,597	2,494		4,095		
	Que.	-	-	653	459	1,112	-	-	4,789	6,602		11,391		
	Man.	-	-	364	323	687	-	-	1,797	2,082		3,879		
	Sask.	2	5	717	572	1,296	14	120	3,933	4,662		8,729		
	Alta.	5	6	711	589	1,311	60	58	3,573	4,364		8,055		
	B.C.	1	4	621	555	1,181	12	58	3,814	4,603		8,487		
	Yukon	-	-	5	10	15	-	-	70	48		118		
	N.W.T.	-	-	10	9	19	-	-	43	70		113		
		11	17	3,614	2,865	6,507	107	300	20,592	26,620		47,619		
480-493	Influenza, pneumonia and bronchitis													
500-502	Nfld	17	11	822	596	1,446	240	105	5,978	8,374		14,697		
763	N.B.	1	2	850	631	1,484	5	18	6,584	9,136		15,743		
	Que.	143	77	4,257	2,890	7,367	1,984	1,000	38,226	60,408		101,618		
	Man.	16	15	1,776	1,316	3,123	276	296	11,709	15,797		28,078		
	Sask.	15	12	2,321	1,745	4,093	260	148	16,086	22,281		38,775		
	Alta.	28	29	2,240	1,632	3,929	348	488	14,589	20,311		35,736		
	B.C.	39	32	2,193	1,596	3,860	761	586	15,912	22,574		39,833		
	Yukon	1	-	50	36	87	5	-	270	410		685		
	N.W.T.	-	-	255	207	462	-	-	1,875	2,535		4,410		
260		178	14,764	10,649	25,851	3,879	2,641	161,826	111,229	279,575				



TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
560-561, 570	Hernia of abdominal cavity and intestinal obstruction	3	1	70	7	81	8	24	901	65	998		
	Nfld.	-	-	100	32	132	-	-	1,077	314	1,391		
	N.B.	3	1	849	278	1,131	51	29	7,369	2,822	10,271		
	Que.	-	1	133	46	180	-	1	672	180	853		
	Man.	3	7	153	67	230	17	184	1,246	461	1,908		
	Sask.	11	7	330	82	430	482	59	2,097	453	3,091		
	Alta.	17	13	299	64	393	151	85	1,757	573	2,566		
	B.C.	-	-	1	-	1	-	-	20	-	20		
	Yukon	-	-	7	2	9	-	-	150	20	170		
	N.W.T.												
571,764	Gastroenteritis and colitis and diarrhoea of newborn	37	30	1,942	578	2,587	709	382	15,289	4,888	21,268		
	Nfld.	13	5	426	382	826	137	32	5,486	5,571	11,226		
	N.B.	1	1	405	313	720	6	4	3,691	2,798	6,499		
	Que.	150	116	2,571	2,068	4,905	2,248	1,704	35,339	28,468	67,759		
	Man.	13	7	681	596	1,297	403	266	5,274	4,449	10,392		
	Sask.	22	17	1,083	844	1,966	242	342	9,632	7,357	17,573		
	Alta.	34	36	1,252	1,017	2,339	576	514	10,733	8,955	20,778		
	B.C.	18	20	878	739	1,655	276	354	7,682	6,068	14,380		
	Yukon	1	1	13	14	29	4	5	87	107	203		
	N.W.T.	1	-	91	69	161	6	-	969	664	1,639		
253		203	203	7,400	6,042	13,898	3,898	3,221	78,893	64,437	150,449		



TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Newborn	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
690-698	Infection of skin and subcutaneous tissue														
	Nfld.	1	1	33	23	58		6	2	388	438				834
	N.B.	-	-	36	27	63		-	-	381	371				752
	Que.	-	2	323	284	609		-	21	4,149	3,763				7,933
	Man.	-	-	71	63	134		-	-	630	548				1,178
	Sask.	6	6	57	63	132		70	63	573	532				1,238
	Alta.	12	9	75	77	173		113	83	651	643				1,490
	B.C.	6	2	91	89	188		66	21	1,143	1,041				2,271
	Yukon	-	2	2	1	5		-	21	23	13				57
	N.W.T.	-	-	7	3	10		-	-	72	25				97
		25	22	695	630	1,372		255	211	8,010	7,374				15,850
750-753	Congenital malformations of nervous system and sense organs														
	Nfld.	14	9	10	10	43		387	500	400	615				1,902
	N.B.	-	-	20	11	31		-	-	565	421				986
	Que.	81	85	110	110	386		1,643	989	2,474	2,857				7,963
	Man.	9	23	17	25	74		164	415	217	1,183				1,979
	Sask.	10	17	29	45	101		86	128	818	940				1,972
	Alta.	41	51	60	57	209		1,298	603	860	513				3,274
	B.C.	33	35	51	33	152		527	967	918	702				3,114
	Yukon	-	-	-	-	-		-	-	-	-				-
	N.W.T.	-	-	-	-	-		-	-	-	-				-
		188	220	297	291	996		4,105	3,602	6,252	7,231				21,190

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Other Infants	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
760-761	Birth injury														
	Nfld.	31	22	12	3	68		387	184	209	28				808
	N.B.	-	-	6	4	10		-	-	34	19				53
	Que.	192	116	66	45	419		2,443	1,695	937	612				5,687
	Man.	31	13	6	6	56		209	156	34	139				538
	Sask.	54	38	9	2	103		444	277	182	7				910
	Alta.	154	103	3	6	266		1,259	846	11	1,249				3,365
	B.C.	126	90	9	4	229		1,244	833	101	106				2,284
	Yukon	-	-	-	-	-		-	-	-	-				-
	N.W.T.	-	-	-	1	1		-	-	-	23				23
		588	382	111	71	1,152		5,986	3,991	1,508	2,183				13,663
762	Postnatal asphyxia and atelectasis														
	Nfld.	98	62	3	2	165		764	517	65	8				1,354
	N.B.	-	-	5	3	8		-	-	58	17				75
	Que.	268	172	65	41	546		2,445	1,361	974	767				5,547
	Man.	93	63	21	10	187		1,173	659	273	213				2,318
	Sask.	41	30	3	4	78		289	153	10	17				469
	Alta.	120	78	2	6	206		1,352	998	18	83				2,451
	B.C.	134	73	6	3	216		1,167	569	91	169				1,996
	Yukon	1	-	-	-	1		13	-	-	-				13
	N.W.T.	-	-	2	-	2		-	-	35	-				35
		755	478	107	69	1,409		7,203	4,257	1,524	1,274				14,258



TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES					PATIENT-DAYS				
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
Residual	Other (1)										
	Nfld.	107	125	513	340	1,085	2,569	2,323	8,367	4,745	18,004
	N.B.	7,650	7,247	749	573	16,219	50,424	45,927	8,339	6,085	110,775
	Que.	60,685	58,804	5,926	4,445	129,860	349,409	348,554	90,374	70,161	858,498
	Man.	23	12	969	774	1,778	179	49	9,284	7,930	17,442
	Sask.	10,912	10,594	1,248	933	23,687	68,229	66,387	11,287	2,677	148,580
	Alta.	17,751	15,171	1,430	1,024	35,376	120,476	103,900	13,945	8,763	247,084
	B.C.	907	895	1,201	955	3,958	8,572	8,254	13,620	10,914	41,360
	Yukon	1	-	15	14	30	1	-	142	183	326
	N.W.T.	2	-	103	111	216	8	-	1,892	1,289	3,189
Total		98,038	92,848	12,154	9,169	212,209	599,867	575,394	157,250	112,747	1,445,258
	Nfld.	680	600	2,542	1,779	5,601	10,924	10,603	32,337	23,248	77,112
	N.B.	7,657	7,250	2,884	2,016	19,807	50,469	45,949	30,179	21,037	147,634
	Que.	64,020	61,200	17,656	12,793	155,669	386,666	374,726	254,283	189,252	1,204,927
	Man.	436	357	4,597	3,526	8,916	5,199	4,640	39,350	33,394	82,583
	Sask.	11,622	11,173	6,467	4,744	34,006	76,248	72,620	57,922	36,640	243,430
	Alta.	19,835	16,229	6,942	4,993	47,999	141,434	115,720	60,524	44,600	362,278
	B.C.	2,431	2,008	6,257	4,674	15,370	26,867	22,384	63,448	47,455	160,154
	Yukon	5	5	92	80	182	24	36	775	720	1,555
	N.W.T.	8	4	513	422	947	55	55	6,192	4,297	10,599
Total		106,694	98,826	47,950	35,027	288,497	697,886	646,733	545,010	400,643	2,290,272

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
765-768	Ophthalmia and pemphigus neonatorum, umbilical and other sepsis	16	14	2	10	42		155	171	14	119	459	
	Nfld.	-	-	6	6	12		-	-	52	115	167	
	N.B.	303	210	123	87	723		4,472	2,963	1,561	1,107	10,103	
	Que.	10	16	15	10	51		170	244	115	163	692	
	Man.	12	9	9	8	38		154	163	55	44	416	
	Sask.	47	38	5	4	94		531	484	28	25	1,068	
	Alta.	61	49	12	10	132		1,238	824	169	111	2,342	
	B.C.	-	-	-	-	-		-	-	-	-	-	
	Yukon	-	-	1	-	1		-	-	4	-	4	
	N.W.T.	-	-	-	-	-		-	-	-	-	-	
		449	336	173	135	1,093		6,720	4,849	1,998	1,684	15,251	
770	Erythroblastosis	42	21	10	7	80		612	154	103	127	996	
	Nfld.	1	-	7	8	16		6	-	85	75	166	
	N.B.	277	238	186	181	882		3,654	3,203	2,502	1,802	11,161	
	Que.	47	56	17	22	142		467	692	135	146	1,440	
	Man.	105	114	19	22	260		1,013	1,268	309	145	2,735	
	Sask.	136	117	15	3	271		1,442	1,032	90	11	2,575	
	Alta.	182	148	21	22	373		2,104	1,861	171	208	4,344	
	B.C.	-	-	-	-	-		-	-	-	-	-	
	Yukon	1	-	-	-	1		3	-	-	-	3	
	N.W.T.	-	-	-	-	-		-	-	-	-	-	
		791	694	275	265	2,025		9,301	8,210	3,395	2,514	23,420	

- 271 -

TABLE 10 - (Cont'd)

- 272 -

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Other Infants	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
771	Haemorrhagic disease of newborn	6	8	2	-	16	-	25	57	53	-	-	-	-	-
	Nfld.	-	-	-	1	1	-	-	-	-	-	-	-	-	135
	N.B.	31	27	14	15	87	15	389	328	188	25	155	25	-	25
	Que.	5	4	3	5	17	5	10	22	9	34	75	75	-	1,060
	Man.	4	6	6	6	22	6	94	32	80	41	247	247	-	75
	Sask.	7	8	2	1	18	1	62	57	8	2	129	129	-	247
	Alta.	17	8	8	6	39	6	177	70	84	23	354	354	-	129
	B.C.	-	-	-	-	-	-	-	-	-	-	-	-	-	354
	Yukon	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	N.W.T.	-	-	1	-	1	-	-	-	55	-	55	-	-	55
291,772	Nutritional maladjustment and iron deficiency anaemias	70	61	36	34	201	34	757	566	477	280	2,080	2,080	-	-
	Nfld.	29	24	119	121	293	121	261	170	2,027	1,715	4,173	4,173	-	-
	N.B.	-	-	127	92	219	92	-	-	1,466	1,262	2,728	2,728	-	-
	Que.	389	313	682	493	1,877	493	5,262	4,322	9,846	6,495	25,925	25,925	-	-
	Man.	27	19	105	92	243	92	428	223	1,122	743	2,516	2,516	-	-
	Sask.	84	66	248	191	589	191	1,164	1,083	2,193	1,681	6,121	6,121	-	-
	Alta.	60	75	206	170	511	170	890	1,205	2,104	1,639	5,838	5,838	-	-
	B.C.	163	149	215	208	735	208	2,590	2,303	2,675	2,435	10,003	10,003	-	-
	Yukon	-	-	1	-	1	-	-	-	9	-	9	9	-	-
	N.W.T.	-	-	6	6	12	6	-	-	44	109	153	153	-	-
752		752	646	1,709	1,373	4,480	1,373	10,595	9,306	21,486	16,079	57,466	57,466	-	-

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES				PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants	
		M	F	M	F	M	F	M	F	M	F
773-776	Immaturity and ill-defined diseases peculiar to early infancy	289	280	31	30	630	5,140	5,858	631	702	12,331
		-	-	13	9	22	-	-	193	167	360
		1,270	901	421	369	2,961	8,037	5,842	7,585	7,438	28,902
		128	100	64	44	336	1,366	1,279	853	736	4,234
		217	173	29	24	443	2,304	1,412	409	283	4,408
		402	327	35	33	797	4,474	3,363	442	513	8,792
		469	332	49	29	879	4,986	3,654	622	614	9,876
		-	-	2	-	2	-	-	17	-	17
		1	2	6	6	15	26	42	63	215	346
		2,776	2,115	650	544	6,085	26,333	21,450	10,815	10,668	69,266
N800-N804, N852-N856	Skull fractures and head injuries	-	1	13	7	21	-	6	159	22	187
		-	-	17	12	29	-	-	141	61	202
		-	-	136	81	217	-	-	1,152	551	1,703
		-	-	22	18	40	-	-	110	45	155
		-	-	23	24	47	-	-	136	148	284
		1	-	36	35	72	11	-	196	241	448
		-	-	40	33	73	-	-	338	192	530
		-	1	1	-	2	-	5	8	-	13
		-	-	3	1	4	-	-	27	1	28
		1	2	291	211	505	11	11	2,267	1,261	3,550



TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Total	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
N940-N949	Burns	-	-	10	17	27	-	-	-	161	320	481	-	-	-
	Nfld.	1	-	6	10	17	-	17	-	58	102	177	-	-	-
	N.B.	-	-	67	45	112	-	-	-	940	907	1,847	-	-	-
	Que.	-	-	20	19	39	-	-	-	233	136	369	-	-	-
	Man.	-	-	25	16	41	-	-	-	193	199	392	-	-	-
	Sask.	1	-	30	20	51	-	51	-	370	261	682	-	-	-
	Alta.	-	-	32	20	52	-	-	-	416	209	625	-	-	-
	B.C.	-	-	-	1	1	-	-	-	-	14	14	-	-	-
	Yukon	-	-	2	-	2	-	-	-	16	-	16	-	-	-
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2	-	192	148	342	-	68	-	2,387	2,148	4,603	-	-	-
N805-N851, Other accidents, N860-N936, poisonings and N950-N999 violence		6	7	45	20	78	49	80	49	336	178	643	-	-	-
	Nfld.	-	-	27	25	52	-	-	-	190	217	407	-	-	-
	N.B.	1	-	223	201	425	-	5	-	2,171	1,900	4,076	-	-	-
	Que.	-	-	56	49	105	-	-	-	380	358	738	-	-	-
	Man.	3	3	73	55	134	36	32	36	477	223	768	-	-	-
	Sask.	11	1	84	82	178	7	80	7	570	594	1,251	-	-	-
	Alta.	25	4	94	78	201	147	262	147	798	481	1,688	-	-	-
	B.C.	1	1	1	-	3	5	1	5	1	-	7	-	-	-
	Yukon	-	-	3	4	7	-	-	-	4	18	22	-	-	-
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		47	16	606	514	1,183	244	460	244	4,927	3,969	9,600	-	-	-

TABLE 10 - (Cont'd)

- (1) A. Separations in the "Residual - Newborn" category have been obtained by two different methods as follows:
  - (a) New Brunswick, Quebec, Saskatchewan and Alberta: Separations in categories 96 and 97 (mature and immature newborn) in Table 6, LESS separations for the special diagnoses listed in Table 10.
  - (b) Newfoundland, Manitoba, British Columbia, Yukon and Northwest Territories: Total separations, newborns, all diagnoses (1-98) in Table 6, LESS separations for categories 96 and 97 (mature and immature newborn) and the separations for the special diagnoses listed in Table 10.
- B. The "Residual - Other infants" category has been calculated uniformly, as follows: Separations for all diagnoses (1-98) for the "Under 1" age group in Table 6, LESS the separations for the special diagnoses listed in Table 10.
- C. Quebec, Manitoba and Alberta each include patients who are the responsibility of their Provincial Plans, and patients who are not the responsibility of their Provincial Plans. British Columbia excludes out-of-province separations which were the responsibility of the provincial plan.

# APPENDIX I

## THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
1	001-019	13	172-174	25	260	38	420-422
2	080-083	14	175	26	270-277	39	430-434
3	092	15	177	27	280-289	40	440-447
4	084-091, 093-096	16	180, 181	28	290-299	41	450-456
5	020-064, 070-074, 100-108, 110-117, 120-138	17	204	29	300-309	42	460
6	140-148	18	150, 152, 155-161, 164, 165, 176, 178, 179, 190-199, 200-203, 205	30	310-318	43	461
				31	320-326	44	463, 464
7	151	19	214, 215	32	330-334	45	462, 465-468
8	153	20	216	33	340-345, 350-357	46	470-475
9	154	21	210-213, 217-239	34	360-369	47	480-483
10	162, 163	22	241	35	370-389	48	490-493
11	170	23	240, 242-245	36	390-398	49	500-502
12	171	24	250-254	37	400-402, 410-416	50	510

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
51	511-527	65	602, 604	78	690-698	91	N830-N848
52	530-535	66	601, 603, 605-609	79	700-716	92	N860-N869
53	540-542	67	610	80	720-727	93	N940-N949
54	543-545	68	615	81	735	94	N850, N851, N870-N888, N890-N898, N900-N908, N910-N918, N920-N936, N950-N999
55	550-553	69	622-626, 630	82	730-734, 736-738, 740-749		
56	560, 561	70	631				
57	570	71	634	83	750-759	95	Y00
58	571	72	611-614, 616, 617, 620, 621, 632, 633, 635-637	84	760-776	96	Y20, Y22, Y23, Y26, Y27
59	572			85	780-795	97	Y21, Y24, Y25, Y28, Y29
60	580-583	73	640-649	86	N800-N804, N852-N856	98	Y01-Y18, Y40-Y83
61	584-587	74	650-652	87	N805-N809		
62	536-539, 573-578	75	660	88	N810-N819		
63	590-594	76	670-678	89	N820, N821		
64	600	77	680-689	90	N822-N829		



APPENDIX 2 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1964.

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
Total (Both Sexes)	19,235.0	491.0	107.0	760.0	617.0	5,562.0	6,586.0	958.0	943.0	1,432.0	1,738.0	16.0	25.0
Under 1	450.0	14.9	2.7	18.2	15.2	128.5	151.0	21.7	22.5	37.2	36.6	0.4	1.0
1 - 4	1,833.6	57.6	10.7	73.2	62.5	529.4	611.2	88.3	90.8	151.2	152.9	2.1	3.7
5 - 9	2,181.0	65.2	12.3	87.4	76.0	656.0	711.8	103.3	108.9	171.8	182.8	2.1	3.4
10 - 14	2,004.3	62.8	12.2	82.3	74.5	604.4	649.2	97.4	100.5	149.2	167.5	1.6	2.7
15 - 19	1,692.6	53.7	10.8	73.1	64.7	531.7	533.4	82.4	83.0	117.5	139.3	1.0	2.0
20 - 24	1,310.7	37.0	7.3	55.1	43.5	425.4	412.7	63.6	60.4	93.9	109.0	1.0	1.8
25 - 29	1,174.6	27.4	5.5	43.6	32.4	359.9	402.1	55.9	50.2	92.5	101.8	1.1	2.2
30 - 34	1,234.5	25.6	5.1	41.4	31.7	367.8	441.4	57.0	52.9	98.2	110.1	1.4	1.9
35 - 39	1,281.2	24.8	5.2	42.3	33.6	370.8	471.2	60.5	56.2	96.1	117.5	1.4	1.6
40 - 44	1,203.2	24.2	5.6	43.8	34.4	336.7	442.3	60.4	56.1	87.8	114.7	1.0	1.2
45 - 49	1,058.1	23.0	5.6	42.2	31.6	289.2	374.0	55.4	53.4	76.3	105.7	0.8	0.9
50 - 54	940.3	19.6	5.1	37.6	27.9	255.5	335.7	50.3	47.8	64.7	94.5	0.7	0.9
55 - 59	775.2	15.2	4.3	30.4	22.8	211.0	280.6	41.4	39.9	53.2	75.3	0.5	0.6
60 - 64	622.8	11.7	3.7	24.0	18.3	163.9	230.8	33.7	32.4	43.2	60.3	0.3	0.5
65 - 69	505.5	9.9	3.5	21.1	15.9	125.9	189.1	28.1	27.3	33.5	50.6	0.3	0.3
70 - 74	405.5	7.8	3.0	17.8	13.2	93.4	148.8	24.1	24.5	27.0	45.5	0.2	0.2
75 - 79	296.8	5.6	2.2	13.1	9.7	62.1	106.9	18.6	19.0	21.0	38.4	0.1	0.1
80 - 84	166.3	3.3	1.3	8.0	5.7	32.6	59.0	10.4	11.1	11.6	23.3	(1)	(1)
85 - 89	68.2	1.2	0.6	3.7	2.4	13.1	25.0	4.0	4.6	4.4	9.2	(1)	(1)
90 +	25.6	0.5	0.3	1.7	1.0	4.7	9.8	1.5	1.5	1.6	3.0	(1)	(1)

(1) Less than 50 persons.  
Source: Dominion Bureau of Statistics.

APPENDIX 2 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1964.

Sex and Age	Canada	Nfld.	E.I.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	(In Thousands)												
MALES													
Under 1	9,698.4	251.8	54.7	386.0	311.9	2,781.5	3,303.0	485.1	485.7	736.9	879.3	8.8	13.7
1 - 4	230.5	7.7	1.4	9.4	7.8	65.9	77.3	11.0	11.5	19.2	18.6	0.2	0.5
5 - 9	937.4	29.4	5.5	37.3	31.9	271.5	312.7	45.2	46.2	77.0	77.7	1.1	1.9
10 - 14	1,115.6	33.0	6.2	44.9	39.0	334.4	364.5	52.9	55.8	88.4	93.7	1.1	1.7
15 - 19	1,025.1	31.8	6.2	42.1	37.8	308.8	332.8	49.8	51.2	76.5	85.9	0.8	1.4
	863.9	27.2	5.5	37.5	33.0	270.2	273.4	42.1	42.2	60.0	71.3	0.5	1.0
20 - 24	657.1	18.5	3.8	28.7	22.4	211.2	206.0	32.4	30.8	47.0	54.8	0.5	1.0
25 - 29	587.1	14.1	2.9	22.6	16.4	177.3	199.6	28.5	25.8	46.6	51.4	0.6	1.3
30 - 34	628.3	13.5	2.7	21.0	15.9	183.5	224.5	29.3	27.5	51.3	57.2	0.8	1.1
35 - 39	642.9	12.9	2.6	20.9	16.5	183.5	236.9	30.0	28.9	49.6	59.3	0.8	1.0
40 - 44	598.7	12.8	2.3	21.7	17.1	166.1	219.2	29.6	28.3	44.2	55.6	0.6	0.7
45 - 49	530.9	12.2	2.8	21.2	16.0	143.2	188.9	27.8	27.1	39.0	51.7	0.5	0.5
50 - 54	476.8	10.4	2.7	19.6	14.4	127.4	170.0	25.4	24.8	33.5	47.7	0.4	0.5
55 - 59	394.4	8.2	2.3	16.0	11.8	104.3	141.1	21.1	21.2	28.4	39.3	0.3	0.4
60 - 64	311.9	6.0	1.9	12.0	9.1	79.7	113.6	17.1	17.2	23.5	31.3	0.2	0.3
65 - 69	245.8	5.0	1.8	10.3	7.7	60.2	89.8	13.9	14.2	17.8	24.7	0.2	0.2
70 - 74	192.6	3.8	1.5	8.5	6.4	43.7	67.2	11.9	13.1	14.3	22.0	0.1	0.1
75 - 79	140.0	2.8	1.1	6.2	4.6	28.2	46.4	9.3	10.5	11.4	19.3	0.1	0.1
80 - 84	78.1	1.7	0.6	3.7	2.6	14.7	25.4	5.2	6.2	6.1	11.9	(1)	(1)
85 - 89	30.5	0.6	0.3	1.7	1.1	5.7	10.0	1.9	2.4	2.3	4.5	(1)	(1)
90 +	10.8	0.2	0.1	0.7	0.4	2.0	3.7	0.7	0.8	0.8	1.4	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics.

APPENDIX 2 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1964.

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
	(In Thousands)												
<u>FEMALES</u>	9,535.6	239.2	52.3	374.0	305.1	2,730.5	3,283.0	472.9	457.3	695.1	858.7	7.2	11.3
Under 1	219.5	7.2	1.3	8.8	7.4	62.6	73.7	10.7	11.0	18.1	18.0	0.2	0.5
1 - 4	896.2	28.2	5.2	35.9	30.6	257.9	298.5	43.1	44.6	74.2	75.2	1.0	1.8
5 - 9	1,055.4	32.2	6.1	42.5	37.0	321.6	347.3	50.4	53.1	83.4	89.1	1.0	1.7
10 - 14	979.2	31.0	6.0	40.2	36.7	295.6	316.4	47.6	49.3	72.7	81.6	0.8	1.3
15 - 19	828.7	26.5	5.3	35.6	31.7	261.5	260.9	40.3	40.8	57.5	68.0	0.5	1.0
20 - 24	653.6	18.5	3.5	26.4	21.1	214.2	206.7	31.2	29.6	46.9	54.2	0.5	0.8
25 - 29	537.5	13.3	2.6	21.0	16.0	182.6	202.5	27.4	24.4	45.9	50.4	0.5	0.9
30 - 34	606.2	12.1	2.4	20.4	15.8	164.3	216.9	27.7	25.4	46.9	52.9	0.6	0.3
35 - 39	638.3	11.9	2.6	21.4	17.1	187.3	234.3	30.5	27.3	46.5	58.2	0.6	0.6
40 - 44	609.5	11.4	2.3	22.1	17.3	170.6	223.1	30.8	27.8	43.6	59.1	0.4	0.5
45 - 49	527.2	10.5	2.8	21.0	15.6	156.0	185.1	27.6	26.3	37.3	54.0	0.3	0.4
50 - 54	463.5	9.2	2.4	18.0	13.5	128.1	165.7	24.9	23.0	31.2	46.8	0.3	0.4
55 - 59	380.8	7.0	2.0	14.4	11.0	106.7	139.5	20.3	18.7	24.8	36.0	0.2	0.2
60 - 64	310.9	5.7	1.8	12.0	9.2	84.2	117.2	16.6	15.2	19.7	29.0	0.1	0.2
65 - 69	259.7	4.9	1.7	10.8	8.2	65.7	99.3	14.2	13.1	15.7	25.9	0.1	0.1
70 - 74	212.9	4.0	1.5	9.3	6.8	49.7	81.6	12.2	11.4	12.7	23.5	0.1	0.1
75 - 79	156.8	2.8	1.1	6.9	5.1	33.9	60.5	9.3	8.5	9.6	19.1	(1)	(1)
80 - 84	88.2	1.6	0.7	4.3	3.1	17.9	33.6	5.2	4.9	5.5	11.4	(1)	(1)
85 - 89	37.7	0.6	0.3	2.0	1.3	7.4	15.0	2.1	2.2	2.1	4.7	(1)	(1)
90 +	14.3	0.3	0.2	1.0	0.6	2.7	6.1	0.8	0.7	0.8	1.6	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics.















